NACOmatic

Effective: 23-Sep-2010 Expires: 18-Nov-2010



Warranty

availability, applicability and/or correctness of any of the information in this document. The official, original NACO documents are available for your downloading pleasure

I make absolutely no warranty nor guarantee whatsoever about the accuracy,

Copyright

treaties.

This compilation is protected by US copyright laws and international copyright

from: http://naco.faa.gov/index.asp?xml=naco/onlineproducts

Limitations

prohibited.

The sale, hosting and/or distribution of this document in any and all forms, is

Release from Liability

All users of this compilation must agree to be legally bound hereby, that Douglas R.

Ranz ("Released Party") SHALL NOT BE LIABLE FOR MY DEATH OR INJURY TO MY PERSON, OR FOR ANY LOSS FOR DAMAGE TO MY PROPERTY OR REPUTATION caused

in any manner whatsoever, whether attributable to the negligence of the Released Party, or for any other reason, occurring during the time that I am operating an aircraft.

I do hereby waive any right of action against the Released Party from any and all causes or claims that I may have against them from the beginning of time. I further agree not to sue on any such cause or claim. This agreement shall not release

liability for gross negligence or willful misconduct of the Released Party. I agree to indemnify and hold the Released Party harmless for any losses, judgments, damages

or fees he may incur, including but not limited to attorneys fees, arising out any lawsuit related to the planning, flight and/or enforcement of or legal challenge to this agreement. It is my intention that this agreement be interpreted and enforced to the maximum extent allowed by Michigan law.

Kindl	.e-DX	Index;	by Ar	otID		Use	"Menu",	then	"Goto	Page
09Ј	=>	59	HQU	=>	80					
15J	=>	26	IIY	=>	83					
16J	=>	48	JES	=>	60					
17J	=>	50	JYL	=>	78					
18A	=>	41	JZP	=>	58					
19A	=>	59	LGC	=>	61					
25J	=>	47	LHW	=>	54					
27A	=>	52	LSF	=>	62					
3RU	=>	85	LZU	=>	61					
47A	=>	42	MAC	=>	63					
48A	=>	44	MCN	=>	63					
49A	=>	53	MGE	=>	49					
51A	=>	57	MGR	=>	69					
52A	=>	64	MHP	=>	65					
53A	=>	67	MLJ	=>	65					
65J	=>	85	MQW	=>	64					
70J	=>	40	MŪL	=>	69					
75J	=>	28	OKZ	=>	75					
82A	=>	39	OPN	=>	79					
ABY	=>	26	PDK	=>	30					
ACJ	=>	27	PIM	=>	71					
AGS	=>	35	PUJ	=>	34					
AHN	=>	28	PXE	=>	71					
AJR	=>	46	RMG	=>	74					
AMG	=>	27	RVJ	=>	73					
ATL	=>	32	RYY	=>	29					
AYS	=>	84	SAV	=>	76					
AZE	=>	57	SBO	=>	78					
BGE	=>	36	SSI	=>	39					
BHC	=>	37	SVN	=>	58					
BIJ	=>	38	SYV	=>	79					
BQK	=>	38	TBR	=>	77					
BXG	=>	84	TMA	=>	81					
CCO	=>	34	TOC	=>	81					
CKF	=>	45	TVI	=>	80					
CSG	=>	45	VAD	=>	68					
CTJ	=>	42	VDI	=>	82					
CWV	=>	44	VLD	=>	82					
CXU	=>	41	VPC	=>	43					
CZL	=>	41	WDR	=>	85					
DBN	=>	51	WRB	=>	73					
DNL	=>	36								
DNN	=>	47								
DQH	=>	50								
DZJ	=>	37								
EZM	=>	52								
FFC	=>	35								
FTY	=>	31								
FZG	=>	53								
GVL	=>	55								
HOE	=>	57								

GENERAL INFORMATION This Airport/Facility Directory is a Civil Flight Information Publication published and distributed every eight weeks by the FAA

Department of Transportation, National Aeronautical Navigation Services, Silver Spring, Maryland 20910. It is designed fo

This directory contains all open to the public airports, seaplane bases and heliports, military facilities, and selected private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally, this directory contains communications data

Military data contained within this publication is provided by the National Geospatial-Intelligence Agency and is intended to provide reference data for military and/or joint civil/military airports. Not all military data contained in this publication is

CORRECTIONS, COMMENTS, AND/OR PROCUREMENT

use with Aeronautical Charts covering the conterminous United States, Puerto Rico and the Virgin Islands.

FAA, Aeronautical Information Services, ATO-R, Rm. 626 800 Independence Ave., SW Washington, DC 20591 Telephone 1-866-295-8236

CRITICAL information such as equipment malfunction, abnormal field conditions, hazards to flight, etc., should be reported as soon as possible to the nearest FAA facility, either in person or by reverse charge telephone call.

FOR AIRPORT SUPPLEMENT REVISIONS FORM VISIT WEB SITE: http://nfdc.faa.gov/portal/airportchanges.do

Fax 202-267-5322

applicable to civil users.

Email 9-ATOR-HQ-AIS-AIRPORTCHANGES@FAA.GOV

navigational facilities and certain special notices and procedures.

NOTICE: Changes must be received by the Aeronautical Information Services as soon as possible but not later than the "cut-off" dates listed below to assure publication on the desired effective date.

	Airport Information	Airspace Information*
Effective Date	Cut-off date	Cut-off date
23 Sep 10	11 Aug 10	22 Jul 10
18 Nov 10	6 Oct 10	16 Sep 10
13 Jan 11	1 Dec 10	11 Nov 10
10 Mar 11	26 Jan 11	6 Jan 11
5 May 11	23 Mar 11	3 Mar 11
30 Jun 11	18 May 11	28 Apr 11

^{*}Including changes to preferred routes and graphic depictions on charts.

FOR CHARTING ERRORS CONTACT:

FAA, National Aeronautical Navigation Services

SSMC-4 Sta. #4435

1305 East West Highway

Silver Spring, MD 20910-3281

Telephone 1-800-626-3677

Email 9-AMC-Aerochart@faa.gov

Frequently asked questions (FAQs) are answered on our website at http://aeronav.faa.gov.

See the FAQs prior to contact via toll free number.

FOR PROCUREMENT CONTACT:

FAA, National Aeronautical Navigation Services

REDIS/Distribution Team

10201 Good Luck Road

Glenn Dale, MD 20769-9700

Online at http://aeronav.faa.gov

Email 9-AMC-Chartsales@faa.gov Telephone 1-800-638-8972

Fax 301-436-6829

or any authorized chart agent.

New or Changed Information—To alert users of new information or changes to information from the previous issue, a vertical

line will be portrayed in the outside margin and extending the full length of the new and/or revised data. This will not apply to the front cover or the airport/facility directory listing.

This Airport/Facility Directory comprises part of the following sections of the United States Aeronautical Information Publication (AIP): GEN, ENR and AD.

GENERAL INFORMATION

TABLE OF CONTENTS

Inside F

481

488

494

506

512

656

Inside E

General Information

Abbreviations	2
Directory Legend	4
Airport/Facility Directory	
Alabama	22
Florida	66
Georgia	146
Kentucky	205
North Carolina	233
South Carolina	290
Tennessee	324
Puerto Rico	365
Virgin Islands	370
City/Military Airport Cross Reference	372
Seaplane Landing Areas	373
Special Notices	374
Regulatory Notices	388
FAA and National Weather Service	
Telephone Numbers	389
Key to Aviation Weather Reports	390
Air Traffic Facilities Telephone Numbers	392
Air Route Traffic Control Centers	394
Flight Service Station Communication Frequencies	396
Flight Standards District Offices	400
Routes/Waypoints	
Low Altitude Preferred Routes	401
Low Altitude Directional Routes	408
High Altitude Preferred Routes	408
High Altitude Directional Routes	452
Q-Routes	459
RNAV Routing Pitch and Catch Points	462
VFR Waypoints	473

VOR Receiver Check

Parachute Jumping Areas

Aeronautical Chart Bulletins

Supplemental Communication Reference

Airport Diagrams

National Weather Service (NWS) Upper Air Observing Stations

Enroute Flight Advisory Service (EFAS)

GENERAL INFORMATION

ABBREVIATIONS

The following abbreviations/acronyms are those commonly used within this Directory. Other abbreviations/acronyms m be found in the Legend and are not duplicated below. The abbreviations presented are intended to represent grammatic variations of the basic form. (Example-"req" may mean "request", "requesting", "requested", or "requests"). AAF

Army Air Field byd bevond Airbase C Commercial Circuit (Telephone) AB CGAF Coast Guard Air Facility abv ahove

ACC Air Combat Command: Area Control CGAS Coast Guard Air Station

Center CIV Civil acft aircraft clsd closed

ADCC Air Defense Control Center comd command

approach end rwy CONUS Continental United States AFR

CSTMS AFB Air Force Base Customs

AFHP Air Force Heliport ctc contact

airfield control afld ctl

AFOD US Army Flight Operations Detachment dalgt daylight

Dec December

AFRC Armed Forces Reserve Center/Air Force

Reserve Command DIAP

DoD Instrument Approach Procedure

Automated Flight Service Station DoD **AFSS** Department of Defense

Agriculture DSN Defense Switching Network (Telephon AG A-GEAR Arresting Gear dsplcd displaced

durn duration ΔGI above ground level AHP Army heliport eff effective

ALS Approach Light System emerg emergency

alt altitude FOR End of Runway AMC Air Mobility Command ETA Estimated Time of Arrival

Air National Guard Station ETD Estimated Time of Departure ANGS approach exc except anch

April Apr extd extend

APU Auxiliary Power Unit FRO fixed-base operator

ARR Air Reserve Base Feb February

arpt airport fld field Air Reserve Station FLIP Flight Information Publication ARS

AS Air Station flt flight

ASDE-X Airport Surface Detection Equipmentfollow flw

Model X Fri Friday

ASU Aircraft Starting Unit Flight Service Station

Air Traffic Control GΑ glide angle

ATC

ATCT Airport Traffic Control Tower GCA Ground Controlled Approach

August GS glide slope

Aug ΔΠΙΜ

All Up Weight (gross weight) haz hazard available ΗQ avhl Headquarters bcn

heacon below

blo

CONTINUED ON NEXT PAGE

GENERAL INFORMATION ----

pattern

request

require

runwav

Saturday

surface

sunrise

sunset

Sunday

service

threshold

Thursday

temporary

transient

Tuesday

tower

taxiway

Under Construction

United States Army

United States Navy

formerly AUTOVON)

Visual Flight Rules

Wednesday

weather

Very Important Person

United States Air Force

United States Coast Guard

Defense Switching Network (telephone,

Visual Meteorological Conditions

take-off

traffic

standard

Sentember

restricted

right traffic

power line

Pilot-to-Metro Service

Pilot to Dispatcher

Remain Overnight

Petrol, Oils and Lubricants

Precision Runway Monitoring

Regional Air Movement Control Center

reduced same runway separation

Single Frequency Approach

Special Flight Rules Area

Supervisor of Flying

Seaplane Base

Strategic Expeditionary Landing Field

Spectrometric Oil Analysis Program

prior permission required

non	precision	instrument	

3

CONTINUED	FRUM	PRECEDING	ŀ
		npi	

pat

p-line

PMSV

POI

PPR

PRM

PTD

rea

RAMCC

rgt tfc

RON

rar

retd

rwv

Sat

SELE

Sen

SFΔ

cfc

SFRA

SOAP

SOF

SPR

SR

99

std

Sun

SVC

tfc

thld

Thu

tkf

tmprv

tran

Tue

twr

twv

UC

USA

USAF

USCG

USN

VFR

VIP

VMC

Wed wx

SE, 23 SEP 2010 to 18 NOV 2010

RSRS

ΙΔΡ Instrument Approach Procedure NS ARTMT Noise Abatement

hr

lan

JASU IOAP

JOSAC

IRR

hul

lun

Κt

LAA

lhs

ldg

lgtd

lgts LMM

LOC

LOM

MACC

MCAF

MCAS

MCB

med

Mil

min

MLS

MM

Mon

MP

MSL

MSAW

NAAS

NADC

NADEP

NAEC

NAES

NALCO

NALO NALE

NAS

NAWC

NAWS ngt

NOLF

Nov

NAF

MFTRO

MCALE

Mar

ltd

LAHSO

hour

January

July

June

Knots

nounds

landing

lighted

Localizer

limited

March

medium

military

minute

Monday

lights

Jet Aircraft Starting Unit

Joint Reserve Base

Local Airport Advisory

Land and Hold Short Operations

Compass locator at Middle Marker ILS

Compass locator at Outer Marker ILS

Marine Corps Auxiliary Landing Field

Military Area Control Center

Marine Corps Air Facility

Marine Corps Air Station

Pilot-to-Metro voice call

Middle Marker of ILS

Maintenance Period

mean sea level

Naval Air Denot

Naval Air Facility

Naval Air Station

Naval Outlying Field

night

November

Microwave Landing System

minimum safe altitude warning

Naval Air Development Center

Naval Air Engineering Center

Naval Air Engineering Station

Navy Air Logistics Office

Naval Air Warfare Center

Naval Air Weapons Station

Naval Auxiliary Landing Field

Naval Air Logistics Control Office

Naval Auxiliary Air Station

Marine Corps Base

Joint Oil Analysis Program

Joint Operational Support Airlift Center

ICAO International Civil Aviation Organization NSTD nonstandard

IFR Instrument Flight Rules ntc notice

Instrument Landing System ohsn observation

II S

Inner Marker Oct October

IM OL F

Immigration Outlying Field

IMG

increase opr operate, operator, operational

indefinite

incr indef ago

operations


ints intensity OTS

out of service

ovrn overrun

in the vicinity of

invof IMC Instrument Meteorological Conditions PAEW personnel and equipment working



10 SKETC	H LEGEND
runways/landing areas	radio aids to navigation
Hard Surfaced	vortac
Metal Surface	VOR/DME \(\bigcap \) NDB \(\omega \)
Sod, Gravel, etc	TACAN NDB/DME
Light Plane,	MISCELLANEOUS AERONAUTICAL FEATURES
Closed	Airport Beacon
Helicopter Landings Area	Landing Tee ⊢
Displaced Threshold 0	Tetrahedron
Taxiway, Apron and Stopways	ADDROAGU HOUTING AVOTENA
	APPROACH LIGHTING SYSTEMS
MISCELLANEOUS BASE AND CULTURAL FEATURES	A dot " • " portrayed with approach lighting letter identifier indicates sequenced flashing lights (F) installed with the approach lighting
Buildings	system e.g. (A) Negative symbology, e.g., (A) w indicates Pilot Controlled Lighting (PCL).
Power Lines	Runway Centerline Lighting
Fence	Approach Lighting System ALSF-2
Towers	Approach Lighting System ALSF-1 . Indiana
Tanks	A2 SALS/SALSF
Oil Well	(A) Medium Intensity Approach Lighting System
Smoke Stack	(MALS and MALSF)/(SSALS and SSALF)
5812 Obstruction	Medium Intensity Approach Lighting System (MALSR) and RAIL
. 5010	Omnidirectional Approach Lighting System (ODALS)
Controlling Obstruction	D Navy Parallel Row and Cross Bar
Trees ထိုထာ ထိုထား	Visual Approach Slope Indicator with
Populated Places	Standard Threshold Clearance provided Pulsating Visual Approach Slope Indicator (PVASI)
Cuts and Fills Fill Fill	Visual Approach Slope Indicator with a threshold crossing height to accomodate long bodied or jumbo aircraft
Cliffs and Depressions	Tri-color Visual Approach Slope Indicator (TRCV)
Ditch	(Vs) Approach Path Alignment Panel (APAP)
Hill	P Precision Approach Path Indicator (PAPI)

LEGEND

This directory is a listing of data on record with the FAA on all open to the public airports, military facilities and selected

associated terminal control facilities, air route traffic control centers, and radio aids to navigation within the conterminous United States, Puerto Rico and the Virgin Islands. Joint civil/military and civil airports are listed alphabetically by state,

private use facilities specifically requested by the Department of Defense (DoD) for which a DoD Instrument Approach Procedure has been published in the U.S. Terminal Procedures Publication. Additionally this listing contains data for

associated city and airport name and cross-referenced by airport name. Military facilities are listed alphabetically by state and official airport name and cross-referenced by associated city name. Navaids, flight service stations and remote communication outlets that are associated with an airport, but with a different name, are listed alphabetically under their own name, as well

as under the airport with which they are associated.

approved for use on the part of the general public. Military and private use facilities published in this directory are open to civil pilots only in an emergency or with prior permission. See Special Notice Section, Civil Use of Military Fields. The information on obstructions is taken from reports submitted to the FAA. Obstruction data has not been verified in all cases. Pilots are cautioned that objects not indicated in this tabulation (or on the airports sketches and/or charts) may exist

The listing of an open to the public airport in this directory merely indicates the airport operator's willingness to accommodate transient aircraft, and does not represent that the facility conforms with any Federal or local standards, or that it has been

directory are contained in the Aeronautical Information Manual, Basic Flight Information and ATC Procedures. The legend items that follow explain in detail the contents of this Directory and are keyed to the circled numbers on the sample on the preceding pages.

same associated city name will be listed alphabetically by airport name and will be separated by a dashed rule line. A solid rule line will separate all others. FAA approved helipads and seaplane landing areas associated with a land airport will be

separated by a dotted line. Military airports are listed alphabetically by state and official airport name.

which can create a hazard to flight operation. Detailed specifics concerning services and facilities tabulated within this

(1) CITY/AIRPORT NAME

Civil and joint civil/military airports and facilities in this directory are listed alphabetically by state and associated city. Where the city name is different from the airport name the city name will appear on the line above the airport name. Airports with the

Alternate names, if any, will be shown in parentheses.

(3) LOCATION IDENTIFIER

The location identifier is a three or four character FAA code followed by a four-character ICAO code assigned to airports. ICAO

codes will be shown with the primary operating agency's code listed first. These identifiers are used by ATC in lieu of the

airport name in flight plans, flight strips and other written records and computer operations. Zeros will appear with a slash to differentiate them from the letter "O". (4) OPERATING AGENCY

codes will only be published at joint civil/military, and military facilities. If two different military codes are assigned, both

Airports within this directory are classified into two categories, Military/Federal Government and Civil airports open to the

general public, plus selected private use airports. The operating agency is shown for military, private use and joint civil/military airports. The operating agency is shown by an abbreviation as listed below. When an organization is a tenant, the abbreviation is enclosed in parenthesis. No classification indicates the airport is open to the general public with no military tenant. US Army MC Marine Corps Α

AFRC Air Force Reserve Command N Navv ΑF US Air Force NAF Naval Air Facility ANG Air National Guard NAS Naval Air Station AR US Army Reserve NASA National Air and Space Administration ARNG US Army National Guard US Civil Airport Wherein Permit Covers CG US Coast Guard Use by Transient Military Aircraft

PVT

Private Use Only (Closed to the Public)

Joint Use Civil/Military DND Department of National Defense Canada

(5) AIRPORT LOCATION

Airport location is expressed as distance and direction from the center of the associated city in nautical miles and cardinal

points, e.g., 4 NE.

CIV/MIL

(6) TIME CONVERSION

Hours of operation of all facilities are expressed in Coordinated Universal Time (UTC) and shown as "Z" time. The directory indicates the number of hours to be subtracted from UTC to obtain local standard time and local daylight saying time UTC-5(-4DT). The symbol ‡ indicates that during periods of Daylight Saving Time effective hours will be one hour earlier than

effect from 0200 local time the second Sunday in March to 0200 local time the first Sunday in November. Canada and all U.S. Conterminous States observe daylight saving time except Arizona and Puerto Rico, and the Virgin Islands. If the state observes daylight saving time and the operating times are other than daylight saving times, the operating hours will include the dates, times and no ‡ symbol will be shown, i.e., April 15-Aug 31 0630-1700Z, Sep 1-Apr 14 0600-1700Z.

shown. In those areas where daylight saving time is not observed the (-4DT) and ‡ will not be shown. Daylight saving time is in

GEOGRAPHIC POSITION OF AIRPORT—AIRPORT REFERENCE POINT (ARP)

Positions are shown as hemisphere, degrees, minutes and hundredths of a minute and represent the approximate geometric (8) CHARTS

Manual 5-4-5 Instrument Approach Procedure Charts for additional information, AD indicates an airport for which an airport diagram has been published. Airport diagrams are located in the back of each A/FD volume alphabetically by associated city

The airport sketch, when provided, depicts the airport and related topographical information as seen from the air and should be used in conjunction with the text. It is intended as a guide for pilots in VFR conditions. Symbology that is not self-explanatory will be reflected in the sketch legend. The airport sketch will be oriented with True North at the top. Airport

The highest point of an airport's usable runways measured in feet from mean sea level. When elevation is sea level it will be

B indicates rotating beacon is available. Rotating beacons operate sunset to sunrise unless otherwise indicated in the

CODE

J4 (JP4)

J5 (JP5)

J8 (JP8)

18+100

MOGAS

been obtained. Automobile gasoline, which is to be used in aircraft engines, will be identified as "MOGAS",

B+

S5: Major airframe repairs.

S7: Major powerplant repairs.

S8: Minor powerplant repairs.

FUFL

minus 50° C.

S6: Minor airframe and major powerplant repairs.

FS-11, FP** minus 46°C.

with FS-II*, FP** minus 47°C.

stability characteristics of JP-8.

(Jet Fuel Type Unknown)

as aircraft fuel.

Jet B, Wide-cut, turbine fuel with FS-II*, FP**

(JP-4 military specification) FP** minus

with FS-II*, FP** minus 47°C, with-fuel

additive package that improves thermo

Automobile gasoline which is to be used

(JP-5 military specification) Kerosene with

(JP-8 military specification) Jet A-1, Kerosene

(JP-8 military specification) Jet A-1, Kerosene

and airport name. (10) AIRPORT SKETCH

(11) ELEVATION

(13)

80

100

115

Α

A+

A1 +

10011

(14) FUEL CODE

center of all usable runway surfaces.

sketches will be added incrementally.

(12) ROTATING LIGHT BEACON

SERVICING—CIVIL S1: Minor airframe repairs.

FUFI

(9) INSTRUMENT APPROACH PROCEDURES, AIRPORT DIAGRAMS

AIRPORT REMARKS or MILITARY REMARKS segment of the airport entry.

S2: Minor airframe and minor powerplant repairs.

S3: Major airframe and minor powerplant repairs.

S4: Major airframe and major powerplant repairs.

Grade 80 gasoline (Red)

specification) (Purple)

FP** minus 50° C.

Grade 100 gasoline (Green)

100LL gasoline (low lead) (Blue)

Grade 115 gasoline (115/145 military

Jet A, Kerosene, without FS-II*, FP** minus

Jet A, Kerosene, with FS-II*, FP** minus

Jet A-1, Kerosene with FS-II*, FP** minus

Jet B, Wide-cut, turbine fuel without FS-II*,

Procedures. See the Special Notice Section of this directory, Civil Use of Military Fields and the Aeronautical Information

indicates an airport for which a prescribed DoD Instrument Approach Procedure has been published in the U.S. Terminal

IAP indicates an airport for which a prescribed (Public Use) FAA Instrument Approach Procedure has been published. DIAP

depicted as GOMW and GOMC.

indicated as "00". When elevation is below sea level a minus "-" sign will precede the figure.

located. Helicopter Chart locations will be indicated as COPTER. IFR Gulf of Mexico West and IFR Gulf of Mexico Central will be

Charts refer to the Sectional Chart and Low and High Altitude Enroute Chart and panel on which the airport or facility is

40°C. Jet A-1, Kerosene, without FS-II*, FP** minus 47°C.

47° C.

*(Fuel System Icing Inhibitor) **(Freeze Point) NOTE: Certain automobile gasoline may be used in specific aircraft engines if a FAA supplemental type certificate has

however, the grade/type and other octane rating will not be published.

Data shown on fuel availability represents the most recent information the publisher has been able to acquire.

Because of a variety of factors, the fuel listed may not always be obtainable by transient civil pilots. Confirmation of availability of fuel should be made directly with fuel suppliers at locations where refueling is planned.

(15) OXYGEN—CIVIL OX 1 High Pressure OX 3 High Pressure—Replacement Bottles

OX 2 Low Pressure (16) TRAFFIC PATTERN ALTITUDE

OX 4 Low Pressure—Replacement Bottles

Traffic Pattern Altitude (TPA)—The first figure shown is TPA above mean sea level. The second figure in parentheses is TPA

above airport elevation. Multiple TPA shall be shown as "TPA-See Remarks" and detailed information shall be shown in the Airport or Military Remarks Section. Traffic pattern data for USAF bases, USN facilities, and U.S. Army airports (including those

on which ACC or U.S. Army is a tenant) that deviate from standard pattern altitudes shall be shown in Military Remarks.

US Customs Air and Sea Ports, Inspectors and Agents Northeast Sector (New England and Atlantic States-ME to MD)

Southeast Sector (Atlantic States-DC, WV, VA to FL)

Southwest East Sector (OK and eastern TX)

Pacific Sector (WA, OR, CA, HI and AK)

Required

Νo.

Vehicles

1

1 or 2

2 or 3

3

3

contact airport manager prior to flight.

(19) NOTAM SERVICE

Airport

Index

C

D

Ε

will always carry an Index A.

Southwest West Sector (Western TX, NM and AZ)

(18) CERTIFICATED AIRPORT (14 CFR PART 139)

Central Sector (Interior of the US, including Gulf states—MS, AL, LA)

Type of Air Carrier Operation

Aircraft Length

≥126'. <159'

≥126', <159'

≥159', <200'

≥159′. <200′

_____ >200'

≥200′

<126'

<90'

≥90′.

Scheduled Air Carrier Aircraft with 31 or more passenger seats Unscheduled Air Carrier Aircraft with 31 or more passengers seats

Scheduled Air Carrier Aircraft with 10 to 30 passenger seats

8

(17) AIRPORT OF ENTRY, LANDING RIGHTS, AND CUSTOMS USER FEE AIRPORTS U.S. CUSTOMS USER FEE AIRPORT-Private Aircraft operators are frequently required to pay the costs associated with

AOE—Airport of Entry. A customs Airport of Entry where permission from U.S. Customs is not required to land. However, at

least one hour advance notice of arrival is required. LRA—Landing Rights Airport. Application for permission to land must be submitted in advance to U.S. Customs. At least one

hour advance notice of arrival is required.

customs processing.

Agriculture Department requirements in the International Flight Information Manual for further details.)

NOTE: Advance notice of arrival at both an AOE and LRA airport may be included in the flight plan when filed in Canada or Mexico, Where Flight Notification Service (ADCUS) is available the airport remark will indicate this service. This notice will also be treated as an application for permission to land in the case of an LRA. Although advance notice of arrival may be relayed to Customs through Mexico, Canada, and U.S. Communications facilities by flight plan, the aircraft operator is solely responsible for ensuring that Customs receives the notification. (See Customs, Immigration and Naturalization, Public Health and

Airports serving Department of Transportation certified carriers and certified under 14 CFR part 139 are indicated by the Class and the ARFF Index; e.g. Class I, ARFF Index A, which relates to the availability of crash, fire, rescue equipment. Class I airports can have an ARFF Index A through E, depending on the aircraft length and scheduled departures. Class II, III, and IV

> 14 CFR PART 139 CERTIFICATED AIRPORTS AIRPORT CLASSIFICATIONS

14 CFR-PART 139 CERTIFICATED AIRPORTS INDICES AND AIRCRAFT RESCUE AND FIRE FIGHTING EQUIPMENT REQUIREMENTS

Scheduled

Departures

≥1

≥5

<5

≥5

<5

<5

≥5

NOTE: The listing of ARFF index does not necessarily assure coverage for non-air carrier operations or at other than prescribed times for air carrier. ARFF Index Ltd.-indicates ARFF coverage may or may not be available, for information

All public use landing areas are provided NOTAM "D" (distant dissemination) and NOTAM "L" (local dissemination) service. Airport NOTAM file identifier is shown for individual airports, e.g. "NOTAM FILE IAD". See AIM, Basic Flight Information and

SE, 23 SEP 2010 to 18 NOV 2010

> Greater Than; < Less Than; ≥ Equal or Greater Than; ≤ Equal or Less Than; H₂0-Water; DC-Dry Chemical.

Class I

Χ

Agent + Water for Foam 500#DC or HALON 1211

or 450#DC + 100 gal H₂O

Index A + 1500 gal H₂O

Index A + 3000 gal H₂O

Index A + 4000 gal H₂O

Index A + 6000 gal H₂O

407-975-1740

407-975-1780 407-975-1760

407-975-1840

407-975-1820

407-975-1800

Class II

Χ

Χ

Class III

Χ

Class IV

Х

ATC Procedures for detailed description of NOTAM's, Current NOTAMs are available from Flight Service Stations at 1-800-WX-BRIEF. Real time Military NOTAMs are available using the DoD Internet NOTAM Distribution System (DINS)

www.notams.ics.mil. (20) FAA INSPECTION

All airports not inspected by FAA will be identified by the note: Not insp. This indicates that the airport information has been provided by the owner or operator of the field.

(21) RUNWAY DATA

Runway information is shown on two lines. That information common to the entire runway is shown on the first line while

information concerning the runway ends is shown on the second or following line. Runway direction, surface, length, width, weight bearing capacity, lighting, and slope, when available are shown for each runway. Multiple runways are shown with the longest runway first. Direction, length, width, and lighting are shown for sea-lanes. The full dimensions of helipads are shown. e.g., 50X150. Runway data that requires clarification will be placed in the remarks section.

RUNWAY DESIGNATION

Runways are normally numbered in relation to their magnetic orientation rounded off to the nearest 10 degrees. Parallel runways can be designated L (left)/R (right)/C (center). Runways may be designated as Ultralight or assault strips. Assault strips are shown by magnetic bearing.

RIINWAY DIMENSIONS

Runway length and width are shown in feet. Length shown is runway end to end including displaced thresholds, but excluding those areas designed as overruns. RUNWAY SURFACE AND LENGTH

Runway lengths prefixed by the letter "H" indicate that the runways are hard surfaced (concrete, asphalt, or part

asphalt-concrete). If the runway length is not prefixed, the surface is sod, clay, etc. The runway surface composition is indicated in parentheses after runway length as follows:

(AFSC)—Aggregate friction seal coat

(GRVL)-Gravel, or cinders

(MATS)—Pierced steel planking. landing mats, membranes (PEM)—Part concrete, part asphalt

RUNWAY WEIGHT BEARING CAPACITY

NEW DESCRIPTION

landing gear (KC10).

gear (B52).

SE, 23 SEP 2010 to 18 NOV 2010

landing gear (C5).

(PSP)-Pierced steel plank

(TURF)—Turf

Single wheel type landing gear (DC3), (C47), (F15), etc.

Two single wheels in tandem type landing gear (C130).

Two dual wheels in tandem type landing gear (B757,

Two dual wheels in tandem/dual wheel body gear type

Two dual wheels in tandem/two dual wheels in double tandem body gear type landing gear (B747, E4).

Complex dual wheel and quadruple wheel combination

Two dual wheels in tandem/two dual wheels in tandem body

Three dual wheels in tandem type landing gear (B777), etc.

Dual wheel gear two struts per side main gear type landing

Two triple wheels in tandem type landing gear (C17), etc.

Two dual wheels in tandem type landing gear (B707), etc.

Dual wheel type landing gear (P3, C9).

gear type landing gear (A340-600).

Dual wheel type landing gear (BE1900), (B737), (A319), etc.

(TRTD)-Treated

(WC)-Wire combed

(RFSC)-Rubberized friction seal coat

(PFC)-Porous friction courses

Runway strength data shown in this publication is derived from available information and is a realistic estimate of capability at

an average level of activity. It is not intended as a maximum allowable weight or as an operating limitation. Many airport

pavements are capable of supporting limited operations with gross weights in excess of the published figures. Permissible

operating weights, insofar as runway strengths are concerned, are a matter of agreement between the owner and user. When

NEW

S

D

2.5

2T

2D

2D

2D/D1

2D/2D1

2D/2D2

3D

D2

- desiring to operate into any airport at weights in excess of those published in the publication, users should contact the airport management for permission. Runway strength figures are shown in thousand of pounds, with the last three figures being

- omitted. Add 000 to figure following S, D, 2S, 2T, AUW, SWL, etc., for gross weight capacity. A blank space following the letter

- designator is used to indicate the runway can sustain aircraft with this type landing gear, although definite runway weight
- bearing capacity figures are not available, e.g., S, D. Applicable codes for typical gear configurations with S=Single, D=Dual,

(ASPH)—Asphalt

(DIRT)-Dirt

(CONC)—Concrete

(GRVD)-Grooved

- T=Triple and Q=Quadruple: CURRENT
- S D

- Т ST TRT DT TT

- SBTT

- None

- DDT TT
- TTT TDT

AUW—All up weight. Maximum weight bearing capacity for any aircraft irrespective of landing gear configuration. SWL—Single Wheel Loading. (This includes information submitted in terms of Equivalent Single Wheel Loading (ESWL)

and Single Isolated Wheel Loading). PSI-Pounds per square inch. PSI is the actual figure expressing maximum pounds per square inch runway will support, e.g., (SWL 000/PSI 535).

W - High, no limit

X — Medium, limited to 217 psi

Z - Very low, limited to 73 psi

U — By experience of aircraft using the pavement

Y - Low, limited to 145 psi

(5) Pavement evaluation method:

T — Technical evaluation

Omission of weight bearing capacity indicates information unknown.

The ACN/PCN System is the ICAO standard method of reporting pavement strength for pavements with bearing strengths greater than 12,500 pounds. The Pavement Classification Number (PCN) is established by an engineering assessment of the

- runway. The PCN is for use in conjunction with an Aircraft Classification Number (ACN). Consult the Aircraft Flight Manual,
- Flight Information Handbook, or other appropriate source for ACN tables or charts. Currently, ACN data may not be available
- shown as a five-part code (e.g. PCN 80 R/B/W/T). Details of the coded format are as follows:
- pavement type, and the subgrade category. For runways that have been evaluated under the ACN/PCN system, the PCN will be
- for all aircraft. If an ACN table or chart is available, the ACN can be calculated by taking into account the aircraft weight, the
- (1) The PCN NUMBER—The reported PCN indicates that an (4) The maximum tire pressure authorized for the pavement: aircraft with an ACN equal or less than the reported PCN can operate on the pavement subject to any limitation on
- the tire pressure. (2) The type of pavement:
- R Rigid F - Flexible
- (3) The pavement subgrade category:
- A High B — Medium
- C Low
- D Ultra-low
- NOTE: Prior permission from the airport controlling authority is required when the ACN of the aircraft exceeds the published
- PCN or aircraft tire pressure exceeds the published limits.
- spacing does not meet FAA standards. Nonstandard runway lights, VASI, or any other system not listed below will be shown in airport remarks or military service. Temporary, emergency or limited runway edge lighting such as flares, smudge pots, lanterns or portable runway lights will also be shown in airport remarks or military service. Types of lighting are shown with the
- NSTD-Light system fails to meet FAA standards. LIRL-Low Intensity Runway Lights.
- MIRL-Medium Intensity Runway Lights. HIRL—High Intensity Runway Lights.
- RAIL—Runway Alignment Indicator Lights.

runway or runway end they serve.

- REIL—Runway End Identifier Lights.
- CL-Centerline Lights.
- TDZL-Touchdown Zone Lights.
- ODALS-Omni Directional Approach Lighting System.
- AF OVRN-Air Force Overrun 1000' Standard
- Approach Lighting System.

which they are tenants.

- LDIN-Lead-In Lighting System.
- MALS-Medium Intensity Approach Lighting System. MALSF-Medium Intensity Approach Lighting System with
- Sequenced Flashing Lights.
- MALSR-Medium Intensity Approach Lighting System with
- Runway Alignment Indicator Lights.
- NOTE: Civil ALSF2 may be operated as SSALR during favorable weather conditions. When runway edge lights are positioned
- more than 10 feet from the edge of the usable runway surface a remark will be added in the "Remarks" portion of the airport
- entry. This is applicable to Air Force, Air National Guard and Air Force Reserve Bases, and those joint civil/military airfields on

SSALR—Simplified Short Approach Lighting System with Runway Alignment Indicator Lights.

Sequenced Flashing Lights.

SALS—Short Approach Lighting System.

Flashing Lights.

SALSF—Short Approach Lighting System with Sequenced

SSALS—Simplified Short Approach Lighting System.

SSALF—Simplified Short Approach Lighting System with Sequenced Flashing Lights.

quenced Flashing Lights, Category I, Configuration.

ALSAF—High Intensity Approach Lighting System with

RUNWAY LIGHTING Lights are in operation sunset to sunrise. Lighting available by prior arrangement only or operating part of the night and/or pilot controlled lighting with specific operating hours are indicated under airport or military remarks. At USN/USMC facilities lights are available only during airport hours of operation. Since obstructions are usually lighted, obstruction lighting is not included in this code. Unlighted obstructions on or surrounding an airport will be noted in airport or military remarks. Runway lights nonstandard (NSTD) are systems for which the light fixtures are not FAA approved L-800 series: color, intensity, or

- ALSF1—High Intensity Approach Lighting System with Se-
- ALSF2-High Intensity Approach Lighting System with Se
 - quenced Flashing Lights, Category II, Configuration. SF—Sequenced Flashing Lights.
 - OLS—Optical Landing System.
 - WAVE-OFF.

PF	INDICATORS	

P4R

PSIR

S2R

TRIR

V6I

V6R

V12

V16

Highest intensity available

(Lower REIL or REIL-Off)

APAP—A system of panels, which may or may not be lighted, used for alignment of approach path.

PNIL APAP on left side of runway PNIR

VISUAL GLIDESLO

PVASI on left side of runway

TRCV on left side of runway

2-box VASI on left side of runway

2-box VASI on right side of runway

4-box VASI on left side of runway

4-box VASI on right side of runway

VASI-Visual Approach Slope Indicator

SAVASI—Simplified Abbreviated Visual Approach Slope Indicator

2-box SAVASI on left side of runway

P2R

S2L

TRII

V2L

V2R

V4L

V4R

Key Mike 7 times within 5 seconds

5 times within 5 seconds

3 times within 5 seconds

VASI Rwy 07-122.8.

take-off.

aeroplane landing.

(22) ARRESTING GEAR/SYSTEMS

PAPI—Precision Approach Path Indicator

P4I

2-identical light units placed on right side of

P2L 2-identical light units placed on left side of

identification lights, visual glideslope indicators, displaced thresholds, controlling obstruction, and right hand traffic pattern, will be shown on the specific runway end. "Rgt tfc"-Right traffic indicates right turns should be made on landing and takeoff for specified runway end.

RUNWAY END DATA Information pertaining to the runway approach end such as approach lights, touchdown zone lights, runway end

Available systems will be indicated in the airport or military remarks, e.g., ACTIVATE HIRL Rwy 07-25, MALSR Rwy 07, and

Where the airport is not served by an instrument approach procedure and/or has an independent type system of different specification installed by the airport sponsor, descriptions of the type lights, method of control, and operating frequency will be explained in clear text. See AIM, "Basic Flight Information and ATC Procedures," for detailed description of pilot control of airport **RUNWAY SLOPE** When available, runway slope data will only be provided for those airports with an approved FAA instrument approach

LAHSO is an acronym for "Land and Hold Short Operations." These operations include landing and holding short of an

intersection runway, an intersecting taxiway, or other predetermined points on the runway other than a runway or taxiway. Measured distance represents the available landing distance on the landing runway, in feet.

Specific questions regarding these distances should be referred to the air traffic manager of the facility concerned. The Aeronautical Information Manual contains specific details on hold-short operations and markings.

RUNWAY DECLARED DISTANCE INFORMATION TORA—Take-off Run Available. The length of runway declared available and suitable for the ground run of an aeroplane

Arresting gear is shown as it is located on the runway. The a-gear distance from the end of the appropriate runway (or into the overrun) is indicated in parentheses. A-Gear which has a bi-direction capability and can be utilized for emergency approach end engagement is indicated by a (B). The direction of engaging device is indicated by an arrow. Up to 15 minutes advance notice may be required for rigging A-Gear for approach and engagement. Airport listing may show availability of other than US Systems. This information is provided for emergency requirements only. Refer to current aircraft operating manuals for specific

TODA—Take-off Distance Available. The length of the take-off run available plus the length of the clearway, if provided. ASDA—Accelerate-Stop Distance Available. The length of the take-off run available plus the length of the stopway, if provided. LDA-Landing Distance Available. The length of runway which is declared available and suitable for the ground run of an

engagement weight and speed criteria based on aircraft structural restrictions and arresting system limitations. Following is a list of current systems referenced in this publication identified by both Air Force and Navy terminology:

LAND AND HOLD SHORT OPERATIONS (LAHSO)

procedure. Runway slope will be shown only when it is 0.3 percent or greater. On runways less than 8000 feet, the direction of the slope up will be indicated, e.g., 0.3% up NW. On runways 8000 feet or greater, the slope will be shown (up or down) on the runway end line, e.g., RWY 13: 0.3% up., RWY 21: Pole. Rgt tfc. 0.4% down.

Medium or lower intensity (Lower REIL or REIL-Off) Lowest intensity available

12-box VASI on both sides of runway 16-box VASI on both sides of runway NOTE: Approach slope angle and threshold crossing height will be shown when available; i.e., -GA 3.5° TCH 37'. PILOT CONTROL OF AIRPORT LIGHTING

6-box VASI on left side of runway 6-box VASI on right side of runway

TRCV—Tri-color visual approach slope indicator, normally a single light unit projecting three colors. TRCV on right side of runway

2-box SAVASI on right side of runway

PVASI—Pulsating/steady burning visual approach slope indicator, normally a single light unit projecting two colors. PVASI on right side of runway

4-identical light units placed on right side of runwav

APAP on right side of runway

4-identical light units placed on left side of

DESCRIPTION BAK-9 Rotary friction brake. Standard BAK-12 with 950 foot run out, 1-inch cable and 40,000 pound weight setting. Rotary BAK-12A

friction brake. E28 Rotary Hydraulic (Water Brake).

12

BAK-12B

M21

BAK-14

BI-DIRECTIONAL CABLE (B)

Rotary Hydraulic (Water Brake) Mobile. The following device is used in conjunction with some aircraft arresting systems:

> A device that raises a hook cable out of a slot in the runway surface and is remotely positioned for engagement by the tower on request. (In addition to personnel reaction time, the system

DIRECTORY LEGEND

Extended BAK-12 with 1200 foot run, 11/4 inch Cable and 50,000 pounds weight setting. Rotary

F-5

requires up to five seconds to fully raise the cable.) A device that raises a hook cable out of a slot in the runway surface and is remotely positioned

for engagement by the tower on request. (In addition to personnel reaction time, the system

requires up to one and one-half seconds to fully raise the cable.)

UNI-DIRECTIONAL CABLE

DESCRIPTION

TYPE

MB60 Textile brake—an emergency one-time use, modular braking system employing the tearing of specially woven textile straps to absorb the kinetic energy.

Chain Type. At USN/USMC stations E-5 A-GEAR systems are rated, e.g., E-5 RATING-13R-1100

E5/E5-1/E5-3 HW (DRY), 31L/R-1200 STD (WET). This rating is a function of the A-GEAR chain weight and

length and is used to determine the maximum aircraft engaging speed. A dry rating applies to a

stabilized surface (dry or wet) while a wet rating takes into account the amount (if any) of wet

overrun that is not capable of withstanding the aircraft weight. These ratings are published under Military Service.

FOREIGN CABLE DESCRIPTION US EQUIVALENT

TYPE 44B-3H Rotary Hydraulic) (Water Brake)

Chain

CHAG UNI-DIRECTIONAL BARRIER

TYPE MA-1A

Web barrier between stanchions attached to a chain energy absorber. Web barrier between stanchions attached to an energy absorber (water squeezer, rotary friction,

BAK-15

chain). Designed for wing engagement. NOTE: Landing short of the runway threshold on a runway with a BAK-15 in the underrun is a significant hazard. The barrier

in the down position still protrudes several inches above the underrun. Aircraft contact with the barrier short of the runway threshold can cause damage to the barrier and substantial damage to the aircraft.

OTHER

TYPE

DESCRIPTION EMAS Engineered Material Arresting System, located beyond the departure end of the runway, consisting of

high energy absorbing materials which will crush under the weight of an aircraft.

(23) MILITARY SERVICE Specific military services available at the airport are listed under this general heading. Remarks applicable to any military

A/M32A-86

MC-1A

service are shown in the individual service listing.

24) JET AIRCRAFT STARTING UNITS (JASU)

The numeral preceding the type of unit indicates the number of units available. The absence of the numeral indicates ten

indicates non-availability.

USAF JASU (For variations in technical data, refer to T.O. 35-1-7.)

or more units available. If the number of units is unknown, the number one will be shown. Absence of JASU designation

The following is a list of current JASU systems referenced in this publication:

ELECTRICAL STARTING UNITS:

AC: 115/200v, 3 phase, 90 kva, 0.8 pf, 4 wire DC: 28v, 1500 amp, 72 kw (with TR pack) AC: 115/208v, 400 cycle, 3 phase, 37.5 kva, 0.8 pf, 108 amp, 4 wire

DC: 28v, 500 amp, 14 kw

AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire DC: 28v, 1500 amp, 45 kw, split bus

MD-3 MD-3A MD-3M AC: 115/208v, 400 cycle, 3 phase, 60 kva, 0.75 pf, 4 wire

DC: 28v, 500 amp, 15 kw SE, 23 SEP 2010 to 18 NOV 2010

13 DIRECTORY LEGEND MD-4 AC: 120/208v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 175 amp, "WYE" neutral ground, 4 wire, 120v, 400 cycle, 3 phase, 62.5 kva, 0.8 pf, 303 amp, "DELTA" 3 wire, 120v, 400 cycle, 1 phase, 62.5 kva. 0.8 pf. 520 amp. 2 wire AIR STARTING UNITS AM32-95 150 + -5 lb/min (2055 + -68 cfm) at 51 + -2 psia AM32A-95 150 + -5 lb/min @ 49 + -2 psia (35 + -2 psig) LASS 150 +/- 5 lb/min @ 49 +/- 2 psia 82 lb/min (1123 cfm) at 130° air inlet temp, 45 psia (min) air outlet press MA-1A MC-1 15 cfm, 3500 psia MC-1A 15 cfm, 3500 psia MC-2A 15 cfm, 200 psia MC-11 8,000 cu in cap, 4000 psig, 15 cfm COMBINED AIR AND ELECTRICAL STARTING UNITS: AC: 115/200v, 400 cycle, 3 phase, 30 kw gen DC: 28v, 700 amp AIR: 60 lb/min @ 40 psig @ sea level AM32A-60* AIR: 120 + -4 lb/min (1644 + -55 cfm) at 49 + -2 psiaAC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire, 120v, 1 phase, 25 kva DC: 28v, 500 amp, 15 kw AM32A-60A AIR: 150 + -5 lb/min (2055 + -68 cfm at 51 + - psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v, 200 amp, 5.6 kw AM32A-60B* AIR: 130 lb/min, 50 psia AC: 120/208v, 400 cycle, 3 phase, 75 kva, 0.75 pf, 4 wire DC: 28v. 200 amp. 5.6 kw *NOTE: During combined air and electrical loads, the pneumatic circuitry takes preference and will limit the amount of electrical power available. USN JASU **ELECTRICAL STARTING UNITS:** NC-8A/A1 DC: 500 amp constant, 750 amp intermittent, 28v; AC: 60 kva @ .8 pf, 115/200v, 3 phase, 400 Hz.

NC-10A/A1/B/C

WELLS AIR START

NCPP-105/RCPT

JASU (ARMY) 59B2-1B

OTHER JASU

CF12

CF13 CF14

CF15

CF16

CFA1

C - 26

E3

A4

MA-1

MA-2

C-26-B, C-26-C

SYSTEM

AIR STARTING UNITS: GTC-85/GTE-85

MSU-200NAV/A/U47A-5

COMBINED AIR AND ELECTRICAL STARTING UNITS:

COMBINED AIR AND ELECTRICAL STARTING UNITS (DND)

ELECTRICAL STARTING UNITS (DND):

ELECTRICAL STARTING UNITS (OTHER)

AIR STARTING UNITS (DND):

AIR STARTING UNITS (OTHER):

30 kva.

AC: 90 kva, 115/200v, 3 phase, 400 Hz.

AC 115/200v, 140 kva, 400 Hz, 3 phase AC 115/200v, 60 kva, 400 Hz, 3 phase

AC/DC 115/200v, 140 kva, 400 Hz, 3 phase, 28vDC, 1500 amp

DC 22-35v, 500 amp continuous 1100 amp intermittent DC 22-35v, 500 amp continuous 1100 amp intermittent soft start

AC 120/208v, 60 kva, 400 Hz, 3 phase DC 28v, 75 amp

28v 45kw 115-200v 15kw 380-800 Hz 1 phase 2 wire

40 psi/2 lb/sec (LPAS Mk12, Mk12L, Mk12A, Mk1, Mk2B)

28v 45kw: Split Bus: 115-200v 15kw 380-800 Hz 1 phase 2 wire

120 lbs/min @ 45 psi.

28v, 7.5 kw, 280 amp.

ASA 45.5 psig, 116.4 lb/min

AIR 112.5 lb/min, 47 psig

150 Air HP, 115 lb/min 50 psia

250 Air HP, 150 lb/min 75 psia

204 lbs/min @ 56 psia.

DC: 750 amp constant, 1000 amp intermittent, 28v;

180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. Simultaneous multiple start capability. 180 lbs/min @ 75 psi or 120 lbs/min @ 45 psi. 700 amp, 28v DC. 120/208v, 400 Hz AC,

SE, 23 SEP 2010 to 18 NOV 2010

CARTRIDGE: MXU-4A USAF

DC 28v/10kw

Military fuel should be used first if it is available. When military fuel cannot be obtained but Into-Plane contract fuel is

Form 1897 (Avgas) and AF Form 1245 (Avgas) are used at military installations only. The US Government Aviation Into-Plane Reimbursement (AIR) Card (currently issued by AVCARD) is the instrument to be used to obtain fuel under a DESC Into-Plane Contract and for NC purchases if the refueling agent at the commercial airport accepts the AVCARD. A current list of contract fuel locations is available online at www.desc.dla.mil/Static/ProductsAndServices.asp; click on the Commercial Airports

(25) FUEL—MILITARY

Fuel available through US Military Base supply, DESC Into-Plane Contracts and/or reciprocal agreement is listed first and is followed by (Mil). At commercial airports where Into-Plane contracts are in place, the name of the refueling agent is shown.

14

available, Government aircraft must refuel with the contract fuel and applicable refueling agent to avoid any breach in contract terms and conditions. Fuel not available through the above is shown preceded by NC (no contract). When fuel is obtained from NC sources, local purchase procedures must be followed. The US Military Aircraft Identaplates DD Form 1896 (Jet Fuel), DD

De-Ice Anti-icing/De-icing/Defrosting Fluid (MIL-A-8243). UXACEN.

(26) SUPPORTING FLUIDS AND SYSTEMS—MILITARY CODE

See legend item 14 for fuel code and description.

Anti-Detonation Injection Fluid-Reciprocating Engine Aircraft.

ADI W WΔI

Water Thrust Augmentation-Jet Aircraft. Single Point Refueling.

Water-Alcohol Injection Type, Thrust Augmentation-Jet Aircraft. SP Air Compressors rated 3,000 PSI or more. PRESAIR

LPOX Low pressure oxygen servicing. **HPOX** High pressure oxygen servicing. LHOX

Low and high pressure oxygen servicing. Liquid oxygen servicing. LOX Oxygen replacement bottles. (Maintained primarily at Naval stations for use in acft where oxygen can be

OXRB replenished only by replacement of cylinders.)

ΩX

Indicates oxygen servicing when type of servicing is unknown.

NOTE: Combinations of above items is used to indicate complete oxygen servicing available:

LHOXRB Low and high pressure oxygen servicing and replacement bottles:

Low pressure oxygen replacement bottles only, etc. **LPOXRB**

NOTE: Aircraft will be serviced with oxygen procured under military specifications only. Aircraft will not be serviced with

medical oxygen.

LPNIT - Low pressure nitrogen servicing. HPNIT — High pressure nitrogen servicing.

LHNIT - Low and high pressure nitrogen servicing.



NITROGEN:

US AVIATION OILS (MIL SPECS):

CODE

GRADE, TYPE

- 1065, Reciprocating Engine Oil (MIL-L-6082) 0 - 1131100, Reciprocating Engine Oil (MIL-L-6082)
- 0 117
- 0-117+ 1100, 0-117 plus cyclohexanone (MIL-L-6082)
- 0 123
 - 1065, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type III)
- 1100, (Dispersant), Reciprocating Engine Oil (MIL-L-22851 Type II) 0 - 128

 - 1005, Jet Engine Oil (MIL-L-6081)
- 0 132
- 0 1331010, Jet Engine Oil (MIL-L-6081)
- 0 147None, MIL-L-6085A Lubricating Oil, Instrument, Synthetic 0 - 148None, MIL-L-7808 (Synthetic Base) Turbine Engine Oil

None, MIL-L-6086C, Aircraft, Medium Grade

- 0 149None, Aircraft Turbine Engine Synthetic, 7.5c St
- 0 156None, MIL-L-23699 (Synthetic Base), Turboprop and Turboshaft Engines JOAP/SOAP Joint Oil Analysis Program. JOAP support is furnished during normal duty hours, other times on request.
 - (JOAP and SOAP programs provide essentially the same service, JOAP is now the standard joint service supported program.)
- (28) TRANSIENT ALERT (TRAN ALERT)—MILITARY
- Tran Alert service is considered to include all services required for normal aircraft turn-around, e.g., servicing (fuel, oil,

0 - 155

- oxygen, etc.), debriefing to determine requirements for maintenance, minor maintenance, inspection and parking
- assistance of transient aircraft. Drag chute repack, specialized maintenance, or extensive repairs will be provided within the capabilities and priorities of the base. Delays can be anticipated after normal duty hours/holidays/weekends
- operated exclusively by US military, the servicing indicated by the remarks will not always be available for US military

regardless of the hours of transient maintenance operation. Pilots should not expect aircraft to be serviced for TURN-AROUNDS during time periods when servicing or maintenance manpower is not available. In the case of airports not

alert services will be provided only after all the requirements for mission/tactical assigned aircraft have been

aircraft. When transient alert services are not shown, facilities are unknown. NO PRIORITY BASIS—means that transient

accomplished.

(29) AIRPORT REMARKS

The Attendance Schedule is the months, days and hours the airport is actually attended. Airport attendance does not mean watchman duties or telephone accessibility, but rather an attendant or operator on duty to provide at least minimum services (e.g., repairs, fuel, transportation).

Airport Remarks have been grouped in order of applicability. Airport remarks are limited to those items of information that are determined essential for operational use, i.e., conditions of a permanent or indefinite nature and conditions that will remain in effect for more than 30 days concerning aeronautical facilities, services, maintenance available, procedures or hazards, knowledge of which is essential for safe and efficient operation of aircraft, Information concerning permanent closing of a runway or taxiway will not be shown. A note "See Special Notices" shall be applied within this remarks section when a special notice applicable to the entry is contained in the Special Notices section of this publication. Parachute Jumping indicates parachute jumping areas associated with the airport. See Parachute Jumping Area section of this

Landing Fee indicates landing charges for private or non-revenue producing aircraft. In addition, fees may be charged for

planes that remain over a couple of hours and buy no services, or at major airline terminals for all aircraft.

Note: Unless otherwise stated, remarks including runway ends refer to the runway's approach end.

(30) MILITARY REMARKS Military Remarks published at a joint Civil/Military facility are remarks that are applicable to the Military. At Military

publication for additional Information.

applicable to civil users. The first group of remarks is applicable to the primary operator of the airport. Remarks applicable to a tenant on the airport are shown preceded by the tenant organization, i.e., (A) (AF) (N) (ANG), etc. Military airports operate 24 hours unless otherwise specified. Airport operating hours are listed first (airport operating hours will only be listed if they are different than the airport attended hours or if the attended hours are unavailable) followed by pertinent remarks in order of applicability. Remarks will include information on restrictions, hazards, traffic pattern, noise

Facilities all remarks will be published under the heading Military Remarks. Remarks contained in this section may not be

abatement, customs/agriculture/immigration, and miscellaneous information applicable to the Military.

Type of restrictions:

CLOSED: When designated closed, the airport is restricted from use by all aircraft unless stated otherwise. Any closure applying to specific type of aircraft or operation will be so stated. USN/USMC/USAF airports are considered closed during

non-operating hours. Closed airports may be utilized during an emergency provided there is a safe landing area. OFFICIAL BUSINESS ONLY: The airfield is closed to all transient military aircraft for obtaining routine services such as fueling, passenger drop off or pickup, practice approaches, parking, etc. The airfield may be used by aircrews and aircraft if official government business (including civilian) must be conducted on or near the airfield and prior permission is received

from the airfield manager. AF OFFICIAL BUSINESS ONLY OR NAVY OFFICIAL BUSINESS ONLY: Indicates that the restriction applies only to service indicated PRIOR PERMISSION REQUIRED (PPR): Airport is closed to transient aircraft unless approval for operation is obtained from

the appropriate commander through Chief, Airfield Management or Airfield Operations Officer. Official Business or PPR

does not preclude the use of US Military airports as an alternate for IFR flights. If a non-US military airport is used as a weather alternate and requires a PPR, the PPR must be requested and confirmed before the flight departs. The purpose of PPR is to control volume and flow of traffic rather than to prohibit it. Prior permission is required for all aircraft requiring transient alert service outside the published transient alert duty hours. All aircraft carrying hazardous materials must obtain prior permission as outlined in AFJI 11-204, AR 95-27, OPNAVINST 3710.7.

Note: OFFICIAL BUSINESS ONLY AND PPR restrictions are not applicable to Special Air Mission (SAM) or Special Air

Resource (SPAR) aircraft providing person or persons on aboard are designated Code 6 or higher as explained in AFJMAN 11-213, AR 95-11, OPNAVINST 3722-8J. Official Business Only or PPR do not preclude the use of the airport as an alternate for IFR flights.

(31) WEATHER DATA SOURCES

Weather data sources will be listed alphabetically followed by their assigned frequencies and/or telephone number and hours of operation. ASOS—Automated Surface Observing System. Reports the same as an AWOS-3 plus precipitation identification and intensity,

and freezing rain occurrence (future enhancement). AWOS—Automated Weather Observing System

AWOS-A—reports altimeter setting (all other information is advisory only). AWOS-1—reports altimeter setting, wind data and usually temperature, dewpoint and density altitude.

AWOS-2—reports the same as AWOS-1 plus visibility.

AWOS-3—reports the same as AWOS-1 plus visibility and cloud/ceiling data. See AIM, Basic Flight Information and ATC Procedures for detailed description of AWOS.

LAWRS-Limited Aviation Weather Reporting Station where observers report cloud height, weather, obstructions to vision,

LLWAS—indicates a Low Level Wind Shear Alert System consisting of a center field and several field perimeter anemometers. SAWRS-identifies airports that have a Supplemental Aviation Weather Reporting Station available to pilots for current

16 HIWAS-See RADIO AIDS TO NAVIGATION

temperature and dewpoint (in most cases), surface wind, altimeter and pertinent remarks.

SWSL—Supplemental Weather Service Location providing current local weather information via radio and telephone. TDWR—indicates airports that have Terminal Doppler Weather Radar. WSP-indicates airports that have Weather System Processor.

When the automated weather source is broadcast over an associated airport NAVAID frequency (see NAVAID line), it shall

(32) COMMUNICATIONS Airport terminal control facilities and radio communications associated with the airport shall be shown. When the call sign

weather information.

be indicated by a bold ASOS, AWOS, or HIWAS followed by the frequency, identifier and phone number, if available.

and hours of operation. Communications will be listed in sequence as follows: Single Frequency Approach (SFA), Common Traffic Advisory Frequency (CTAF), Automatic Terminal Information Service (ATIS) and Aeronautical Advisory Stations (UNICOM) or (AUNICOM) along with their frequency is shown, where available, on the line following the heading "COMMUNICATIONS." When the CTAF and UNICOM frequencies are the same, the frequency will

is not the same as the airport name the call sign will be shown. Frequencies shall normally be shown in descending order

The FSS telephone nationwide is toll free 1-800-WX-BRIEF (1-800-992-7433). When the FSS is located on the field it will be indicated as "on arpt". Frequencies available at the FSS will follow in descending order. Remote Communications Outlet (RCO) providing service to the airport followed by the frequency and FSS RADIO name will be shown when available. FSS's provide information on airport conditions, radio aids and other facilities, and process flight plans. Airport Advisory Service (AAS) is provided on the CTAF by FSS's for select non-tower airports or airports where the tower is not in operation.

with the primary frequency listed first. Frequencies will be listed, together with sectorization indicated by outbound radials,

be shown as CTAF/UNICOM 122.8.

Aviation weather briefing service is provided by FSS specialists. Flight and weather briefing services are also available by calling the telephone numbers listed. Remote Communications Outlet (RCO)-An unmanned air/ground communications facility that is remotely controlled and provides UHF or VHF communications capability to extend the service range of an FSS.

Civil Communications Frequencies-Civil communications frequencies used in the FSS air/ground system are operated on

a. 122.0 is assigned as the Enroute Flight Advisory Service frequency at selected FSS RADIO outlets. b. 122.2 is assigned as a common enroute frequency.

(See AIM, Para 4-1-9 Traffic Advisory Practices at Airports Without Operating Control Towers or AC 90-42C.)

c. 123.6 is assigned as the airport advisory frequency at select non-tower locations. At airports with a tower, FSS may

provide airport advisories on the tower frequency when tower is closed.

d. 122.1 is the primary receive-only frequency at VOR's.

122.0, 122.2, 123.6; emergency 121.5; plus receive-only on 122.1.

- e. Some FSS's are assigned 50 kHz frequencies in the 122-126 MHz band (eg. 122.45). Pilots using the FSS A/G
- system should refer to this directory or appropriate charts to determine frequencies available at the FSS or remoted facility through which they wish to communicate.

Emergency frequency 121.5 and 243.0 are available at all Flight Service Stations, most Towers, Approach Control and RADAR facilities. Frequencies published followed by the letter "T" or "R", indicate that the facility will only transmit or receive respectively on

that frequency. All radio aids to navigation (NAVAID) frequencies are transmit only. TERMINAL SERVICES

SFA—Single Frequency Approach.

CTAF-A program designed to get all vehicles and aircraft at airports without an operating control tower on a common

- ATIS—A continuous broadcast of recorded non-control information in selected terminal areas.
- D-ATIS—Digital ATIS provides ATIS information in text form outside the standard reception range of conventional ATIS via landline & data link communications and voice message within range of existing transmitters.
- AUNICOM—Automated UNICOM is a computerized, command response system that provides automated weather, radio check capability and airport advisory information selected from an automated menu by microphone clicks.

UNICOM—A non-government air/ground radio communications facility which may provide airport information.

- PTD-Pilot to Dispatcher. APP CON—Approach Control. The symbol (\mathbf{R}) indicates radar approach control.
- TOWER-Control tower.
- GCA-Ground Control Approach System.
- GND CON-Ground Control.
- GCO-Ground Communication Outlet-An unstaffed, remotely controlled, ground/ground communications facility. Pilots at uncontrolled airports may contact ATC and FSS via VHF to a telephone connection to obtain an instrument clearance or close a VFR or IFR flight plan. They may also get an updated weather briefing prior to takeoff. Pilots will use four "key clicks" on the

DEP CON—Departure Control. The symbol (R) indicates radar departure control. CLNC DEL-Clearance Delivery.

VFR ADVSY SVC-VFR Advisory Service. Service provided by Non-Radar Approach Control.

PRE TAXLCI NC-Pre taxi clearance

Advisory Service for VFR aircraft (upon a workload basis) ctc APP CON.

COMD POST—Command Post followed by the operator call sign in parenthesis.

PMSV-Pilot-to-Metro Service call sign, frequency and hours of operation, when full service is other than continuous.

PMSV installations at which weather observation service is available shall be indicated, following the frequency and/or

hours of operation as "Wx obsn svc 1900-0000Z‡" or "other times" may be used when no specific time is given. PMSV

facilities manned by forecasters are considered "Full Service". PMSV facilities manned by weather observers are listed as

"Limited Service".

OPS—Operations followed by the operator call sign in parenthesis. CON

RANGE

FLT FLW-Flight Following MEDIVAC

NOTE: Communication frequencies followed by the letter "X" indicate frequency available on request.

(33) AIRSPACE

Information concerning Class B, C, and part-time D and E surface area airspace shall be published with effective times.

Class D and E surface area airspace that is continuous as established by Rulemaking Docket will not be shown.

CLASS B-Radar Sequencing and Separation Service for all aircraft in CLASS B airspace.

CLASS C—Separation between IFR and VFR aircraft and sequencing of VFR arrivals to the primary airport.

TRSA—Radar Sequencing and Separation Service for participating VFR Aircraft within a Terminal Radar Service Area.

Class C, D, and E airspace described in this publication is that airspace usually consisting of a 5 NM radius core surface

area that begins at the surface and extends upward to an altitude above the airport elevation (charted in MSL for Class C

and Class D). Class E surface airspace normally extends from the surface up to but not including the overlying controlled

airspace. When part-time Class C or Class D airspace defaults to Class E, the core surface area becomes Class E. This will be

formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS E:

AIRSPACE: CLASS D svc "times" other times CLASS E.

When a part-time Class C, Class D or Class E surface area defaults to Class G, the core surface area becomes Class G up to, but not including, the overlying controlled airspace. Normally, the overlying controlled airspace is Class E airspace

beginning at either 700' or 1200' AGL. This will be formatted as:

AIRSPACE: CLASS C svc "times" ctc APP CON other times CLASS G, with CLASS E 700' (or 1200') AGL & abv:

AIRSPACE: CLASS D svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv:

AIRSPACE: CLASS E svc "times" other times CLASS G with CLASS E 700' (or 1200') AGL & abv.

NOTE: AIRSPACE SVC "TIMES" INCLUDE ALL ASSOCIATED ARRIVAL EXTENSIONS. Surface area arrival extensions for instrument approach

procedures become part of the primary core surface area. These extensions may be either Class D or Class E airspace and

are effective concurrent with the times of the primary core surface area. For example, when a part-time Class C, Class D or

Class E surface area defaults to Class G, the associated arrival extensions will default to Class G at the same time. When

a part-time Class C or Class D surface area defaults to Class E, the arrival extensions will remain in effect as Class E

NOTE: CLASS E AIRSPACE EXTENDING UPWARD FROM 700 FEET OR MORE ABOVE THE SURFACE. DESIGNATED IN CONJUNCTION WITH AN AIRPORT WITH AN

APPROVED INSTRUMENT PROCEDURE.

Class E 700' AGL (shown as magenta vignette on sectional charts) and 1200' AGL (blue vignette) areas are designated when necessary to provide controlled airspace for transitioning to/from the terminal and enroute environments. Unless

otherwise specified, these 700'/1200' AGL Class E airspace areas remain in effect continuously, regardless of airport

operating hours or surface area status. These transition areas should not be confused with surface areas or arrival

extensions.

(See Chapter 3, AIRSPACE, in the Aeronautical Information Manual for further details)

18

(34) RADIO AIDS TO NAVIGATION

The Airport/Facility Directory lists, by facility name, all Radio Aids to Navigation that appear on National Aeronautical Navigation Services Visual or IFR Aeronautical Charts and those upon which the FAA has approved an Instrument Approach

Procedure, with exception of selected TACANs. Military TACAN information will be published for Military facilities contained in this publication. All VOR, VORTAC, TACAN, ILS and MLS equipment in the National Airspace System has an automatic monitoring and shutdown feature in the event of malfunction. Unmonitored, as used in this publication, for any navigational

aid, means that monitoring personnel cannot observe the malfunction or shutdown signal. The NAVAID NOTAM file identifier will be shown as "NOTAM FILE IAD" and will be listed on the Radio Aids to Navigation line. When two or more NAVAIDS are

and are not repeated. Automated Surface Observing System (ASOS), Automated Weather Observing System (AWOS), and Hazardous Inflight Weather Advisory Service (HIWAS) will be shown when this service is broadcast over selected NAVAIDs.

NAVAID information is tabulated as indicated in the following sample:

Terminal Procedures. Only part-time hours of operation will be shown.

TACAN/DME Channel Geographical Position Site Elevation ABE Chan 122(Y) N40°43.60′ W75°27.30′ 180°4.1 NM to fld. 1110/8E, AWOS, HIWAS. Class Frequency Identifier Bearing and distance Magnetic Automated Hazardous Inflight Weather Advisory facility to center of Variation Weather airport Observing Service

listed and the NOTAM file identifier is different from that shown on the Radio Aids to Navigation line, it will be shown with the NAVAID listing. NOTAM file identifiers for ILSs and its components (e.g., NDB (LOM) are the same as the associated airports

VOR unusable 020°-060° byd 26 NM blo 3,500′

System

Restriction within the normal altitude/range of the navigational aid (See primary alphabetical listing for restrictions on VORTAC and VOR/DME). Note: Those DME channel numbers with a (Y) suffix require TACAN to be placed in the "Y" mode to receive distance

information

HIWAS—Hazardous Inflight Weather Advisory Service is a continuous broadcast of inflight weather advisories including summarized SIGMETs, convective SIGMETs, AIRMETs and urgent PIREPs. HIWAS is presently broadcast over selected VOR's

ASR/PAR—Indicates that Surveillance (ASR) or Precision (PAR) radar instrument approach minimums are published in the U.S.

RADIO CLASS DESIGNATIONS

VOR/DME/TACAN Standard Service Volume (SSV) Classifications

SSV Class	Aititudes	Distance
(T) Terminal	1000' to 12.000'	(NM) 25
(L) Low Altitude	1000 to 12,000 1000' to 18.000'	40
(H) High Altitude	1000' to 14,500'	40
(,g	14,500' to 18,000'	100
	18,000' to 45,000'	130
	45,000' to 60,000'	100
NOTE: Additionally (II) Con-	William and the Alband Albanda Tongarian and the feeting	Maria and Alabarata Allegania

NOTE: Additionally, (H) facilities provide (L) and (T) service volume and (L) facilities provide (T) service. Altitudes are with respect to the station's site elevation. Coverage is not available in a cone of airspace directly above the facility. CONTINUED ON NEXT PAGE

19

CONTINUED FROM PRECEDING PAGE The term VOR is, operationally, a general term covering the VHF omnidirectional bearing type of facility without regard to the fact that the power, the frequency protected service volume, the equipment configuration, and operational requirements may

vary between facilities at different locations. Automatic Weather Broadcast. Direction Finding Service. UHF standard (TACAN compatible) distance measuring equipment. DMF DME(Y) ______ UHF standard (TACAN compatible) distance measuring equipment that require TACAN to be placed in the "Y" mode to receive DME. Glide slope. Non-directional radio beacon (homing), power 50 watts to less than 2,000 watts (50 NM at all altitudes). нн _____ Non-directional radio beacon (homing), power 2,000 watts or more (75 NM at all altitudes). H-SAB ______ Non-directional radio beacons providing automatic transcribed weather service. ILS ______ Instrument Landing System (voice, where available, on localizer channel). ISMLS _____ Interim Standard Microwave Landing System. Localizer Directional Aid Compass locator station when installed at middle marker site (15 NM at all altitudes). LOM _____ Compass locator station when installed at outer marker site (15 NM at all altitudes). MH _____ Non-directional radio beacon (homing) power less than 50 watts (25 NM at all altitudes). Microwave Landing System. Middle marker. Outer marker Simultaneous range homing signal and/or voice. SABH _____ Non-directional radio beacon not authorized for IFR or ATC. Provides automatic weather broadcasts. Simplified Direction Facility. TACAN ______ UHF navigational facility-omnidirectional course and distance information. VHF navigational facility-omnidirectional course only. VOR ___ VOR/DME _____ Collocated VOR navigational facility and UHF standard distance measuring equipment. VORTAC _____ Collocated VOR and TACAN navigational facilities.

> Without voice on radio facility frequency. VHF station location marker at a LF radio facility.

NI S

CHANNEL

500

502

504

506

508

510

512

514

516

518

520

522

524

526

528

530

532

534

536

538

540

542

544

554

556

558

560

562

21

11X

11Y

12X

18X

18Y

VHE

FREQUENCY

108 10

108.30

108.50

108.70

108.90

109.10

109.30

109.50

109.70

109.90

110.10

110.30

110.50

110.70

110.90

111.10

111.30

111.50

111.70

111.90

108.05

108.15

108.25

108.75

108.85

108 95

109.05

109 15

134 55

135.4

135 45

135.5

108.10

108.15

CHANNEL

18X

20X

22X

24X

26X

28X

30X

32X

34X

36X

38X

40X

42X

44X

46X

48X

50X

52X

54X

56X

17Y

18Y

24Y

25Y

26Y

27Y

28Y

500

542

ILS FACILITY PEFORMANCE CLASSIFICATION CODES

Farthest point of satisfactory Category III Localizer performance for Category I, II, or III approaches: A - 4 NM prior to runway threshold, B - 3500 ft prior to runway threshold, C - glide angle dependent but generally 750-1000 ft prior to

Codes define the ability of an ILS to support autoland operations. The two portions of the code represent Official Category

and farthest point along a Category I, II, or III approach that the Localizer meets Category III structure tolerances.

Official Category: I, II, or III; the lowest minima on published or unpublished procedures supported by the ILS.

threshold, T - runway threshold, D - 3000 ft after runway threshold, and E - 2000 ft prior to stop end of runway. ILS information is tabulated as indicated in the following sample:

CHANNEL

568

570

572

574

576

578

580

582

584

586

588

590

592

594

596

598

600

602

604

606

608

610

II S/DMF Rwy 18. Class IIE. 108 5 I_ORI Chan 22 LOM HERNY NDR

> ILS Facility Performance Classification Code

FREQUENCY PAIRING PLAN AND MLS CHANNELING TACAN NI S VHE TACAN FREGUENCY

109 45

109 55

109.65

109.75

109.85

109.95

110.05

110.15

110.25

110.35

110.45

110.55

110.65

110.75

110.85

110.95

111.05

111.15

111.25

111.35

111.45

111.55

111.65

113.45

113.55

113 65

113.75

113.85

108.30

108.35

108 40

108 45

108.65

108.70

NI S

CHANNEL

636

638

640

642

644

646

648

650

652

654

656

658

660

662

664

666

668

670

672

674

676

678

680

690

692

694

696

698

25Y

26X

26Y

27X

27Y

28X

28Y

29X

29Y

30X

CHANNEL

31 V

32Y

33Y

34Y

35Y

36Y

37Y

38Y

39Y

40Y

41Y

42Y

43Y

44Y

45Y

46Y

47Y

48Y

49Y

50Y

51Y

52Y

53Y

81Y

82Y

83Y

84Y

85Y

502

546

548

552

506

VHF

114 15

114 25

114.35

114.45

114.55

114.65

114.75

114.85

114.95

115.05

115.15

115.25

115 35

115.45

115.55

115.65

115.75

115.85

115.95

116.05

116.15

116.25

116.35

116 45

116.55

116 65

116 75

116.85

116.95

117.05

117.15

117.25

VHF

FREQUENCY

108.80

108.85

108.90

108 95

109 00

109.05

109.10

109.15

109.20

109.25

109.30

FREGUENCY

TACAN

CHANNEL

88Y

89Y

90Y

91Y

92Y

93Y

94Y

95Y

96Y

97Y

98Y

ggy

100Y

101Y

102Y

103Y

104Y

105Y

106Y

107Y

108Y

109Y

110Y

111Y

112Y

113Y

114Y

115Y

116Y

117Y

118Y

119Y

2 IM

CHANNEL

556

508

558

560

510

562

564

512

544	108.25	19Y	612	111.65	53Y	680
546	108.35	20Y	614	111.75	54Y	682
548	108.45	21Y	616	111.85	55Y	684
550	108.55	22Y	618	111.95	56Y	686
552	108.65	23Y	620	113.35	80Y	688

622

624

626

628

TACAN VHF 2 IM TACAN VHF 2 IM TACAN

The follo

630 564 291 632 86Y 109 25 113 95 566 100 35 307 63/ 11105

566	109.35	30Y	634	114.05	87Y

	FREQUENCY I	PAIRING PLAN AND N	ALS CHANNELING
llowing is a list of pa	aired VOR/ILS VHF freque	encies with TACAN cha	annels and MLS channel

S VHF frequencies with TACAN channels and MLS channels.

FREQUENCY CHANNEL CHANNEL FREQUENCY CHANNEL

CHANNEL CHANNEL 2X 19Y 108.25 25X 134.5 544 20X

20Y

21 X

21Y

23Y

24X

12Y 135.55 22X 108.50 504 17X 108.00 22Y 108.55 550 17Y 108.05 540 23X 108.60

19X	108.20	-	24Y	108.75	554

VHF

FREQUENCY

133.60

133.65

133 70

133.75

133.80

133.85

133.90

133.95

134 00

134 05

134 10

134.15

134.20

134.25

112.30

112.35

112 40

112 45

112 50

112.55

112.60

112.65

112.70

112.75

112.80

112.85

112.90

112.95

113.00

113.05

113 10

113.15

113.20

TACAN

CHANNEL

63X

63Y

64X

64Y

65X

65Y

66X

66Y

67X

67Y

68X

68Y

69X

69Y

70X

70Y

71X

71Y

72X

72Y

73X

73Y

74X

74Y

75X

75Y

76X

76Y

77X

77Y

78X

78Y

79X

Y	L	E	G	E

MIS

CHANNEL

TACAN

CHANNEL

95Y

96X

96Y

97X

97Y

98X

987

99X

99Y

100X

100Y

101X

101Y

102X

102Y

103X

103Y

104X

104Y

105X

105Y

106X

106Y

107X

107Y

108X

108Y

109X

109Y

110X

110Y

111X

111Y

VHF

FREQUENCY

114.85

114.90

114.95

115.00

115.05

115.10

115.15

115.20

115.25

115.30

115.35

115.40

115.45

115.50

115.55

115.60

115.65

115.70

115 75

115.80

115.85

115.90

115.95

116.00

116.05

116.10

116.15

116.20

116.25

116.30

116 35

116.40

116.45

MLS

CHANNEL

650

652

_

654

656

658

_

660

662

664

. 666

668

670

672

674

676

678

680

682

401	110.55	330	13/	110.20	_	1111	110.40	002
47X	111.00	-	79Y	113.25	-	112X	116.50	-
47Y	111.05	600	80X	113.30	-	112Y	116.55	684
48X	111.10	530	80Y	113.35	620	113X	116.60	-
48Y	111.15	602	81X	113.40	-	113Y	116.65	686
49X	111.20	-	81Y	113.45	622	114X	116.70	-
49Y	111.25	604	82X	113.50	-	114Y	116.75	688
50X	111.30	532	82Y	113.55	624	115X	116.80	-
50Y	111.35	606	83X	113.60	-	115Y	116.85	690
51X	111.40	-	83Y		626	116X		-
51Y	111.45	608	84X		-	116Y	116.95	692
52X	111.50	534	84Y	113.75	628	117X	117.00	-
52Y	111.55	610	85X		-	117Y		694
53X	111.60	-	85Y	113.85	630	118X		-
53Y	111.65	612	86X	113.90	-	118Y		696
54X	111.70	536	86Y	113.95	632	119X	117.20	-
54Y	111.75	614	87X	114.00	-	119Y	117.25	698
55X	111.80	-	87Y	114.05	634	120X	117.30	-
55Y	111.85	616	88X	114.10	-	120Y	117.35	-
56X	111.90	538	88Y	114.15	636	121X	117.40	-
56Y	111.95	618	89X	114.20	-	121Y	117.45	-
57X	112.00	-	89Y	114.25	638	122X	117.50	-
57Y	112.05	-	90X	114.30	-	122Y		-
58X	112.10	-	90Y	114.35	640	123X	117.60	-
58Y	112.15	-	91X	114.40	-	123Y	117.65	-
59X	112.20	-	91Y	114.45	642	124X	117.70	-
59Y	112.25	-	92X	114.50	-	124Y	117.75	-
60X	133.30	-	92Y	114.55	644	125X	117.80	-
60Y	133.35	-	93X	114.60	-	125Y	117.85	-

61Y 133 45 94X 114.70 126Y 62X 133.50 94Y 114.75 648

93Y

62Y 133.55 95X 114.80

114.65

646

126X

117.90

117.95

35 COMM/NAV/WEATHER REMARKS: These remarks consist of pertinent information affecting the current status of communications, NAVAIDs and weather.

133 40

61 X

TACAN

CHANNEL

30Y

31X

31Y

32X

32Y

33X

34X

34Y

35X

35Y

36X

36Y

37X

37Y

38X

38Y

39X

39Y

40X

40Y

41X

41Y

42X

42Y

43X

43Y

44X

44Y

45X

45Y

46X

46Y

VHF

FREQUENCY

109.35

109.40

109.45

109.50

109.55

109.60

109.65

109.70

109 75

109.80

109.85

109.90

109.95

110.00

110.05

110.10

110.15

110.20

110 25

110 30

110.35

110.40

110.45

110.50

110.55

110.60

110.65

110.70

110.75

110.80

110.85

110.90

110.95

MIS

CHANNEL

566

568

514

570

572

516

574

_

576

518

578

580

520

582

584

522

586

588

524

590

592

526

594

596

528

598

ADEL

COOK CO (15J) 1 W UTC-5(-4DT) N31°08.23′ W83°27.23′

B S2 FUEL 100LL NOTAM FILE MCN RWY 05-23: H5001X100 (ASPH) S-30, D-30

RWY 05: PAPI(P2L). RWY 23: PAPI(P2L). Trees.

RWY 15-33: H4000X100 (ASPH) S-30, D-30

RWY 15: Thid dsplcd 600'. Trees.

RWY 33: Thid dsplcd 350'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡, Ultralight activity on and invof arpt. ACTIVATE MIRL Rwv 05-23 and PAPI Rwv 05 and Rwy 23-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

R VALDOSTA APP/DEP CON 126.6 (blo 8,000') 119.525 (8,000' and abv) (Opr Mon-Thu 1200-0700Z‡, Fri 1200-0300Z‡, Sat, Sun and hol 1400-2200Z±) JAX CENTER APP/DEP CON 133.7 (Mon-Thu 0700-1200Z‡, Fri

0300-1200Z±. Sat. Sun and hol 2200-1400Z±)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

MOULTRIE (L) VOR/DME 108.8 MGR Chan 25 N31°04 94' 082° 18.2 NM to fld. 290/02W. W83°48.25'

C3 C3 03 ß

ÇZ ÇZ

a^C

03 C

3

€3

AI BANY

SOUTHWEST GEORGIA RGNL (ABY) 3 SW UTC-5(-4DT) N31°32.13′ W84°11.67′

B S2 FUEL 100LL, JET A OX 4 TPA-1000(803) Class I, ARFF Index A NOTAM FILE ABY

RWY 04-22: H6601X150 (ASPH-GRVD) S-80, D-135, 2S-171, 2D-230 HIRI

RWY 04: MALSR. PAPI(P4L). TCH 55'. Trees. Rgt tfc.

RWY 22: REIL, VASI(V4L)—GA 3.0°TCH 52', Antenna, RWY 16-34: H5219X150 (ASPH-GRVD) S-30

RWY 16: REIL. VASI(V4L)—GA 3.0°TCH 49'. Tree. Rgt tfc.

RWY 34: VASI(V4L)-GA 3.0° TCH 44'. Trees.

AIRPORT REMARKS: Attended 1200-0400Z‡. Fuel avbl after hrs call 229-434-8787. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except PPR call arpt manager

229-430-5175. Acft byd 3 NM and blo 2,000' on apch to Rwy 16 bearing 325°-040° from arpt not visible from twr due to trees.

Low flying acft 3 mi SE. Numerous birds on and within 5 NM of arpt Sep-Feb. Personnel and equipment mowing grass adjacent to all rwys and twys April 1-October 30th. Acft greater than 350,000 lbs gross weight are rstd from using Rwy 04-22 exc 24 hr PPR call arpt manager 229-430-5175. Twy H south of cargo ramp OTS indef. When twr clsd ACTIVATE MALSR Rwy 04; HIRL Rwv 04-22 and MIRL Rwv 16-34-CTAF.

WEATHER DATA SOURCES: ASOS (229) 434-7494.

COMMUNICATIONS: CTAF 120.25 ATIS 133.05 UNICOM 122.95

ALBANY RCO 122.6 (MACON RADIO)

R JAX CENTER APP/DEP CON 125.75

TOWER 120.25 Mon-Fri (1130-0330Z‡), Sat-Sun (1300-0100Z‡) **GND CON 121.9**

AIRSPACE: CLASS D svc Mon-Fri 1130-0330Z‡, Sat-Sun 1300-0100Z‡, other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE ABY.

PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31′ W84°17.59′ 147° 8.8 NM to fld. 280/02W. 2AWIH

PUTNY NDB (MHW/LOM) 227 AB N31°27.37′ W84°16.57′ 043° 6.3 NM to fld.

I-ABY Rwv 04. LOM PUTNY NDB. LOC BC unusable 25° left and right of course. Localizer back course unusable byd 12 NM.

ALBANY N31°32.13′ W84°11.69′

RCO 122.6 (MACON RADIO) at Southwest Georgia Rgnl.

JACKSONVILLE L-18J

IACKSONVILLE H-9B. 12F. L-18J IAP, AD

IACKSUNVILLE

IΛP

H-9B, 12F, L-22J

ALCOVY N33°37.79′ W83°46.93′ NOTAM FILE MCN. NDB (MHW) 370 VOF 276° 3.4 NM to Covington Muni.

NOTAM FILE AMG.

(H) VORTAC 115.1 AMG Chan 98 at Bacon Co. 200/00E. HIWAS. VOR portion unusable 183°-343°; and 344°-182° blo 10000′.

H-9B, 12F, L-24H

ΔΤΙ ΔΝΤΔ

I-18I A

JACKSONVILLE

IACKSONVII I F

ΙΔΡ

H-9B. 12F. L-24H

RCO 122.1R 115.1T (MACON RADIO) RCO 123.6 (MACON RADIO) AI MA

BACON CO (AMG) 3 W UTC-5(-4DT) N31°32.16′ W82°30.39′ B S2 FUEL 100LL, JET A NOTAM FILE AMG RWY 15-33: H5000X100 (ASPH) S-30 MIRL

RWY 15: PAPI(P2L), Trees. RWY 33: REIL. PAPI(P2L). Trees. AIRPORT REMARKS: Attended continuously. Self serve fuel with credit

card. PAPI Rwy 15 and Rwy 33 opr continuous and MIRL Rwy 15-33 preset med ints dusk-0300Z‡; to increase ints-CTAF. After 0300Z‡, ACTIVATE MIRL Rwy 15-33-CTAF. WEATHER DATA SOURCES: ASOS 118.325 (912) 632-8738.

HIWAS 115.1 AMG. COMMUNICATIONS: CTAF/UNICOM 122.7 ALMA RCO 123.6 (MACON RADIO)

ALMA N31°32.19′ W82°30.49′

ALMA RCO 122.1R 115.1T (MACON RADIO) R JAX CENTER APP/DEP CON 132.3

AIRSPACE: CLASS E svc effective 1100-0300Z tother times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE AMG. ALMA (H) VORTAC 115.1 AMG Chan 98 N31°32.19'

W82°30.49' at fld. 200/00E. HIWAS.

■ C3 C3 ■ (C) (C) O C3 G G ß €3 €3 (3

AMERICUS

RWY 05-23: H6021X100 (ASPH) S-30. D-50 MIRL RWY 05: PAPI(P2L)-GA 3.0° TCH 37'. Trees. RWY 23: MALSF. REIL. PAPI(P2L)-GA 3.0° TCH 44'. Trees.

RWY 09-27: H3787X75 (ASPH) S-30

B S4 FUEL 100LL, JET A OX 2 NOTAM FILE MCN

RWY 09: Trees. RWY 27: Trees. AIRPORT REMARKS: Attended 1200Z‡-dusk. Wildlife activity on and

invof arpt, MIRL Rwv 05-23 preset low ints dusk-0300Z±, to increase ints-CTAF. After 0300Z‡ ACTIVATE MIRL Rwy

05-23-CTAF. ACTIVATE MALSF Rwy 23, PAPI Rwy 05 and PAPI Rwv 23-CTAF. WEATHER DATA SOURCES: AWOS-3 128.375 (229) 928-0934. COMMUNICATIONS: CTAF/UNICOM 122.8

(R) ATLANTA APP/DEP CON 125.5 (blo 7000') 126.55 (7000' & abv) (1115-0500Z‡) CLNC DEL 119.95 ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z±) CLNC DEL

123.95

RADIO AIDS TO NAVIGATION: NOTAM FILE ABY.

PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31' W84°17.59′ 013° 27.8 NM to fld. 280/02W. HIWAS. LINDBERGH NDB (MHW) 242 LKG N32°10.47′ W84°06.49′

230° 5.6 NM to fld. NOTAM FILE MCN. ILS 110.5 I-ACJ Rwy 23. Loc only.

JIMMY CARTER RGNL (ACJ) 4 NE UTC-5(-4DT) N32°06.65′ W84°11.33′ ATLANTA H-9A, 12F, L-18J IAP 3787 X 75

ASHRIIRN

TURNER CO

UTC-5(-4DT) N31°41.14′ W83°37.93′ (75J) 2 SE NOTAM FILE MCN

RWY 16-34: H3204X50 (ASPH) S-30 RWY 16. Trees RWY 34: PAPI(P2L). Trees.

AIRPORT REMARKS: Unattended, Rotating bon located 14 mile N.W. of

arpt, MIRL Rwy 16-34 opr dusk-0500Z±, after 0500Z±, ACTIVATE

MIRL Rwy 16-34 and PAPI Rwy 34-CTAF. COMMUNICATIONS: CTAF/UNICOM 122.7


RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

VIENNA (L) VORTAC 116.5 VNA

Chan 112

MIRI

W83°29.84' 191° 32.3 NM to fld. 300/01E.



IACKSUNVILLE

H-9B, 12G, L-18J

0 G G G

0>

IAP. AD

L-18J

ATHENS/BEN EPPS (AHN) 3 E UTC-5(-4DT) N33°56.92' W83°19.58' FUEL 100LL, JET A1 TPA—See Remarks ARFF Index—See Remarks R S4

S-65 D-125

0.7% up N

RWY 09-27: H5522X100 (ASPH-GRVD)

NOTAM FILE AHN

MIRL 1.0% up E RWY 09: PAPI(P4L)-GA 3.0° TCH 39'.

RWY 27: ODALS, REIL, VASI(V4L)-GA 3.0° TCH 34'.

RWY 02-20: H4000X100 (ASPH) S-40, D-45 MIRL

RWY 02: VASI(V4L)-GA 3.75° TCH 43'. Trees. RWY 20: PAPI(P4L). Trees.

AIRPORT REMARKS: Attended 1100-0300Z‡. TPA-for light acft 1800 (992), for jets 2300 (1492), Class II, ARFF Index A, CLOSED to

unscheduled air carrier opr with more than 30 passenger seats except 24 hrs PPR call arpt manager 706-613-3420. Index B ARFF equipment is avbl. Rwy 02-20 non-air carrier only. Noise

sensitive area south of arpt, ctc FBO for information. ACTIVATE PAPI Rwys 09 and 20, REIL Rwy 27 and ODALS Rwy 27-CTAF. When twr clsd MIRL Rwy 09-27 preset low ints; to increase ints ACTIVATE—CTAF.

WEATHER DATA SOURCES: ASOS 132.875 (706) 613-7373.

COMMUNICATIONS: CTAF 126.3 UNICOM 122.95

HIWAS 109.6 AHN.

RCO 122.1R 109.6T (MACON RADIO) R ATLANTA APP/DEP CON 132.475 (blo 7000') 127.5 (abv 7000') (1115-0500Z‡)

ATLANTA CLNC DEL 127.5 (when twr clsd)

(R) ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z±)

TOWER 126.3 (1300-0100Z‡) GND CON 121.8

AIRSPACE: CLASS D svc 1300-0100Z‡ other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

(H) VORTAC 109.6 AHN Chan 33 N33°56.86′ W83°19.49′ TACAN DME unusable 171°-181° byd 28 NM blo 4000'.

RCO 122.6 122.2 (MACON RADIO)

BULLDOG NDB (MHW) 221 BJT N33°57.09′ W83°13.18′ 271° 5.3 NM to fld.

NDB unmonitored 0300-11007±.

ILS 110.95 I-AHN Rwy 27. Class IB. Localizer unmonitored 0300-1100Z‡.

ATLANTA N33°37.75′ W84°26.11′ NOTAM FILE ATL.

(H) VORTAC 116.9 ATL

Chan 116

at Hartsfield-Jackson Atlanta Intl. 1000/00E.

RCO 122.1R 116.9T (MACON RADIO)

ATI ANTA H-9A, 12F, L-18J, A

at fld. 790/00E. HIWAS.

ATLANTA

COBB CO-McCOLLUM FLD (RYY) 4 NW UTC-5(-4DT) N34°00.79′ W84°35.82′

1041 B S4 FUEL 100LL, JET A1+ OX 1, 2 TPA 2041 (1000) NOTAM FILE RYY

H-9A, 12F, L-18I, A IAP. AD

ΔΤΙ ΔΝΤΔ

RWY 09-27: H6311X100 (CONC-GRVD) S-30, D-60 HIRL 0.7% up W RWY 09: PAPI(P4L)-GA 4.0° TCH 46'. Thid dsplcd 1078'. Road.

Røt tfc RWY 27: REIL, PAPI(P4L)-GA 3.0° TCH 45', Trees. RUNWAY DECLARED DISTANCE INFORMATION

RWY 09: TORA-6305 TODA-6305 ASDA-6305 LDA-5232 RWY 27: TORA-6305 TODA-6305 ASDA-5405 LDA-5405 AIRPORT REMARKS: Attended continuously. For svc after hrs call 24 hrs prior-770-422-2345/4300. Coyotes on and invof arpt. Arpt mowing in progress spring thru autumn. Rwy 09 is calm wind Rwy

in VFR conditions. Acft arriving or departing with an operating weight greater than 100,000 pounds, PPR 24 hrs by coordinating through arpt management at 770-528-1615 or the local FBOs at 770-422-2345 or 770-422-4300. Noise abatement efforts in effect, ctc arpt manager for details at 770-528-1615, Blasting SR-SS Mon-Fri 2000 ft AER 27. 'N/W' apron connector to Twy A

is rstd to group 1 acft only. North apron at Twy A-1 connector is rstd to group 1 acft only. When twr clsd, ACTIVATE HIRL Rwy 09-27 and REIL Rwy 27-CTAF. WEATHER DATA SOURCES: AWOS-3 (770) 425-3406, LAWRS. COMMUNICATIONS: CTAF 125.9 ATIS 128.125 UNICOM 122.7

R ATLANTA APP/DEP CON 121.0 CLNC DEL 121.0 (when twr closed) MC COLLUM TOWER 125.9 (1200-0400Z‡) GND CON 119.0

AIRSPACE: CLASS D svc 1200-0400Z tother times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4 RMG Chan 101 N34°09.75′ W85°07.17′ 108° 27.5 NM to fld. 1150/01E.

HIWAS ILS 111.9 Rwy 27. Class IB. GS unusable byd 4° left of course. Autopilot coupled apchs not I-RYY

CLNC DEL 119.0

authorized blo 2100' MSL.

UTC-5(-4DT)

OX 1, 2, 3, 4

S4 1003 B NOTAM FILE PDK

50

RWY 02R-20L: H6001X100 (CONC-GRVD) S-46, D-75, 2S-84 RWY 02R: REIL. VASI(V4L)-GA 3.0° TCH 35'. Trees. Rgt tfc.

RWY 20L: MALSF, PAPI(P2R), Thid dspicd 1000', Trees. RWY 16-34: H3967X150 (ASPH) S-20 RWY 16: REIL. VASI(V4L)-GA 3.4°TCH 30'. Trees.

8 NE

RWY 34: REIL. VASI(V4L)—GA 3.3°TCH 39'. Trees. RWY 02L-20R: H3746X150 (ASPH) S-20

RWY 02L: PAPI(P2L). P-line. RWY 20R: PAPI(P2L). Trees. Rgt tfc.

(PDK)

FUEL 100, JET A

S-20

RWY 09-27: H3383X150 (ASPH)

RWY 09: REIL. VASI(V4R)—GA 3.4°TCH 28'. Trees. RWY 27: REIL. VASI(V4L)—GA 3.8°TCH 49'. Trees. AIRPORT REMARKS: Attended continuously. Pilots should be alert when

HIRL 0.8% up W opr at PDK due to high number of rwy incursions. Be alert during acft gnd ops. Multiple rwy/twy crossing rgr. Heavy helicopter ops NW corner of arpt. Helipad located north of Rwy 16 thld. Flocks of

birds on or near arpt during dalgt hrs. TPA-2003 (1000) single engine, 2503 (1500) all multi engine. PPR for acft with max gross

N33°52.54′ W84°18.12′

TPA—See Remarks

G G 150 3383 X C3 030 63 weight more than 75,000 pounds. PPR for all transient military acft. All Twy K is non-movement area. Voluntary ngt curfew in effect from 0400-1100Z‡. No high power engine/maintenance runups from 0300-1200Z‡. Noise sensitive area all quadrants; pilots use close-in dep procedures. ARFF on fld. no index. When twr clsd HIRL Rwy 02R-20L preset med ints; to increase ints and ACTIVATE MALSF Rwy 20L and twy lgts-120.0. Flight

GND CON 121 6

H-9A, 12F, L-18J, A

ß 301 IAP. AD

Notification Service (ADCUS) available. WEATHER DATA SOURCES: ASOS (770) 457-1691, LAWRS.

COMMUNICATIONS: CTAF 120.9 ATIS 128.4 **UNICOM** 122.95

PEACHTREE RCO 122.1R 116.6T (MACON RADIO)

ATLANTA APP/DEP CON 126.975 **CLNC DEL** 120.9

PEACHTREE TOWER 120.9 127.2 (Mon-Fri 1130-0400Z‡ Sat-Sun 1200-0400Z‡) **CLNC DEL** 125.2

AIRSPACE: CLASS D svc Mon-Fri 1130-0400Z‡, Sat-Sun 1200-0400Z‡ other times CLASS E. RADIO AIDS TO NAVIGATION: NOTAM FILE PDK.

PEACHTREE (L) VOR/DME 116.6 PDK Chan 113 N33°52.54′ W84°17.93′ at fld. 970/02W. ILS 111.1 I–PDK Rwy 20L. GS unusable byd 4° left of course and 8° right of course. GS unusable for

coupled apchs blo 1900'.

. HELIPAD H1: H56X56 (CONC) HELIPORT REMARKS: H1 perimeter lgts opr dusk-dawn.

FUEL 100LL, JET A1+ OX 1, 2, 3, 4 LRA NOTAM FILE FTY

ATLANTA

H-9A, 12F, L-18J, A

RWY 08-26: H5796X100 (ASPH-GRVD) S-105, D-121, 2S-154, 2D-198 HIRL 0.3% up E RWY 08: MALSR. Trees.

841 B S4

RWY 26: REIL. VASI(V4L)-GA 3.0° TCH 52'. Trees. Rgt tfc. RWY 14-32: H4157X100 (ASPH) S-30 MIRL 1.0% up SE RWY 14: REIL, PAPI(P2L)—GA 4.0° TCH 52', Trees.

FULTON CO ARPT-BROWN FLD (FTY) 6 W UTC-5(-4DT)

RWY 32: Thid dspicd 199'. Trees. RWY 09-27: H2801X60 (ASPH) S-35, D-45, 2D-72 0.3% up E RWY 09: Trees. RWY 27: Trees. Rgt tfc.

AIRPORT REMARKS: Attended continuously. Rwy 32 has three Igtd twr on

centerline 32 ft AGL (873 ft MSL) 650 ft from thld. Deer and other wildlife on and invof arpt. Flocks of birds on and invof arpt during

dalgt hrs. Noise sensitive area all quadrants; no run ups authorized on any ramp. Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS (404) 696-5660. LAWRS.

COMMUNICATIONS: ATIS 120.175 UNICOM 122.95 ATLANTA RCO 122.6 122.2 (MACON RADIO) R ATLANTA APP/DEP CON 121.0 COUNTY TOWER 118.45 **GND CON 121.7**

AIRSPACE: CLASS D svc continuous. RADIO AIDS TO NAVIGATION: NOTAM FILE PDK.


I-FTY Rwy 08.

PEACHTREE (L) VOR/DME 116.6 PDK Chan 113 N33°52.54′ W84°17.93′ FLANC NDB (MHW/LOM) 344

ILS 109.1

NDB unusable bvd 12 NM.

byd 12 NM. COMM/NAV/WEATHER REMARKS: Emerg frequency 121.5 not avbl.



N33°46.75′ W84°31.28′

LOM FLANC NDB. LOC unusable byd 25° left of course. LOM/NDB unusable

1026 В S4 FUEL 100, 100LL, JET A ΝΟΤΔΜ ΕΠΕ ΔΤΙ

HARTSFIELD-JACKSON ATLANTA INTL

52

RWY 09L-27R: H11890X150 (CONC-GRVD) S-120, D-200,

(ATL)

6.5

UTC-5(-4DT)

OX 1, 2, 3, 4 LRA

N33°38.20' W84°25.68'

Class I. ARFF Index E

Helipad H1: 52 X 52

H-9A, 12F, L-18J, A

IAP. AD

2D-360 PCN 62 R/A/W/T HIRL CL RWY 09L: MALSR. PAPI(P4R)—GA 3.0° TCH 56'. Concrete Hopper.

RWY 27R: MALS, PAPI(P4R)-GA 3.0° TCH 56', 0.4% up.

RWY 08R-26L: H10000X150 (CONC-GRVD) S-120, D-200, 2D-360 PCN 74 R/A/W/T HIRL CL

RWY 08R: TDZL. PAPI(P4L)-GA 3.0° TCH 53'. Railroad. 1.0% down. RWY 26L: MALSR. PAPI(P4L). TCH 52'. Vent pipe. 0.4% down.

RWY 09R-27L: H9001X150 (CONC-GRVD) S-120, D-200, 2D-360 PCN 68 R/A/W/T HIRL CI

RWY 09R: ALSF2. TDZL. PAPI(P4L)—GA 3.0° TCH 54'. Tower. 0.4% down

RWY 27L: MALSR. TDZL. PAPI(P4R)-GA 3.0° TCH 67'. 0.5% up.

RWY 08L-26R: H9000X150 (CONC-GRVD) S-120, D-200, 2D-360

PCN 62 R/A/W/T HIRL CL RWY 08L: ALSF2. TDZL. PAPI(P4L)-GA 3.0° TCH 59'. Sign. 0.6%

RWY 27I

RWY 26R: MALSR, TDZL, PAPI(P4L), TCH 58', Antenna, S-75, D-209, 2D-600, 2D/2D2-900 PCN 74 R/A/W/T RWY 10-28: H9000X150 (CONC-GRVD)

RWY 10: ALSF2, TDZL, Sign, Rgt tfc. RWY 28: ALSF2. TDZL. Tower.

LAND AND HOLD SHORT OPERATIONS LANDING HOLD SHORT POINT DIST AVRI

RWY N8I **TWY B13** 8490 RWY 09R TWY J 8620 RWY 26R TWY H 8600

RUNWAY DECLARED DISTANCE INFORMATION

RWY 08L: TORA-9000 TODA-9000 ASDA-8800 RWY 09L: TORA-11890 TODA-11890 ASDA-11730 LDA-11730

TWY P

RWY 09R: TORA-9000 ASDA-9000 TODA_9000 I DA_9000 RWY 26R: TORA-9000 TODA-9000 ASDA-8800 LDA-8800 RWY 27L: TORA-9000 TODA-9000 ASDA-8865

LDA-8865 RWY 27R: TORA-11890 TODA-11890 ASDA-11690 LDA-11690

AIRPORT REMARKS: Attended continuously. Unlgtd 170 ft AGL twr 3 mi WNW. Group VI acft (Lockheed Galaxy-C-5,

Antonov AN-124 and AN-125) with a wingspan of greater than 214' are restricted from using Twy L east of Ramp 5 south to the west side of Ramp 6 south, and Twy Feast of ramp 5 north and west of Twy Dixie. Acft with wingspan greater than 171' are restricted from using Twy V. ASDE-X surveillance system in use: pilots should opr

transponders with Mode C on all twys and rwys. Noise and operations monitoring system (NOMS) program in effect; call the Atlanta Dept of Aviation 770-43-noise or 770-436-6473 for more info. All runways, touch and go operations, low approaches, and practice instrument approaches not permitted. Preferential rwy use in effect, expect to use Rwys 08R-26L, 09L-27R for deps; Rwys 08L-26R, 09R-27L are used primarily for arrivals. Rwy 09L departures can expect intersection departure from M2 with rwy remaining 10,940'. Runups are permitted at various

sites; coordinate use of city facilities, movement areas, allowable non-movement areas with Dept of Aviation operations, 404-530-6620; and coordinate the use of the airlines' facilities with them. Rwy 10 touchdown,

LDA-8800

midfield and rollout runway visual range avbl. Rwy 28 touchdown, midfield and rollout runway visual range avbl. Ldg fee. Flight Notification Service (ADCUS) avbl. NOTE: See Special Notices-Continuous Power Facilities. WEATHER DATA SOURCES: ASOS (404) 762-1121. LLWAS. TDWR.

8600

COMMUNICATIONS: D-ATIS ARR 119.65 (404) 763-7988. ATLANTA RCO 122.1R, 116.9T (MACON RADIO)

(R) ATLANTA APP CON 127.9

ATLANTA TOWER 125.325 (Rwy 08R-26L) 123.85 (Rwy 09L-27R) 119.5 (Rwy 10-28) 119.3 (Rwy 09R-27L) 119.1

(Rwy 08L-26R) GND CON 121.75 (Rwys 09L-27R, 09R-27L) 121.9 (Rwys 08R-26L, 08L-26R) 121.65 (Rwy 10-28) **CINC DFI** 118 1

D-ATIS DEP 125.55

UNICOM 122.95

(R) ATLANTA DEP CON 125.65 (Rwys 09L–27R and 09R–27L) 135.375 (Rwy 10–28) 125.7 (08L–26R and 08R–26L) AIRSPACE: CLASS B See VFR Terminal Area Chart.

CONTINUED ON NEXT PAGE

ΔΤΙ ΔΝΤΛ

ATLANTA

IAP

H-9A, 12F, L-18I, A

IAP

H-9A. 12F. L-18I. A

GEORGIA

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATLANTA (H) VORTAC 116 9 Chan 116 N33°37.75′ W84°26.11′ ATI at fld. 1000/00E.

N33°38.72′ W84°18.68′ REDAN NDB (MHW/LOM) 266 RR 267° 5.9 NM to fld.

ILS/DME 109.9 Chan 36 RWY OAR I_ATI

ILS/DMF 108 9 I-FUN Chan 26 RWY 09R. Class IIIE.

ILS/DME 110.5 Rwy 09L. LOC unusable byd 25° N of centerline. I_H7K Chan 42

ILS/DME 108.7 I-BRU Chan 24 Rwy 26L. LOM REDAN NDB.

ILS/DME 108.5 I-FS0 Chan 22 Rwv 27L.

ILS/DME 111.3 I-AFA Chan 50 Rwy 27R, SHUTDOWN,

IIS/DMF 109 3 I_HFW Chan 30 Rwy 08L, Class IIIE.

LOM CATTA NDB. LOC unusable byd 30° right of centerline

ILS/DME 110.1 I_GX7 Chan 38 Rwy 26R. Class IE. LOM REDAN NDB.

ILS/DME 111.55 I-OMO Chan 52(Y) Rwy 10. Class IIID. LOC unusable throughout Zone 5 due to structure at 0.67 NM.

ILS/DME 111.75 I–PKU Chan 54(Y) Rwy 28. Class IIIF

COMM/NAV/WEATHER REMARKS: Be alert to rwy crossing clearances. Readback of all rwy holding instructions is required.

Dual VHF communications rgr for Simultaneous Close Parallel ILS PRM Approaches. Rwy 09L-27R and Rwy 09R-27L Monitor 132.55, Rwy 10-28 Monitor 133.425, Rwy 08L-26R and Rwy 08R-26L 126.9.

. HELIPAD H1: H52X52 (ASPH)

NEWNAN COWETA CO (CCO) 4 S UTC-5(-4DT) N33°18.69' W84°46.19'

970 B S4 FUEL 100LL, JET A1 OX 4 NOTAM FILE CCO

RWY 14-32: H5500X100 (ASPH) S-26. D-37 MIRL 0.7% up NW RWY 14: PAPI(P2L)—GA 3.0° TCH 31', Trees.

RWY 32: MALSR, PAPI(P2L)-GA 3.0° TCH 33', Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z‡, Sat-Sun

1300-2300Z‡. Birds invof arpt. ACTIVATE MIRL Rwy 14-32, PAPI Rwy 14 and Rwy 32 and MALSR Rwy 32-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.975 (770) 254-1617

COMMUNICATIONS: CTAF/UNICOM 122.7 (R) ATLANTA APP/DEP CON 119.8 CINC DEL 119 8

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. LAGRANGE (H) VORTAC 115.6 LGC Chan 103 N33°02.95'

W85°12.37' 053° 27 NM to fld. 790/01E. HIWAS.

COWETA CO NDB (MHW) 234 EOO N33°15.42' W84°42.80' 322° 4.3 NM to fld.

IL\$ 110.75 I-CCO Rwy 32. LOC only.

C3 €3 Œ (G (G **(3** 803 Œ 3 3 3 3 3 ପପପ ପ

ATLANTA

PAULDING-NORTHWEST ATLANTA (PUJ) 6 W UTC-5(-4DT) N33°54.72′ W84°56.44′

1289 FUEL 100LL, JET A NOTAM FILE MCN

RWY 13-31: H5505X100 (CONC-GRVD) S-50, D-90 HIRL

RWY 13: REIL. PAPI(P4L)-GA 3.0° TCH 50'.

RWY 31: REIL. PAPI(P4L)-GA 3.0° TCH 49'.

AIRPORT REMARKS: Attended 1300-2200Z‡. HIRL Rwy 13-31 preset on low inst and PAPI Rwy 13 and Rwy 31 opr dusk-0300Z‡ to increase ints HIRL Rwy 13-31 ACTIVATE-CTAF. After 0300Z‡ ACTIVATE HIRL Rwy 13-31 and PAPI Rwy 13 and Rwy 31-CTAF.

WEATHER DATA SOURCES: AWOS-3 126.225 (770) 445-3870.

COMMUNICATIONS: CTAF/UNICOM 123.075

ATLANTA APP/DEP CON 121.0

RAWIH

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4 RMG Chan 101 N34°09.75′ W85°07.17′ 148°17.5 NM to fld. 1150/01E.

ILS/DME 109.15 I-PUJ Chan 28Y Rwy 31. GS unusable byd 5° left of course.

ΔΤΙ ΔΝΤΛ

ATLANTA

IAP

H-9A, 12F, L-18I, A

IAP

H-9A. 12F. L-18I. A

GEORGIA

CONTINUED FROM PRECEDING PAGE

RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATLANTA (H) VORTAC 116 9 Chan 116 N33°37.75′ W84°26.11′ ATI at fld. 1000/00E.

N33°38.72′ W84°18.68′ REDAN NDB (MHW/LOM) 266 RR 267° 5.9 NM to fld.

ILS/DME 109.9 Chan 36 RWY OAR I_ATI

ILS/DMF 108 9 I-FUN Chan 26 RWY 09R. Class IIIE.

ILS/DME 110.5 Rwy 09L. LOC unusable byd 25° N of centerline. I_H7K Chan 42

ILS/DME 108.7 I-BRU Chan 24 Rwy 26L. LOM REDAN NDB.

ILS/DME 108.5 I-FS0 Chan 22 Rwv 27L.

ILS/DME 111.3 I-AFA Chan 50 Rwy 27R, SHUTDOWN,

IIS/DMF 109 3 I_HFW Chan 30 Rwy 08L, Class IIIE.

LOM CATTA NDB. LOC unusable byd 30° right of centerline

ILS/DME 110.1 I_GX7 Chan 38 Rwy 26R. Class IE. LOM REDAN NDB.

ILS/DME 111.55 I-OMO Chan 52(Y) Rwy 10. Class IIID. LOC unusable throughout Zone 5 due to structure at 0.67 NM.

ILS/DME 111.75 I–PKU Chan 54(Y) Rwy 28. Class IIIF

COMM/NAV/WEATHER REMARKS: Be alert to rwy crossing clearances. Readback of all rwy holding instructions is required.

Dual VHF communications rgr for Simultaneous Close Parallel ILS PRM Approaches. Rwy 09L-27R and Rwy 09R-27L Monitor 132.55, Rwy 10-28 Monitor 133.425, Rwy 08L-26R and Rwy 08R-26L 126.9.

. HELIPAD H1: H52X52 (ASPH)

NEWNAN COWETA CO (CCO) 4 S UTC-5(-4DT) N33°18.69' W84°46.19'

970 B S4 FUEL 100LL, JET A1 OX 4 NOTAM FILE CCO

RWY 14-32: H5500X100 (ASPH) S-26. D-37 MIRL 0.7% up NW RWY 14: PAPI(P2L)—GA 3.0° TCH 31', Trees.

RWY 32: MALSR, PAPI(P2L)-GA 3.0° TCH 33', Trees.

AIRPORT REMARKS: Attended Mon-Fri 1200-0100Z‡, Sat-Sun

1300-2300Z‡. Birds invof arpt. ACTIVATE MIRL Rwy 14-32, PAPI Rwy 14 and Rwy 32 and MALSR Rwy 32-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.975 (770) 254-1617

COMMUNICATIONS: CTAF/UNICOM 122.7 (R) ATLANTA APP/DEP CON 119.8 CINC DEL 119 8

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. LAGRANGE (H) VORTAC 115.6 LGC Chan 103 N33°02.95'

W85°12.37' 053° 27 NM to fld. 790/01E. HIWAS.

COWETA CO NDB (MHW) 234 EOO N33°15.42' W84°42.80' 322° 4.3 NM to fld.

IL\$ 110.75 I-CCO Rwy 32. LOC only.

C3 €3 Œ (G (G **(3** 803 Œ 3 3 3 3 3 ପପପ ପ

ATLANTA

PAULDING-NORTHWEST ATLANTA (PUJ) 6 W UTC-5(-4DT) N33°54.72′ W84°56.44′

1289 FUEL 100LL, JET A NOTAM FILE MCN

RWY 13-31: H5505X100 (CONC-GRVD) S-50, D-90 HIRL

RWY 13: REIL. PAPI(P4L)-GA 3.0° TCH 50'.

RWY 31: REIL. PAPI(P4L)-GA 3.0° TCH 49'.

AIRPORT REMARKS: Attended 1300-2200Z‡. HIRL Rwy 13-31 preset on low inst and PAPI Rwy 13 and Rwy 31 opr dusk-0300Z‡ to increase ints HIRL Rwy 13-31 ACTIVATE-CTAF. After 0300Z‡ ACTIVATE HIRL Rwy 13-31 and PAPI Rwy 13 and Rwy 31-CTAF.

WEATHER DATA SOURCES: AWOS-3 126.225 (770) 445-3870.

COMMUNICATIONS: CTAF/UNICOM 123.075

ATLANTA APP/DEP CON 121.0

RAWIH

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4 RMG Chan 101 N34°09.75′ W85°07.17′ 148°17.5 NM to fld. 1150/01E.

ILS/DME 109.15 I-PUJ Chan 28Y Rwy 31. GS unusable byd 5° left of course.

PEACHTREE CITY-FALCON FLD (FFC) 25 SW UTC-5(-4DT) N33°21.44′ W84°34.31′ B S4 FUEL 100LL, JET A+ OX 2 NOTAM FILE FFC

N33°37 75'

RWY 13-31: H5219X100 (ASPH) S-48, D-60 MIRI

RWY 13: REIL. PAPI (P4L)-GA 3.0°. Trees. Rgt tfc.

RWY 31: ODALS, PAPI (P4L)—GA 3.0°, Thid dspicd 200', Trees. AIRPORT REMARKS: Attended 1200-0100Z‡. Deer on and invof arpt. ARFF avbl on arpt, MIRL Rwy 13-31 preset on low ints

dusk-0300Z±: to increase ints and ACTIVATE after

0300Z‡-CTAF. ACTIVATE ODALS Rwy 31; PAPI Rwy 13 and Rwy 31 and REIL Rwy 13-CTAF.


WEATHER DATA SOURCES: ASOS 118.525 (770) 487-1610. COMMUNICATIONS: CTAF/UNICOM 123.05

R ATLANTA APP/DEP CON 119.8 CLNC DEL 119.8 RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATLANTA (H) VORTAC 116.9 ATL Chan 116

W84°26.11' 203° 17.7 NM to fld. 1000/00E. PECAT NDB (MHW/LOM) 316 FF N33°18.04′ W84°29.19′ 5.5 NM to fld. NOTAM FILE MCN. NDB unmonitored 0200-1000Z±.

ILS/DME 111.95 I-FFC Chan 56(Y) Rwv 31 LOM PECAT NDB. LOC/DME unmonitored.



H-9A. 12F. L-18J. A

CHARLOTTE

AUGUSTA AUGUSTA RGNL AT BUSH FLD (AGS) 6 S UTC-5(-4DT) N33°22.20′ W81°57.87′

NOTAM FILE AGS RWY 17-35: H8000X150 (ASPH-GRVD) S-130, D-166, 2S-175.

2D-358 HIRI RWY 17: MALSR. PAPI(P4L)—GA 3.0° TCH 71'. Tree.

RWY 35: MALSR. PAPI(P4L)-GA 3.0° TCH 72'. Trees. RWY 08-26: H6001X75 (ASPH) S-52, D-71, 2S-90, 2D-126

MIRL RWY 08: REIL, PAPI(P4L)—GA 3.0° TCH 64', Trees.

RWY 26: REIL. PAPI(P4L)-TCH 64'. Trees. AIRPORT REMARKS: Attended continuously. Birds on and invof arpt.

Seasonal heavy bird activity invof arpt November-March. PAPI Rwy 08, Rwy 17, Rwy 26 and Rwy 35 operate continuously. REIL Rwy 08 and Rwy 26, MIRL Rwy 08-26, and HIRL Rwy 17-35 operate

continuously when twr clsd. ACTIVATE MALSR Rwy 17 and Rwy 35-CTAF WEATHER DATA SOURCES: ASOS (706) 790-0631. LLWAS.

COMMUNICATIONS: CTAF 118.7 ATIS 132.75 UNICOM 122.95

R AUGUSTA APP/DEP CON 126.8 (170°-349°) 119.15 (350°-169°) $(1145-04007\pm)$

(R) ATLANTA CENTER APP/DEP CON 128.1 (0400-1145Z±)

AUGUSTA TOWER 118.7 (1145-0400Z±) **GND CON 121.9**

AIRSPACE: CLASS D svc 1145-0400Z‡ other times CLASS E. TRSA svc ctc APP CON

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.


B S4

COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44′ W82°09.72′ 158° 22.5 NM to fld. 428/04W. EMORY NDB (HW) 385 EMR N33°27.77′ W81°59.81′

when twr clsd. AG N33°17.22′ W81°56.81′

BUSHE NDB (LOM) 233 354° 5.1 NM to fld. IIS 111 75 I–MZX Rwy 17. Class IB. ILS unmonitored when twr clsd.

I-AGS Rwy 35. Class IA. LOM BUSHE NDB. ILS unmonitored when twr clsd. ILS 110.5 ASR (1145-0400Z‡)



168° 5.8 NM to fld. NOTAM FILE MCN. Unmonitored

UTC-5(-4DT) N30°58.30′ W84°38.22′

DANIEL FLD (DNL) 1 W UTC-5(-4DT) N33°27.99' W82°02.36'

S4 FUEL 100LL, JET A+ OX 4 NOTAM FILE DNI 423 B RWY 05-23: H4002X100 (ASPH) S-12.5 MIRL 1.2% up NE

RWY 05: PAPI(P2L)—GA 3.0° TCH 30'. Thid dsplcd 200'. Tree. RWY 23: PAPI(P2L)—GA 3.3° TCH 32', Thid dspicd 288', Road.

RWY 11-29: H3738X100 (ASPH) S-12.5

RWY 11: REIL, PAPI(P4L)—GA 3.0° TCH 46', Thid dspicd 326'.

Fence

RWY 29: REIL. Thid dspicd 315'. Trees.

AIRPORT REMARKS: Attended 1200-dusk. Pilots should be alert for

turbo-jet tfc transiting the tfc area enroute to Bush Field 6 miles

S. Extension E end Rwy 11-29 unlgtd and unmarked. Rwy 29 REIL OTS indef. ACTIVATE MIRL Rwy 05-23 and Rwy 11-29, REIL Rwy 11 and Rwy 29 and PAPI Rwy 05, Rwy 23 and Rwy 11-CTAF.

WEATHER DATA SOURCES: ASOS 135.275 (706) 481-8629 COMMUNICATIONS: CTAF/UNICOM 123.05

RCO 122.3 (MACON RADIO) R AUGUSTA APP/DEP CON 126.8 (1145-0400Z‡)

R ATLANTA CENTER APP/DEP CON 128.1 (0400-1145Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 Chan 86 IRQ N33°42 44'

W82°09.72' 161° 15.7 NM to fld. 428/04W. N33°27.77′ W81°59.81′ EMORY NDB (HW) 385 FMR

Unmonitored when AGS twr clsd.

BUSHE NDB (LOM) 233 AG N33°17.22′ W81°56.81′ ASR (1145-04007+)

6 NW

TPA—See Remarks NOTAM FILE MCN

(See ALMA) BAINBRIDGE

BACON CO

DECATUR CO INDUSTRIAL AIRPARK (BGE) S2 FUEL 100LL, JET A+

RWY 09-27: H5502X149 (ASPH) S-24 MIRI RWY 09: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 27: MALSR PAPI(P2L)-GA 3.0° TCH 41'.

RWY 14-32: H5003X100 (ASPH) S-24

RWY 32: Trees. RWY 14: Trees.

AIRPORT REMARKS: Attended 1200-2300Z‡. Self svc fuel 24 hrs with credit card. For after hrs svc call 912-246-7442. Extensive

student pilot training on and invof arpt. Rwy 14-32 has 100' X 100' blast pads each end. TPA-1141(1000) for non-turbine acft, 1641(1500) for turbine acft. PAPI Rwy 09-27 opr cont and MIRL Rwy 09-27 preset med ints dusk-0300Z‡, to increase

ints-CTAF. After 0300Z‡ ACTIVATE MIRL Rwy 09-27, PAPI Rwy 09 and PAPI Rwy 27-CTAF. MALSR Rwy 27-CTAF. WEATHER DATA SOURCES: AWOS-3 121.125 (229) 248-2104.

COMMUNICATIONS: CTAF/UNICOM: 122.975

R TALLAHASSEE APP/DEP CON 128.7 (1100-0400Z‡)

JAX CENTER APP/DEP CON 128.625 (0400-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE MAI.

N30°47.17'


MAI MARIANNA (L) VORTAC 114.0 Chan 87

066° 27.5 NM to fld. 120/00E. W85°07.47'

WILLIS NDB (MHW) 359 LYZ N30°58.36′ W84°31.56′ 273° 5.7 NM to fld. NOTAM FILE MCN. COMM/NAV/WEATHER REMARKS: All acft operating locally at BGE must have a two-way radio capable of transmitting/receiving on CTAF frequency; one-stop transient acft are exempt from this requirement.

BALDWIN CO (See MILLEDGEVILLE)

BARROW CO (See WINDER)




1-241

JACKSONVILLE

ΙΑΡ

H-9A, 12F, L-21D, 22I



156 **GEORGIA** BARWICK LAFAYETTE (See LAFAYETTE) BAXLEY MUNI (BHC) 4 S UTC-5(-4DT) N31°42.83' W82°23.63' JACKSONVILLE FUEL 100LL, JET A TPA-1201(1000) NOTAM FILE MCN H-9B. 12F. L-24H IAP RWY 08-26: H5003X75 (ASPH) S-19 MIRL RWY 08: PAPI(P2L)-GA 3.0° TCH 31'. Trees. ß RWY 26: PAPI(P2L)-GA 3.0° TCH 31'. Trees. €3 AIRPORT REMARKS: Attended Mon-Fri 1300-2100Z‡. 24 hr self-serve, Ø credit card fuel avbl. MIRL Rwy 08-26, and PAPI Rwy 08 and Rwy 26 opr dusk-0300Z‡, after 0300Z‡--CTAF. Golf WEATHER DATA SOURCES: AWOS-A 376 BHC. Course COMMUNICATIONS: CTAF/UNICOM 122.8

€3 ୃତ (3 'n Œ a ß €3 ATLANTA

R IAX CENTER APP/DEP CON 132 3 RADIO AIDS TO NAVIGATION: NOTAM FILE AMG. ALMA (H) VORTAC 115.1 AMG Chan 98 N31°32.19' W82°30.49' 029° 12.1 NM to fld. 200/00E. HIWAS. NDB (MHW) 376 BHC N31°42.72′ W82°23.41′ at fld. AWOS-A. NOTAM FILE MCN. BAY CREEK N32°27.45′ W83°45.94′ NOTAM FILE MCN. NDB (MHW) 350 BEP 002° 3.2 NM to Perry-Houston Co. L-18J BERRIEN CO (See NASHVILLE)

BERRY HILL (See STOCKBRIDGE)

N31°27.34′ W84°49.15′

NOTAM FILE MCN. NDB (MHW) 344 IWJ 231° 5.2 NM to Early Co.

BLAIRSVILLE (DZJ)

1911 В

FUEL 100LL, JET A NOTAM FILE MCN RWY 08-26: H5006X100 (ASPH)

3 SW UTC-5(-4DT) N34°51.27′ W83°59.84′

S-12.5

RWY 08: Thid dspicd 1025'. Trees. AIRPORT REMARKS: Attended 1300-2300Z‡. Fuel unavailable after hours. Wildlife including deer and geese, invof rwys and twys. 100' blast pad Rwy 26. Rwy 08, temporary thid Igts mark displacement. ACTIVATE MIRL Rwy 08-26-CTAF

COMMUNICATIONS: CTAF/UNICOM 122.8

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. HARRIS (L) VORTACW 109.8 HRS

WEATHER DATA SOURCES: AWOS-3 119.325 (706)-745-9271.

MIRL

RWY 26: Trees.

Chan 35 N34°56.58′ W83°54.94′ 217° 6.7 NM to fld. 3660/00E. HIWAS.

1.5% down E

JACKSONVILLE

H-9A, 12G, L-25B

L-221

ATLANTA

BLAKELY

EARLY CO (BIJ) 3 E UTC-5(-4DT) N31°23.85′ W84°53.69′ B TPA-1201(987) NOTAM FILE MCN

RWY 05-23: H5494X98 (ASPH) S-21 MIRL RWY 05: PAPI(P2L)-GA 3.0° TCH 36'. Trees.

RWY 23: MALSF, PAPI(P2L)-GA 3.0° TCH 30', Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED at night. ACTIVATE MIRL

Rwy 05-23, PAPI Rwy 05 and PAPI Rwy 23-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.475 (229) 723-5511.

COMMUNICATIONS: CTAF 122.9


(R) CAIRNS APP/DEP CON 125.4 (Sun-Mon 1200-0500Z‡, Tue-Sat 24

hrs) other times cto

(R) JACKSONVILLE CENTER APP/DEP CON 134.3

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE ANB. C A €3 WIREGRASS (L) VORTAC 111.6 RRS Chan 53 N31°17.08' W85°25.87' 074° 28.4 NM to fld. 347/02E. HIWAS. €3 BLAAK NDB (MHW) 344 IWJ N31°27.34′ W84°49.15′ ß ß 5.2 NM to fld €3 ILS 110.35 I-BIJ Rwy 23. LOM BLAAK NDB. LOC unusable Δ from 0.6 NM inbound. BRANTLEY CO (See NAHUNTA)



IACKSUNAILLE

IAP

H-9A, 12F, L-22I

BRIINSWICK

BRUNSWICK GOLDEN ISLES (BQK) 5 N UTC-5(-4DT) N31°15.54′ W81°27.98′ B S4 FUEL 100LL, JET A TPA-See Remarks LRA Class I, ARFF Index A

NOTAM FILE BOK RWY 07-25: H8001X150 (ASPH-CONC-GRVD) S-120, D-185,

2S-175. 2D-364 HIRL RWY 07: MALSR. PAPI(P4L)-GA 3.0° TCH 58'. RWY 25: REIL. PAPI(P4L)-GA 3.0° TCH 46'.

AIRPORT REMARKS: Attended 1200-0300Z±, PPR for svc and fuel after hrs call 912-264-9200. Deer on and invof arpt. Birds on and invof arpt during heavy rains and high northeasterly winds. Rwy 07

first 500' concrete Rwy 25 first 500' concrete. PPR 24 hrs for acft ops with more than 30 passenger seats call arpt manager 912-265-2070. TPA-Turbine-powered acft 1526(1500), Nonturbine-powered 1026(1000). ACTIVATE HIRL Rwy 07-25 and

Service (ADCUS) avbl. WEATHER DATA SOURCES: AWOS-3 124.175 (912) 261-0531. COMMUNICATIONS: CTAF/UNICOM 122.8 RCO 122.1R 109.8T (MACON RADIO)

RCO 122.2 (MACON RADIO)


(R) JAX CENTER APP/DEP CON 126.75 CLNC DEL 126.75 AIRSPACE: CLASS E svc Mon-Sat 1100-0300Z±. Sun 1600-0300Z±

other times CLASS G. RADIO AIDS TO NAVIGATION: NOTAM FILE SSI.

(L) VORTAC 109.8 SSI Chan 35 N31°03.03′ W81°26.76′ 359° 12.5 NM to fld. 10/04W.

JEFFI NDB (LOM) 275 BQ N31°13.70′ W81°32.56′ 069° 4.3 NM to fld. ILS 108.5 I-BOK Rwy 07. Class IB. LOM JEFFI NDB.

IACKSUNAILLE H-9B, 12F, L-24H



MALCOLM McKINNON (SSI) 5 E UTC-5(-4DT) N31°09.11' W81°23.48' FUEL 100LL, JET A OX 4 TPA—See Remarks IRA NOTAM FILE SSI B S4

RWY 04-22: H5800X100 (ASPH-GRVD) S-45, D-60 MIRL RWY 04: REIL. PAPI(P2L)-GA 4.0° TCH 36'. Thid dspicd 1000'.

RWY 22: REIL. PAPI(P2L)-GA 4.0° TCH 54'. Thid dsplcd 910'. Trees

RWY 16-34: H3313X75 (ASPH) S-14 D-30 MIRI RWY 16: PAPI(P2L)-GA 3.25° TCH 44'. Trees.

RWY 34: PAPI(P2L)-GA 3.75° TCH 53'. Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 04: TORA-5580 TODA-5580 ASDA-5580 LDA-4798 RWY 22: TORA-5580 TODA-5580 ASDA-5580 LDA-4671 AIRPORT REMARKS: Attended 1200-0100Z‡. PPR for acft of more than

60,000 lbs dual wheel wt ctc 912-265-2070 ext 4. Seagulls on and invof arpt during heavy rains and high Northeasterly winds. Parasail ops invof arpt. TPA-turbine-powered acft 1519 (1500);

nonturbine-powered acft 1019 (1000). MIRL Rwy 04-22 and Rwy 16-34 opr dusk-0400Z±: after 0400Z± ACTIVATE—CTAF, Flight Notification Service (ADCUS) avbl.

WEATHER DATA SOURCES: ASOS 120.025 (912) 638-7042. COMMUNICATIONS: CTAF/UNICOM 123.05 BRUNSWICK RCO 122.1R 109.8T (MACON RADIO). BRUNSWICK RCO 122.2 (MACON RADIO)

(R) JAX CENTER APP/DEP CON 126.75 AIRSPACE: CLASS E svc 1100-0259Z‡, other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE SSI.

BRUNSWICK (L) VORTAC 109.8 SSI Chan 35 N31°03.03' W81°26.76'

MARION CO UTC-5(-4DT) N32°16.97′ W84°30.22′ (82A) 3 SE NOTAM FILE MCN

RWY 32: Trees. RWY 14: Trees AIRPORT REMARKS: Unattended. People and equipment on and invof

rwy. Unrestricted access to rwy. COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE LSF.

RWY 14-32: H3200X75 (ASPH)

BIIFNA VISTA

BURKE CO

LAWSON (T) VORW/DME 111.4 LSF Chan

N32°19.94 W84°59.60' 099° 25.1 NM to fld. 250/2W.

IAP **7** (3 &³√ Œ œ **3**

029° 6.7 NM to fld. 10/04W.

IACKSONVILLE

H-9B. 12F. L-24H

a 43 Œ 4 a *(*3 C3 æ €3 Œ æ Ø €3 C3 **43**

BULLDOG N33°57.09′ W83°13.18′ NOTAM FILE AHN. NDB (MHW) 221 BJT 271° 5.3 NM to Athens/Ben Epps. NDB unmonitored 0300-1100Z‡.

BULLO N32°24.92′ W81°39.84′ NOTAM FILE MCN. CHARLOTTE

ATLANTA

L-18J

ATI ANTA

L-18J

NDB (MHW/LOM) 407 323° 5.5 NM to Statesboro-Bulloch Co.

(See WAYNESBORO)

BUSHE N33°17.22′ W81°56.81′

NDB (LOM) 233 AG

NOTAM FILE AGS.

354° 5.1 NM to Augusta Rgnl at Bush Fld.

L-24H

CHARL OTTE

L-241

BUTLER MUNI (6A1) 1 NW UTC-5(-4DT) N32°34.04′ W84°15.04′

667 R NOTAM FILE MCN


S-17 RWY 18-36: H4000X75 (ASPH) MIRL 0.3% up S RWY 18: PAPI(P2L). Trees. RWY 36: PAPI(P2L). Tree line. RWY 06-24: 2400X180 (TURF)

RWY 06: Thid dspicd 400'. Trees. RWY 24: Trees.

AIRPORT REMARKS: Unattended, Transient sycs not avbl. Rwv 06-24 ends and edges marked with inground concrete pads. MIRL Rwy 18-36 ops dusk-0500Z‡, after 0500Z‡, ACTIVATE—CTAF. COMMUNICATIONS: CTAF 122.9

R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN MACON (H) VORTAC 114.2 MCN Chan 89 N32°41.47'

W83°38.83' 256°31.5 NM to fld. 381/01E.



ΔΤΙ ΔΝΤΔ

1-181

CAIDY N30°53.30′ W84°09.56′ NOTAM FILE MCN. NDB (MHW) 338 CYR at Cairo-Grady Co.

CAIRO-GRADY CO N30°53.28' W84°09.28' (7ØJ) 3 E UTC-5(-4DT) 265 В S4 FUEL 100LL NOTAM FILE MCN

RWY 13-31: H4000X75 (ASPH) S-12 MIRL 0.7% up NW

RWY 13: PAPI(P2L)-GA 3.3° TCH 30'. Trees.

RWY 31: PAPI(P2L)-GA 3.3° TCH 35'. Trees. AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡. MIRL Rwy 13-31

and PAPI Rwv 13 and Rwv 31 opr continuously dusk-0500Z±. after 0500Z‡ ACTIVATE-CTAF. COMMUNICATIONS: CTAF/UNICOM 122.7

R TALLAHASSEE APP/DEP CON 128.7 (1100-0400‡)

JAX CENTER APP/DEP CON 128.625 (0400-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

MOULTRIE (L) VOR/DME 108.8 MGR

Chan 25 N31°04.94' W83°48.25' 239° 21.5 NM to fld. 290/02W.

CAIDY NDB (MHW) 338 CYR N30°53.30′ W84°09.56′ at fld.

Ø шш **(3** Crop Duster Operations €3 €3 n G. Œ 03 ß C 0 0 a Ø C3 €3

CALHOUN N34°24.09′ W84°55.59′ NOTAM FILE MCN NDB (MHW) 323 OUK 351° 3.4 NM to Tom B. David Fld. Unmonitored. ATLANTA L-181

L-21D. 221

JACKSONVILLE

€3

L-21D. 22I

IAP

CALHOLIN

(CZL) 3 S UTC-5(-4DT) N34°27.33′ W84°56.35′ TOM B. DAVID FLD S3 FUEL 100LL, JET A1+ NOTAM FILE MCN

RWY 17-35: H6000X100 (ASPH) S-15, D-100, 2D-100

RWY 17: PAPI(P2L)-GA 4.0° TCH 51'. Trees.

RWY 35: PAPI(P2L), Thid dsplcd 1000', Pole, AIRPORT REMARKS: Attended 1300-0100Z±. Self svc fuel avbl with

LOC only.

LOC unusable

credit card. MIRL Rwy 17-35 preset on low ints dusk-0300Z‡, to increase ints and ACTIVATE after 0300Z±-CTAF. WEATHER DATA SOURCES: AWOS-3 119.975 (706) 602-5906.


COMMUNICATIONS: CTAF/UNICOM 122.8 R ATLANTA CENTER APP/DEP CON 133.8

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG. ROME (H) VORTACW 115.4 RMG Chan 101 N34°09.75'

W85°05.17' 026° 19.7 NM to fld. 1150/01E. HIWAS.

CALHOUN NDB (MHW) 323 OUK N34°24.09' W84°55.59' 351° 3.3 NM to fld. NOTAM FILE MCN. Unmonitored.

IIS 110 7 I-CZL Rwv 35. 15° left of course.



ΔΤΙ ΔΝΤΔ

CAMILLA-MITCHELL CO (CXU) 2 SW UTC-5(-4DT) FUEL 100LL, JET A NOTAM FILE MCN S3

RWY 08-26: H5003X100 (ASPH) S-16

RWY 08: PAPI(P2L)-GA 3.0° TCH 39'. RWY 26: PAPI(P2L)-GA 3.0° TCH 39'. Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡. Rwy 08-26 sfc

cracking. MIRL Rwy 08-26 dusk to 0230Z‡, ACTIVATE after 0230Z‡-CTAF.


WEATHER DATA SOURCES: AWOS-A 369 CXU. COMMUNICATIONS: CTAF/UNICOM 122.8

R JACKSONVILLE CENTER APP/DEP CON 125.75

RADIO AIDS TO NAVIGATION: NOTAM FILE ABY.

PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31' W84°17.59' 176° 26.6 NM to fld. 280/02W. HIWAS.

NDB (MHW) 369 CXU N31°12.88′ W84°14.21′ NOTAM FILE MCN. AWOS-A.



CANON

FRANKLIN CO (18A) 1 SW UTC-5(-4DT) N34°20.42′ W83°07.85′

FUEL 100LL, JET A NOTAM FILE MCN

RWY 08-26: H5000X75 (ASPH) S-15 MIRL RWY 08: PAPI(P2L)-GA 3.25° TCH 26'. Trees.

RWY 26: PAPI(P2L)-GA 4.0° TCH 29'. Trees. AIRPORT REMARKS: Unattended. After 0500Z‡, ACTIVATE MIRL—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (706) 245-1097. Precipitation and Thunderstorm/Lightning detection.

COMMUNICATIONS: CTAF 122.9

(R) ATLANTA APP/DEP CON 127.5 (1115-0500Z‡) (R) ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

ELECTRIC CITY (L) VORTACW 108.6 ELW Chan 23 N34°25.15′ W82°47.08′

255° 17.8 NM to fld. 736/00E.

ATLANTA

IAP

H-9B. 12G L-18J

CANTON

CHEROKEE CO (47A) 6 NE UTC-5(-4DT) N34°18.64′ W84°25.43′ 1219 B S4 FUEL 100LL JET A NOTAM FILE MCN

RWY 04-22: H3414X75 (ASPH) S-26 MIRL 0.3% up NE

RWY 04: PAPI (P2L)-GA 2.50° TCH 26'. RWY 22: PAPI (P2L)-GA 2.50° TCH 26'. Trees.

AIRPORT REMARKS: Attended 1300-2300Z‡, ACTIVATE MIRL Rwv


04-22, PAPI Rwy 04 and Rwy 22-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.825 (770) 704-6235. COMMUNICATIONS: CTAF/UNICOM 123.0

R ATLANTA APP/DEP CON 121.0 RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4 RMG Chan 101 N34°09 75' W85°07.17' 074° 35.7 NM to fld. 1150/01E.

HIWAS. CHERO NDB (MHW) 415 DJD N34°15.14′ W84°29.26′ 046° 4.7 NM to fld. NOTAM FILE MCN.



ΔΤΙ ΔΝΤΔ

L-18J

IAP

CARROLLTON N33°33.95′ W85°07.85′ NOTAM FILE MCN. NDR (MHW) 278 GPO 347° 4.1 NM to West Georgia Rgnl—OV Gray Fld. NDB unusable byd 15 NM.

CARROLLTON

WEST GEORGIA RGNL—OV GRAY FLD (CTJ) 5 NW UTC-5(-4DT) N33°37.90′ W85°09.14′

1161 B S4 FUEL 100LL, JET A1 OX 1 NOTAM FILE MCN

RWY 17-35: H5503X100 (ASPH) S-43, D-56, 2D-83 MIRL 1.0% up N

RWY 17: PAPI (P4L)-GA 3.0° TCH 33'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z±, Sat. 1400-2300Z±. Sun 1700-2300Z±. Deer on and near rwvs at all times. MIRL Rwy 17-35 preset med ints dusk-0300Z‡, after

RWY 35: PAPI (P4L)-GA 3.0° TCH 35'. Trees.

0300Z‡ ACTIVATE—CTAF. ACTIVATE PAPI Rwy 17 and Rwy 35-CTAF. WEATHER DATA SOURCES: AWOS-3 118.175 (770) 214-9667.


COMMUNICATIONS: CTAF/UNICOM 122.7 R ATLANTA APP/DEP CON 121.0 CLNC DEL 121.6

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG. ROME (H) VORTACW 115.4 RMG Chan 101

W85°07.17' 182° 31.8 NM to fld. 1150/01E. CARROLLTON NDB (MHW) 278 GPO N33°33.95′ W85°07.85′ 347° 4.1 NM to fld. NOTAM FILE MCN. NDB unusable byd 15

NM. ILS 111.7 I-CTJ Rwy 35.

ATLANTA 1-181



N34°09.75'

```
GEORGIA
162
    CARTERSVILLE
```

FUEL 100LL, JET A1+

RWY 01: PAPI(P2L)—GA 3.0° TCH 38'. Thid dsplcd 740'. Trees.

(VPC) 3 SW UTC-5(-4DT) N34°07.39' W84°50.92'

S-26

TPA—See Remarks

HIRL 0.5% up S

pattern entry crosses field approximately 2000' from either approach end at 541'AGL. Be advised-grass strip 4.9 NW of arpt. HIRL Rwy 01-19, PAPI Rwy 01 and Rwy 19 and REIL Rwy 19 opr dusk-0300Z‡; after 0300Z‡

NOTAM FILE VPC

187° 4.6 NM to fld. NOTAM FILE VPC.

(LOC only), LOC unmonitored 0200-1100Z±.

63

AIRPORT REMARKS: Attended 1100-0200Z‡. Deer on and invof arpt. Ultralight activity on and invof arpt. TPA for light acft 1800(1041), TPA for jet and turboprop acft 2300(1541), TPA for ultralight acft 1300(541). Ultralight traffic pattern inside normal pattern with central third of Rwv 01-19 designated ultralight Idg and tkf area. Ultralight

WEATHER DATA SOURCES: ASOS 120.525 (770) 606-0375.

099° 13.7 NM to fld. 1150/01E.

RWY 19: REIL. PAPI(P2L). Trees.

ΔΤΙ ΔΝΤΔ

IAP

H-9A 12F I-18I

CEDAR N33°32.00′ W82°36.86′

CEDARTOWN

ACTIVATE-CTAF.

S4

RWY 01-19: H5760X100 (ASPH-GRVD)

R ATLANTA APP/DEP CON 121.0 GCO 121.725 (ATLANTA LARGE TRACON CLNC DEL AND FLIGHT SERVICES) RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

Chan 101 N34°09.75′ W85°07.17′ ROME (H) VORTACW 115.4 RMG HIWAS.

COMMUNICATIONS: CTAF/UNICOM 123.05

NDB (MHW) 308 EVZ N34°11.98′ W84°50.59′

I-VPC Chan 40(Y) Rwv 19. COMM/NAV/WEATHER REMARKS: ASOS wind data unreliable 210°-350°.

NOTAM FILE MCN NDB (MHW/LOM) 341 AA 096° 4.9 NM to Thomson-McDuffie Co. NDB unusable byd 15 NM.

S2 FUEL 100LL, JET A1+

ATLANTA L-241 UTC-5(-4DT)N34°01.12′ W85°08.79′ ATLANTA L-18I IAP (3 Œ **(3** €3 €3

09 6'-12' trees at thid 150' left. Rwy 27 +10' trees 113' from thid 150' right. ACTIVATE MIRL Rwy 09-27 and PAPI Rwy 09 and Rwv 27-CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8

POLK CO ARPT-CORNELIUS MOORE FLD

RWY 09-27: H4004X75 (ASPH)

RWY 09: PAPI(P2L). Treeline.

(R) ATLANTA CENTER APP/DEP CON 133.8 RADIO AIDS TO NAVIGATION: NOTAM FILE RMG. ROME (H) VORTACW 115.4 RMG Chan 101

W85°07.17' 188° 8.7 NM to fld. 1150/01E. HIWAS.

S-20

AIRPORT REMARKS: Attended 1300-0100Z‡, Parachute Jumping, Rwy

(4A4)

MIRL

5 E

0.4% up W

N34°09.75'

NOTAM FILE MCN

RWY 27: PAPI(P2L). Treeline.

¢ €3 3 €3 4004 X 75 (3 ĒΩ €3 **3** œ €3 €3 ß **(3** €3 **(3** €3 €3 <3 a a Œ €3 €3 €3 €3 **(3** Ø €3 3 a €3 **(3** 67 ß 3 Ø ATLANTA

NDB (MHW) 415 DJD 046° 4.7 NM to Cherokee Co. CHEROKEE CO (See CANTON)

CHERO N34°15.14′ W84°29.26′

NOTAM FILE MCW.

63

L-18J

SE, 23 SEP 2010 to 18 NOV 2010

CLAXTON-EVANS CO (CWV) 3 NE UTC-5(-4DT) N32°11.70′ W81°52.17′ FUEL 100LL NOTAM FILE MCN 112 B S2 RWY 09-27: H5002X75(ASPH) S-30 MIRI

RWY 09: PAPI(P2L)-GA 3.75° TCH 33'. Trees. RWY 27: PAPI(P2L)—GA 3.5° TCH 34', Thid dsplcd 1000', Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡. Parachute

Jumping, MIRL Rwy 09-27 preset on low ints dusk-0300Z±; to increase ints ACTIVATE-CTAF. After 0300Z‡-CTAF. ACTIVATE PAPI

Rwy 09 and Rwy 27-CTAF.


WEATHER DATA SOURCES: AWOS-3 120.075 (912) 739-3768. COMMUNICATIONS: CTAF/UNICOM 122.8 JAX CENTER APP/DEP CON 120.85

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV. SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 281° 34.3 NM to fld. 9/6W.

RAWIH N32°11.81' W81°52.84' at fld.

(See HAMPTON)

NDB (MHW) 395 CWV NOTAM FILE MCN.



CHARLOTTE

H-9B. 12F. L-24H

CORR CO-MCCOLLIM FLD (See ATLANTA)

CLAYTON CO-TARA FLD

(48A) 4 E UTC-5(-4DT)

NOTAM FILE MCN S2 RWY 11-29: H4401X75 (ASPH) 1.0% up NW RWY 05-23: H3202X50 (ASPH) S-25 MIRL


RWY 05: Trees RWY 23: Trees. AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat 1300-1800Z‡. Arpt lgts opr dusk-0230Z‡. Rotating bcn OTS indef. Non standard turnarounds, inadequate separation Rwy

05-23, MIRL Rwy 05-23 preset dusk-0100Z‡, after 0100Z‡ ACTIVATE—CTAF. COMMUNICATIONS: CTAF/UNICOM 122.8

R ATLANTA APP/DEP CON 119.6 (7000' & abv) 124.2 (blo 7000') (1115-0500Z‡)

ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

VIENNA (L) VORTAC 116.5 VNA Chan 112 N32°12.81′ W83°29.84' 044° 15.8 NM to fld. 300/01E.



NOTAM FILE MCN. COFFEE CO N31°24.29′ W82°55.43′

NDB (MHW) 390 OWC 040° 5.4 NM to Douglas Muni. NDB unmonitored 2300-1300Z‡. JACKSONVILLE

L-24H

GEORGIA 164 COLUMBUS METROPOLITAN (CSG) 3 NE UTC-5(-4DT) N32°30.98′ W84°56.33′ ΔΤΙ ΔΝΤΔ B S4 FUEL 100LL, JET A Class I, ARFF Index B NOTAM FILE CSG H-9A 12F I-18I RWY 06-24: H6997X150 (ASPH-GRVD) D-160, 2S-175, 2D-250 HIRL IAP. AD RWY 06: MALSR. PAPI(P4L)-GA 2.61° TCH 48'. Trees. 02 03 RWY 24: REIL, PAPI(P4L)—GA 3.0° TCH 50', Building, C3 Residential RWY 13-31: H3997X150 (ASPH) S-12 MIRL 0.7% up NW RWY 13: REIL. Tree. RWY 31: REIL. VASI(V2L)-GA 3.0°TCH 41'. Pole. CT (3 AIRPORT REMARKS: Attended continuously. FBO svcs avbl 1000-0200Z‡. Fuel avbl 24 hrs. After 0200Z‡ hours, fuel avbl with fee ctc FBO per written instruction in FBO vestibule. Birds on and invof arpt. Rwy 24 PAPI OTS indef. After 0200Z‡ ACTIVATE HIRL Rwv 06-24, MALSR Rwv 06, REIL Rwv 24, PAPI Rwy 06, Twy Igts and windcone Igts-CTAF. MIRL Rwy 13-31 and G G VASI Rwy 31 unavailable when twr clsd. WEATHER DATA SOURCES: ASOS (706) 576-4715. LLWAS. COMMUNICATIONS: CTAF 120.1 ATIS 127.75 UNICOM 122.95 RCO 122.65 122.1R 117.1T (MACON RADIO) R ATLANTA APP/DEP CON 125.5 (blo 7000') 126.55 (7000' & abv) (1115-05007+)ATLANTA CENTER APP/DEP CON 120.45 (0500-1115Z‡) TOWER 120.1 (1400-0200Z±) GND CON 121 9 AIRSPACE: CLASS C svc 1400-0200Z‡ ctc APP CON other times CLASS E. RADIO AIDS TO NAVIGATION: NOTAM FILE CSG. (L) VORTAC 117.1 CSG Chan 118 N32°36.92′ W85°01.06′ 145°7.1 NM to fld. 630/01E. FENIX NDB (LOM) 355 CS N32°27.12′ W85°02.52′ 056° 6.5 NM to fld. Unmonitored. IIS 110 3 I-CSG Rwy 06. LOM FENIX NDB. LOC/GS/LOM unmonitored when twr clsd. GS unusable blo 700' MSL, blo 786' byd 5° rgt of course. **COMMERCE** N34°03.73′ W83°31.26′ NOTAM FILE MCN. ATI ANTA NDB (MHW) 244 DDA 347° 7 NM to Jackson Co. NDB unmonitored. L-18J **CONEY** N31°59.87′ W83°51.71′ NOTAM FILE MCN. JACKSONVILLE NDB (MHW) 400 OHY 099° 4.5 NM to Crisp Co-Cordele. L-18J COOK CO (See ADEL) CRISP CO-CORDELE (CKF) 2 NE UTC-5(-4DT) N31°59.33′ W83°46.44′ JACKSONVILLE S4 FUEL 100LL, JET A NOTAM FILE MCN H-9B, 12F, L-18J RWY 05-23: H5006X100 (ASPH) S-24 IAP RWY 23: Trees. Rgt tfc. RWY 05: Trees. ପ୍ର ପ୍ର G G 3 G[©] RWY 10-28: H5001X150 (ASPH) S-30, D-45 **3** G G ,aaaa 03 03 RWY 10: ODALS. REIL. PAPI(P2L)-GA 3.0° TCH 43'. Trees. €3 C3 C3 œ Œ ଫ^{୍ଟ ଫ} ଫ O C RWY 28: PAPI(P2L)-GA 3.0° TCH 36'. Trees. Rgt tfc. AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z‡. MIRL Rwy 10-28 **3** 3 €3 0000 ଫ୍ଟ and PAPI Rwys 10 and 28 preset on low ints dusk-0300Z±, to C3 C3 Œ €3 Œ 3 O O a C increase ints and after 0300Z‡-CTAF. ACTIVATE ODALS Rwy 10 \€3 ¢ ¢3 (3 and REIL Rwy 10-CTAF..

CORDELE

WEATHER DATA SOURCES: AWOS-3 119.325 (229) 276-2669.

COMMUNICATIONS: CTAF/UNICOM 123.05

R JAX CENTER APP/DEP CON 125.75

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. VIENNA (L) VORTAC 116.5 VNA Chan 112

N32°12 81'

W83°29.84' 225° 19.5 NM to fld. 300/01E.

CONEY NDB (MHW) 400 OHY N31°59.87' W83°51.71' 099° 4.5 NM to fld. Unmonitored 2200-1200Z‡.

ILS 108.9 I-CKF Rwy 10. Localizer only.

(3 (3 (3 (3 10000 ઌૼૺૺૼૼૼૼૼ ß æ Œ 0000 **3** G G €3 o_o **3 43**

a

165

ΔΤΙ ΔΝΤΔ

ATI ANTA

€3

H-9B, 12F, L-18J, A

CORNELIA

HABERSHAM CO (AJR) 2 SW UTC-5(-4DT) N34°29.99′ W83°33.40′ 1448 B S2 FUEL 100LL, JET A NOTAM FILE MCN RWY 06-24: H5506X100 (ASPH) S-30 MIRL 0.8% up NE

H-9B, 12G, L-18J IAP

RWY 24: PAPI(P2L)-GA 3.50°TCH 40'. Trees. AIRPORT REMARKS: Attended 1300-0000Z±, MIRL Rwv 06-24 preset on low ints dusk-0300Z‡; to increase ints-CTAF. After 0300Z‡ ACTIVATE—CTAE

RWY 06: PAPI(P2L)—GA 3.25°TCH 45'. Thid dsplcd 1395'. Trees.

WEATHER DATA SOURCES: AWOS-3 119,175 (706) 778-3675. COMMUNICATIONS: CTAF/UNICOM 122.7 R ATLANTA CENTER APP/DEP CON 134.8 RADIO AIDS TO NAVIGATION: NOTAM FILE AND. FOOTHILLS (H) VORTAC 113.4 ODF Chan 81 N34°41.75'

W83°17.86' 228° 17.4 NM to fld. 1700/00E.

NDB (MHW) 347 AJR N34°30.09′ W83°32.99′ at fld.

3 N UTC-5(-4DT) N33°37.94′ W83°50.85′

Chan 116 N33°37.75'

GG G €3 €3 (2 C) **43**

ATLANTA (H) VORTAC 116.9

(9A1)

NOTAM FILE MCN.

COVINGTON MUNI

FUEL 100LL, JET A NOTAM FILE MCN 809 B S4 RWY 10-28: H5500X75 (ASPH) S-30 MIRL 0.3% up E RWY 10: PAPI(P2L)-GA 4.0° TCH 52'. Trees. RWY 28: PAPI(P2L)-GA 3.0° TCH 32'. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Fri 1300-2300Z‡, Sat-Sun 1400-2200Z‡. Deer and migratory birds on and invof arpt. Avoid overflying populated area SW of arpt blo 1500 AGL. No 180° turns on asph for acft over 12,500 lbs. gross weight. ACTIVATE MIRL

and PAPI Rwy 10 and Rwy 28-CTAF. WEATHER DATA SOURCES: AWOS-3 118.725 (770) 385-7057. COMMUNICATIONS: CTAF/UNICOM 123.0 R ATLANTA APP/DEP CON 128.575 **CLNC DEL** 119.875 RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATL W84°26.11' 089° 29.4 NM to fld. 1000/00E. ALCOVY NDB (MHW) 370 VOF N33°37.79' W83°46.93' 276° 3.3 NM to fld. NOTAM FILE MCN.

IAP ß Œ C3 5500 X 75 ß Œ 00000 43 C3 C3 Œ 103 CS €3 Œ €3 Œ €3 €3 Œ €3 €3 €3 C3 Œ €3

COWETA CO N33°15.42′ W84°42.80′ NOTAM FILE MCN NDB (MHW) 234 EOO 322° 4.3 NM to Newnan Coweta Co.

CREKE N32°29.03′ W83°00.66′ NOTAM FILE MCN

NDB (MHW/LOM) 251 DB 028° 5.1 NM to WH "BUD" BARRON ATLANTA

NDB unmonitored Mon-Fri 2300-1100Z‡, Sat-Sun 2300-1500Z‡.

CRISP CO-CORDELE (See CORDELE) L-18J

ΔΤΙ ΔΝΤΔ

L-18I. A

ATLANTA

L-18J

CULVR N33°09.11' W83°09.58' NOTAM FILE MCN

NDB (MHW) 380 UMB 276° 4.1 NM to Baldwin Co.

CUTHRERT LOWER CHATTAHOOCHEE RGNL

B NOTAM FILE MCN RWY 18-36: H3000X60 (ASPH) S-16

MIRL

RWY 36. Trees

AIRPORT REMARKS: Unattended, Deer frequently on and invof arpt, Rwy 18-36 has excessive cracking and

deterioration. Windsock missing. MIRL Rwy 18-36-CTAF.

COMMUNICATIONS: CTAF 122.9 RADIO AIDS TO NAVIGATION: NOTAM FILE ANB.

EUFAULA (L) VORTAC 109.2

Chan 29 N31°57.02′ W85°07.83′ 132° 21.5 NM to fld. 280/02E.

(25J) 4 SW UTC-5(-4DT) N31°42.11′ W84°49.62′

DAHI ONEGA LUMPKIN CO-WIMPYS (9AØ) 3 NW

UTC-5(-4DT) N34°34.99' W84°01.20' FUEL 100LL NOTAM FILE MCN

RWY 15-33: H3090X50 (ASPH) S-12 LIRL (NSTD)

RWY 15: Thid dsplcd 754'. Trees. RWY 33: Thid dspicd 695'. Trees.

AIRPORT REMARKS: Unattended. Arpt CLOSED to acft at ngt, daytime use only. 24 hr self serve fuel with credit card.

CLNC DEL 120.25

Parachute Jumping. Rwy 15-33 NSTD LIRL the length of the rwy. No thid lgts.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

Chan 35 N34°56.58′ W83°54.94′

HARRIS (L) VORTACW 109.8 HRS

DAITON MIINI

(DNN)

6 SE UTC-5(-4DT) N34°43.38' W84°52.21'

FUEL 100LL, JET A1+ TPA-1509(800) NOTAM FILE DNN

RWY 14-32: H5495X98 (ASPH) S-30, D-42, 2D-80 RWY 14: MALSR, PAPI(P4L)-GA 3.5°TCH 34', Trees.

RWY 32: PAPI(P4L)—GA 3.5°TCH 37'. Trees. AIRPORT REMARKS: Attended 1300-2200Z‡. Other hours by reg, CLOSED major holidays. Rwy 14 PAPI and ILS glidepath not

coincident. Rwy 32 PAPI unusable byd 5° right of rwy centerline. MALSR Rwy 14 opr dusk-dawn when the visibility is less than 3 miles and/or the ceiling is less than 1000' other times—CTAF.

ACTIVATE HIRL Rwy 14-32 opr dusk-dawn, ACTIVATE HIRL daytime and MALSR Rwy 14-CTAF.

WEATHER DATA SOURCES: AWOS-3 127.65 (706) 278-7010. COMMUNICATIONS: CTAF/UNICOM 122.975 (R) CHATTANOOGA APP/DEP CON 125.1 (1100-0450Z‡)

(1100-0450Z±) ATLANTA CENTER APP/DEP CON 133.8 (0450-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE CHA. CHOO CHOO (H) VORTAC 115.8 GOO Chan 105 N34°57.68'

135° 20.0 NM to fld. 1030/01E. HIWAS.

WHITFIELD NDB (MHW) 400 UWI N34°47.37′ W84°56.76′ 5.5 NM to fld. NOTAM FILE DNN. Unmonitored.

ILS 110.9 I-DNN Rwy 14.

ATLANTA H-9A. 12G. L-25A HIRL 0.3% up NW

193° 22.2 NM to fld. 3660/00E. HIWAS.

IACKSONVILLE

1-181

ATLANTA

L-18J

DANIEL FLD (See AUGUSTA)

DAVIS FLD (See FOLKSTON)

DAWSON MUNI (16J) 2 SE UTC-5(-4DT) N31°44.60′ W84°25.16′

333 B S2 FUEL 100LL NOTAM FILE MCN

RWY 13-31: H4510X75 (ASPH) MIRL 1.0% up NW S-16 RWY 13: PAPI(P2L)-GA 3.0° TCH 28'.

RWY 31: PAPI(P2L)-GA 3.0° TCH 22'. Road.

AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z±. Sun


RADIO AIDS TO NAVIGATION: NOTAM FILE ABY.

1800-2200Z‡. Deer on and invof arpt. MIRL Rwy 13-31 preset

PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31' W84°17.59' 311° 8.3 NM to fld. 280/02W. HIWAS.

PAPI Rwy 13 and Rwy 31-CTAF.

med ints dusk-0300Z‡, after 0300Z‡ ACTIVATE-CTAF. ACTIVATE COMMUNICATIONS: CTAF/UNICOM 122.8 JAX CENTER APP/DEP CON 125.75



IACKSONVILLE

L-18J

DECATUR CO INDUSTRIAL AIRPARK (See BAINBRIDGE)

DEKALB-PEACHTREE (See ATLANTA)

(MGE)(KMGE)

N33°54.92′ W84°30.98′ 1068 R TPA—See Remarks Class I, ARFF Index A NOTAM FILE MGE Not insp.

PCN 83 R/B/W/T HIRL

RWY 11: ALSF1, OLS, REIL, PAPI(P4L). RWY 29: SALSF. OLS. REIL. PAPI(P4L). RWY 110-290: H3500X60 (ASPH) PCN 43 R/C/W/T HIRL

AFRC (AR ARNG) 1 S UTC-5(-4DT)

RUNWAY DECLARED DISTANCE INFORMATION

RWY 11: TORA-10000 TODA-10000 RWY 29: TORA-10000 TODA-10000

ARRESTING GFAR/SYSTEM

RWY 11-29: H10000X300 (CONC)

DOBBINS ARB

RWY 11 HOOK BAK-12(B) (1490')

MILITARY SERVICE: LGT For OLS Rwy 11-29 location data see FLIP AP/1 Supplementary Arpt Remarks.

A-GEAR Rwy 11-29 BAK-12 opr Mon-Fri 1200Z‡ to official SS. All other times disconnected. BAK-12 in raised

arresting system reliability.

position on departure end of active rwy. BAK-12 rqr 30 min PN for approach end engagement. BAK-12 reduced

JASU AF 1(A/M32A-86) 2(AM32-95) 1(AM32A-60A) FUEL AF J8. Opr Mon-Thu 1100-0300Z‡, Fri-Sun 1100-0100Z‡. Tran acft expect 1 hr fuel delay. PRESAIR LOX LPOX LHNIT LPNIT No De-Ice avbl for tran acft.

TRAN ALERT Opr Mon-Sun 1200-0400Z±.

Ops. Opr Tue-Fri 1100-2130Z‡. COMMUNICATIONS: ATIS 269.5 (1200-0400Z‡)

R ATLANTA CENTER APP/DEP CON 121.0 268.7 TOWER 120.75 370.875 GND CON 125.3 275.8

RADIO AIDS TO NAVIGATION: NOTAM FILE PDK. PEACHTREE (L) VOR/DME 116.6

I-DJR

I-VRW

TACAN unusable: 316°-325° byd 11 NM

ASR/PAR (1200-0400Z‡)

ILS 109.7

ILS 111.35

HOOK BAK-12B(B) (1490') RWY 29

FLUID SP OIL 0-148-156 SOAP/JOAP, no lab svc.

MILITARY REMARKS: Opr 1200-0400Z‡. Rwy 11-29 CLOSED last Sat each month for construction, 1200-2100Z‡. See

284° 11 1 NM to fld 970/2W

at fld. 1008/3W. NOTAM FILE MCN. Monitored

326°-315° byd 20 NM blo 3,500'.

FLIP AP/1 Supplementary Arpt Remarks. RSTD PPR DSN 625-4903 C678-655-4903. Acft restricted during Bird Watch condition Moderate (tkf/ldg permission when dep/arrival routes avoid identified bird activity, no local IFR/VFR tfc pattern acft) and Severe (tkf/ldg prohibited without 94th OG/CC approval), ctc Base OPS for current

Bird Watch condition. Hazardous cargo rstd to C130 or smaller acft, 24 hr prior notice rqr. Ctc Base OPS 20 min prior ldg to confirm PPR and svcg/load, Afld Official Business Only 0400-1200Z±, TFC PAT TPA-Overhead, enter initial at 3500(2432), descend to 2600(1532), level break at rwy thld. Class D Airspace up to, but not including, 3600. MISC Limited tran weekdays 1200-2100Z‡. All other times must be coordinated with tran 24 hr prior notice weekdays. This includes on/off base and to/from flt line ctc DSN 625-3667. Base OPS does not have

ATLANTA

DIAP. AD

H-9A. 12F. L-18J. A

COMSEC avbl for tran crews and has no storage capabilities. COMSEC stor 30 min prior notice rgr, ctc C770-553-0593 or C404-664-7548 Mon-Fri and unit training weekend 1230-2130Z‡, other times 2 hr prior notice. RSRS applied to base assigned acft only; standard USAF RSRS not applicable. UDI/Loaner vehicle not

avbl without valid AF Form 2293, Govt License. Base OPS fax DSN 625-4915. AR Ctc C678-655-5284/5, 132.95. No tran fuel/svc. Limited ramp space, prior coordination rgr to use ASF ramp. ARNG Acft/aircrews desiring to land/park at AASF #2, ctc DSN 753-3500, C678-569-3500, minimum 24 hrs prior notice for approval. Approval fm AASF #2 does not constitute a PPR. Tran acft must obtain PPR and fuel fm Dobbins Base

ARNG OPS 47 O

N33°52.54′ W84°17.93′

GS unusable byd 5° right of course. Back course unusable.

PTD 139.3 372.2

94AW COMD POST (DAPPER DAN) 379.525 PMSV METRO 274.75 (Full svc avbl 1100-0400Z‡, DSN 625-5190.

No NOTAM MP Tue-Wed 1100-1500Z‡.

Other times ctc 26th OWS DSN 331-2651, COMM 318-529-2604.

Chan 113

N33°54.88′ W84°30.44′

SE, 23 SEP 2010 to 18 NOV 2010

PDK

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

Thu 1300-1500Z‡. No NOTAM MP Thu 1100-1500Z‡.

AIRSPACE: CLASS D svc 1200-0400Z t other times CLASS G.

Rwy 11.

Rwy 29.

Chan 77 DOB (113.0)

DONALSONVILLE MUNI (17J) 1 S UTC-5(-4DT) N31°00.42′ W84°52.66′ B FUEL 100LL NOTAM FILE MCN

RWY 18-36: H5182X100 (ASPH) S-20 MIRL 0.3% up N

RWY 18: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 36: PAPI(P2L)-GA 3.0° TCH 40'. Brush.

AIRPORT REMARKS: Unattended. MIRL Rwy 18-36 and PAPI Rwy 18 and Rwv 36 opr continuously from dusk-0400Z±, after

0400Z±—CTAF. COMMUNICATIONS: CTAF 122.9

R CAIRNS APP/DEP CON 125.4 (Sun-Mon 1200-0500Z‡, Tue-Sat 24 hrs), other times ctc

R JACKSONVILLE CENTER APP/DEP CON 134.3 RADIO AIDS TO NAVIGATION: NOTAM FILE MAI.

MARIANNA (L) VORTAC 114.0 MAI Chan 87 N30°47.17' W85°07.47' 044° 18.4 NM to fld. 120/00E.

a C3 0 **3** G G Œ €3 €3 Œ €3 82) Ø €3 €3 36 ය ය

IACKSONVILLE

JACKSONVILLE

ΙΔΡ

H-9A, 12F, L-21D, 22I

DOUGLAS MUNI (DOH) 2 S UTC-5(-4DT) N31°28.60′ W82°51.63′ NOTAM FILE MCN

S3 FUEL 100LL, JET A1+ RWY 04-22: H6000X100 (ASPH) S-26 RWY 04: MALSR, PAPI(P2L)-GA 3.0°TCH 26', Trees.

RWY 22: PAPI(P2L)-GA 2.5°TCH 31'. Trees. AIRPORT REMARKS: Attended 1300-2300Z‡. ACTIVATE MIRL Rwy

04-22, PAPI Rwy 04 and Rwy 22 and MALSR Rwy 04-CTAF. WEATHER DATA SOURCES: AWOS-3 119.075 (912) 383-7258


COMMUNICATIONS: CTAF/UNICOM 122.8 R JAX CENTER APP/DEP CON 132.3

GCO 121.725 (FLIGHT SERVICES) RADIO AIDS TO NAVIGATION: NOTAM FILE AMG.

ALMA (H) VORTAC 115.1 AMG Chan 98 N31°32.19' W82°30.49' 259° 18.4 NM to fld. 200/00E. HIWAS. COFFEE CO NDB (MHW) 390 OWC

N31°24.29′ W82°55.43′ 040° 5.4 NM to fld. NOTAM FILE MCN. NDB unmonitored 2300-1300Z‡.

ILS 108.7 I-DQH Rwy 04. Class IA.



DR. CP SAVAGE SR. (See MONTEZUMA)

DIIRI IN

W H 'BUD' BARRON (DBN) 3 NW UTC-5(-4DT) N32°33.87′ W82°59.12′ S4 FUEL 100LL JET A+ NOTAM FILE MCN RWY 02-20: H6002X150 (ASPH) S-30. D-53 HIRL 0.3% up N

H-9B, 12F, L-18J

ATLANTA

Œ

€3

€3

63

€3

€3

a

œ

ATLANTA

H-9B, 12F, L-18J, 24H

ଫ୍ଟ

IAP

/0 0

03 (3

€3 a

€3

Œ

Œ

€3

€3

ß

a

43

RWY 02: MALSR. PAPI(P2L)-GA 3.0°TCH 48'. Brush.

RWY 20: PAPI(P2L). Trees. RWY 14-32: H5004X100 (ASPH) S-28. D-44

RWY 14: Tree. RWY 32: Tree.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z1: Sun

1500-2300Z‡. Self svc fuel avbl 24 hrs with credit card. Deer on

and invof arpt. ACTIVATE MALSR Rwy 02—CTAF. HIRL Rwy 02-20

opr continuously dusk-0300Z±, after 0300Z± ACTIVATE-CTAF. WEATHER DATA SOURCES: AWOS-3 118.425 (478) 277-9051. HIWAS

113.1 DBN. COMMUNICATIONS: CTAF/UNICOM 122.7

(R) ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z±)

ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z±) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81'

W82°49.80' 275° 7.9 NM to fld. 300/05W. HIWAS.

CREKE NDB (MHW/LOM) 251 DB N32°29.03′ W83°00.57′

028° 5.1 NM to fld. NDB unmonitored 2300-1300Z‡ Mon-Fri, 2300-1500Z‡ Sat-Sun.

ILS/DME 109.1 I-DBN Chan 28

Rwy 02. Class IB. LOM CREKE NDB. ILS unmonitored 2300-1300Z‡ Mon-Fri; 2300-1500Z‡ Sat-Sun.

DUBLIN N32°33.81′ W82°49.80′ NOTAM FILE MCN.

(L) VORTAC 113.1 DBN Chan 78 275° 7.9 NM to W H 'Bud' Barron. 300/05W.

2AWIH

VOR portion unusable: 215°-285° byd 10 NM blo 3500'.

001°-139° byd 33 NM 001°-139° blo 4000'

RCO 122.6 122.1R 113.1T (MACON RADIO)

EARLY CO (See BLAKELY)

EASTMAN N32°08.05′ W83°09.24′ NOTAM FILE MCN

NDB (MHW) 366 EZM 019° 5.0 NM to Heart of Georgia Rgnl.

ATLANTA L-18J

N32°12.98' W83°07.72'

FASTMAN HEART OF GEORGIA RGNL (EZM) 3 E UTC-5(-4DT)

FUEL 100LL, JET A1+ NOTAM FILE MCN RWY 02-20: H6506X100 (ASPH) S-75, D-120 RWY 02: MALSR. PAPI (P4L)-GA 3.5° TCH 23'.

RWY 20: REIL, PAPI (P4L)-GA 4.0° TCH 28', Trees.

AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z±. Sun

1800-2300Z‡. 24 hr self-fueling with credit card. PAEW adjacent

to all rwys and twys. Flight training in area. Rotating bcn ops dusk-0500Z±, HIRL Rwy 02-20 preset med ints and PAPI Rwy 02

and Rwy 20 opr continuously dusk-0300Z‡; to increase ints HIRL

N32°12.81′ W83°29.84′

Rwy 02-20 and ACTIVATE REIL Rwy 20 and MALSR Rwy 02-CTAF. After 0300Z‡, ACTIVATE HIRL Rwy 02-20, PAPI Rwy 02 and Rwy

G G æ Ω €3 Œ 3

088° 18.8 NM to fld. 300/01E.

ΔΤΙ ΔΝΤΔ

IAP

H-9B, 12F, L-18J

Œ

ß

€3

ATLANTA

Ø 03 C3

20, REIL Rwy 20 and MALSR Rwy 02-CTAF. WEATHER DATA SOURCES: AWOS-3 119.425 (478) 374-9979, Ceiling OTS indef COMMUNICATIONS: CTAF 124.55 ATIS 119.425 UNICOM 123.0 R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z‡) TOWER 124.55 (Mon-Fri 1500-2100Z‡) GND CON 121.175 JAX CENTER APP/DEP CON 132.3 (0500-1115Z±) GCO 121.725 (FLIGHT SERVICES) AIRSPACE: CLASS D svc Mon-Fri 1500-2100Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. VIENNA (L) VORTAC 116.5 VΝΔ Chan 112 EASTMAN NDB(MHW) 366 EZM N32°08.05' W83°09.24' 019° 5.1 NM to fld. ILS 109.55 I-HUV Rwv 02.

ELBERT CO-PATZ FLD (See ELBERTON)

ELBERTON

ELBERT CO-PATZ FLD (27A) 2 E UTC-5(-4DT) B FUEL 100LL, MOGAS

NOTAM FILE MCN RWY 10-28: H4000X75 (ASPH) S-30 MIRI


RWY 10: PAPI(P2L)—GA 3.75° TCH 42'. Trees.

RWY 28: PAPI(P2L)-GA 3.75° TCH 39'. Trees. AIRPORT REMARKS: Attended Mon-Sat 1300-2300Z‡, Sun 1800-2300Z‡. PAEW adjacent Rwy 10-28 1200-2100Z‡. Deer

on and invof arpt. MIRL Rwy 10-28 opr-CTAF 24 hrs. PAPI Rwy 10 and Rwy 28 opr continuously. WEATHER DATA SOURCES: AWOS-3 118.15 (706) 283-8133. COMMUNICATIONS: CTAF/UNICOM 122.8 (R) ATLANTA APP/DEP CON 127.5 (1115-0300Z‡) R ATLANTA CENTER APP/DEP CON 127.5 (0300-1115Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE AND. ELECTRIC CITY (L) VORTACW 108.6 ELW W82°47.08'

Chan 23 N34°25.15' 185° 19.5 NM to fld. 736/00E.

N34°05.71′ W82°48.95′



172 GEORGIA FILIIAY GILMER CO ΔΤΙ ΔΝΤΔ (49A) 4 S UTC-5(-4DT) N34°37.69′ W84°31.60′ R FUEL 100LL NOTAM FILE MCN L-18I S-30, D-41 RWY 03-21: H3500X75 (ASPH) MIRI Δ RWY 03. Trees RWY 21. Trees a AIRPORT REMARKS: Attended 1300-2200Z±, 24 hr credit card svc avbl. €3 ACTIVATE MIRL Rwv 03-21-CTAF. WEATHER DATA SOURCES: AWOS-3 118.075 (706) 276-4513. a COMMUNICATIONS: CTAF/UNICOM 123.0 €3 n RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. (3 €3 HARRIS (L) VORTACW 109.8 HRS Chan 35 **(3**

EMANUEL CO (See SWAINSBORO)

W83°54.94'

HIWAS.

EMORY N33°27.77′ W81°59.81′ NOTAM FILE MCN. NDB (HW) 385 EMR 168° 5.8 NM to Augusta Rgnl at Bush Fld. Unmonitored when AGS twr clsd.

N31°41.03′ W83°16.25′

€3 /

ß

ß C3 C3

63

€3

Ø €3

238° 35.6 NM to fld. 3660/00E.

FENIX N32°27.12′ W85°02.52′

NOTAM FILE CSG.

NDB (LOM) 355 CS 056° 6.5 NM to Columbus Metropolitan, (Unmonitored),

FITZGERALD MUNI 2 SW UTC-5(-4DT) (FZG)

B S2 FUEL 100LL, JET A+ NOTAM FILE MCN RWY 01-19: H5000X98 (ASPH) D-28 MIRL RWY 01: ODALS, VASI(V4L), Trees. RWY 19: VASI(V4L). Trees. RWY 15-33: 2984X300 (TURF) 1.0% up NW

RWY 33: Trees. RWY 15: Trees. AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z‡, Sun 1400-2200Z‡. PAEW adjacent Rwy 01-19. Rwy 15-33 thlds marked with white tires. MIRL Rwy 01-19 and VASI Rwys 01-19 preset med ints dusk-0300Z±, after 0300Z± ACTIVATE -- CTAF. ACTIVATE ODALS Rwv 01-CTAF.

WEATHER DATA SOURCES: AWOS-3 118.625 (229) 426-5072.

R JAX CENTER APP/DEP CON 132.3 GCO 121.725 (FLIGHT SERVICES) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

COMMUNICATIONS: CTAF/UNICOM 123.0

VIENNA (L) VORTAC 116.5 VNA Chan 112 N32°12.81' 159° 33.7 NM to fld. 300/01E. W83°29 84'

SUR N31°36.78' W83°17.44' NDB (MHW) 362 NM to fld.

ILS 111.1 I-FQR Rwy 01. LOC only.

FLANC N33°45.74′ W84°38.33′ NOTAM FILE FTY.

NDB (MHW/LOM) 344 FT 082° 6 NM to Fulton Co Arpt-Brown Fld. NDB unusable byd 12NM.

FLOWERY BRANCH N34°12.20′ W83°54.38′

NDB (MHW) 365 FKV

FLOYD N34°17.93′ W85°09.85′

NOTAM FILE RMG. NDB (MHW) 388 OYD 008° 3.1 NM to Richard B. Russell. (Unmonitored indef)

NOTAM FILE MCN.

047° 5.7 NM to Lee Gilmer Meml.

n ¢ €3 €3 G G G G €3 A 3 63 ß

C3 C3

IACKSONVILLE H-9B, 12F, L-18J IAP G 3

CHARLOTTE

L-241

ATLANTA

L-18I

ATI ANTA

L-18I, A

ATLANTA

L-18J

ATLANTA

L-181

017° 4.4

RWY 18. Trees RWY 36: Thid dspicd 650'. Trees. AIRPORT REMARKS: Unattended, Lgtd 272' AGL twr 1000' W. Rwy 18-36 cracked badly, faded and grass in cracks. MIRL Rwy 18-36 preset low ints dusk-0130Z‡. After 0130Z‡ ACTIVATE—CTAF. COMMUNICATIONS: CTAF 122.9

FOOTHILLS N34°41.75′ W83°17.86′ NOTAM FILE AND ATLANTA (H) VORTAC 113.4 ODF 179° 6.1 NM to Toccoa RG Letourneau Fld. 1700/00E. H-9B. 12G. L-25B Chan 81 RCO 122.1R 113.4T (ANDERSON RADIO)

(KLHW) CIV/MIL

3 NE

JACKSONVILLE

DIAP, AD

H-9B. 12F. L-24H

FORT BENNING (See LAWSON AAF) FORT STEWART (HINESVILLE)

WRIGHT AAF (FORT STEWART)/MIDCOAST RGNL (LHW)

UTC-5(-4DT) N31°53.30′ W81°33.70′

R

FUEL 100LL, JET A TPA—See Remarks NOTAM FILE LHW RWY 06L-24R: H5007X100 (ASPH) PCN 30 F/A/W/T HIRL RWY 06L: PAPI(P4L)-GA 3.0° TCH 46'. Trees. Rgt tfc. RWY 24R: Trees. RWY 15L-33R: H5002X150 (ASPH) HIRL PCN 15 F/A/W/T

RWY 15L: Trees RWY 33R: ODALS. PAPI(P4L)-GA 3.0° TCH 65'. Trees. RWY 06R-24L: H2610X100 (ASPH) PCN 12 F/A/W/T RWY 06R: Trees. RWY 24L: Trees.

RWY 15R-33L: H2520X100 (ASPH) PCN 18 F/B/W/T 0.3% up NW RWY 15R: Trees. RWY 33L: Trees. MILITARY SERVICE: FUEL J8 avbl FBO, C912-877-4359 (NC 100LL) Mon-Fri 1300-0600Z±, except holidays, other

times 24 hr PPR. Tran fuel PPR, ctc Base OPS DSN 475-3065/66. AIRPORT REMARKS: Attended Mon-Fri 1200-0000Z‡, Sat-Sun 1300Z-2200Z‡ except holidays. Rwy 15R-33L and Rwy

06R-24L CLOSED to fixed wing acft. R3005 1.4 NM NW of afld. Extensive rotary wing training minimum lgt SS-SR. Skid run-on ldg rstd to Rwy 15R-33L, and Rwy 06R-24L. Deer and pig hazard. Ctc twr prior to entering

Class D Airspace. Twy D and Twy E non-movement areas clsd to fixed wing takeoff and landing. Rotary wing use with prior approval. Antenna 5' high 300' from apch end Rwy 33R lgtd. Lgtd antenna 120' 1/4 NM SW of afld. Expect high personnel/equipment activity between hangar and tran ramp. TPA—Rotary Wing 745(700), fixed wing 1545(1500). Fixed wing rgt tfc Rwy 06L, 33R. No overflight of cantonment area or city of Hinesville blo

1000' AGL. When twr and Marne radio both clsd ACTIVATE HIRL, PAPI, ODAL Rwy 33R, HIRL, PAPI Rwy 06L, Twy A, B, and C-CTAF.

MILITARY REMARKS: Opr Mon-Fri 1100-0300Z‡ except hol. RSTD All Mil PPR and Mil tran acft ctc Base OPS DSN 475-3066/65, C912-435-3065/66. Rotary wing acft pilots planning to conduct opr within R3005 must receive

a range briefing prior to any opr. Briefing shall be accomplished at least 4 hrs prior to flt on the reservation. Aviators briefed in the last 6 months may receive a telephonic up-date briefing. Ctc, Hunter AAF OPS DSN 729-2523/6207, Mon-Fri 1200-0100Z‡. MISC For range info monitor 239.025. Mooring/tie-down straps not avbl. Trees rstd visibility from NE thru SE and NW to 34 sm. Trees rstd visibility SW to 14 sm. No skid equipped

acft permitted on black asph apron south of Twy B and Twy C. Auto AN/FMQ-19 ASOS in use located 1000' south of midfield Rwy 06L augmented during airfield opr hrs for tornado, funnel cloud, waterspout, hail or ATC/wx personnel suspect unreliable obsn. ASOS obsn avbl 24 hrs at DSN 475-3087, C912-435-3087. KSVN forcaster avbl Mon 0300Z‡-Sat 0300Z‡ exc holidays. DSN 729-5467, C912-315-5467 or 26 OWS 24 hrs DSN

781-1220. C318-456-1220. ATIS 118.475 COMMUNICATIONS: CTAF 126.25 PTD 276.025

MARNE RADIO 127.35 279.625 41.3 (Mon 1230Z‡-Fri 0400Z‡, Sat-Sun 1230-0400Z‡, exc holidays) R SAVANNAH APP/DEP CON 120.4 353.775 (1100-0500Z‡), other times ctc

(R) JAX CENTER APP/DEP CON 120.85 322.5 TOWER 126.25 269.275 (Mon-Fri 1230-0400Z‡, except holidays) GND CON 121.7 273.575

N31°49.83' W81°30.59'

RANGE RADIO 239.025 FLT FLW 127.35 279.625 BASE OPS 38.7 Opr Mon-Fri 1100-0300Z‡, except holidays 41.3 AIRSPACE: CLASS D svc Mon-Fri 1230-0400Z‡, except holidays other times CLASS G.

Chan 53 N32°00.72′ W81°08.45′

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima. Twr will open for JOSAC missions. DSN

870-3010/2133. When Base OPS clsd, ctc Hunter Base OPS DSN 729-5110. See FLIP AP/1 Flt Hazards and Supplementary Arpt Remark. When twr CLOSED monitor CTAF 126.25 alternate 269.275.

SVN

MOO

RADIO AIDS TO NAVIGATION: NOTAM FILE SVN.

HUNTER (T) VOR/DME 111.6

MCINTOSH NDB (MHW) 263

DME unusable: 195°-200° blo 1.800'

SE, 23 SEP 2010 to 18 NOV 2010

253°

201°-225° blo 1.800'

327° 4.4 NM to fld. NOTAM FILE MCN.

22.7 NM to fld. 40/2W

FRANKLIN CO (See CANON)

FULTON CO ARPT-BROWN FLD (See ATLANTA)

GAINESVILLE N34°16.76′ W83°49.49′

RCO 122.55 (MACON RADIO) at Lee Gilmer Meml.

GAINESVILLE

1276 B 53

RWY 05-23: H5500X100 (ASPH-GRVD)

COMMUNICATIONS: CTAF/UNICOM 123.075 GAINESVILLE RCO 122.55 (MACON RADIO) (R) ATLANTA APP/DEP CON 132.475 (1115-0500Z‡) R ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡) CLNC DEL 134.8 (0500-1115Z‡) GCO 121.725 (ATLANTA APP/DEP) RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

FLOWERY BRANCH NDB (MHW) 365

(See ELLIJAY)

RWY 07-25: H5500X75 (ASPH)

RWY 25: PAPI(P4L). Trees.

Rwv 07-25-CTAF.

W83°19.49'

COMMUNICATIONS: CTAF/UNICOM 122.8

GCO 121.725 (MACON RADIO) RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

(R) ATLANTA APP/DEP CON 127.5 (1115-0500Z‡) (R) ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡)

6.6 NM to fld. NOTAM FILE MCN. ILS/DME 110.9 I-VVM

unreliable

RWY 11-29: H4001X100 (ASPH)

RWY 11. Trees

REIL Rwy 05-CTAF.

W83°19.49'

ILS/DME 110.55

GILMER CO

GRFFNSBORO GREENE CO RGNL

GREENE CO RGNL

FUEL 100LL, JET A1+ OX 1

LEE GILMER MEML

(GVL) 0 S UTC-5(-4DT)

RWY 05: REIL. PAPI(P2L)-GA 3.0° TCH 30'.

S-20

S-20

RWY 29. Trees

WEATHER DATA SOURCES: ASOS 126,475 (770) 532-4687.

ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86'

045° 5.6 NM to fld. NOTAM FILE MCN.

(See GREENSBORO)

B FUEL 100LL, JET A NOTAM FILE MCN

RWY 07: PAPI(P2L)—GA 3.0° TCH 40', Thid dsplcd 100', Trees.

AIRPORT REMARKS: Attended 1300-2200Z‡. Self fuel with credit card avbl 24 hrs, call 706-453-2715. Fuel svc avbl 1300-2200Z‡. PAPI Rwy 07 and Rwy 25 opr continuously and MIRL Rwy 07-25 preset medium ints dusk-dawn, to increase ints or ACTIVATE MIRL

WEATHER DATA SOURCES: AWOS-3 124.525 (706) 453-0017. Wind

ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86'

JUNNE NDB (MHW/LOM) 353 VV N33°38.77′ W83°01.25′

Chan 46

156° 22.9 NM to fld. 790/00E. HIWAS.

Rwy 25. LOC only.

SE, 23 SEP 2010 to 18 NOV 2010

JUNNE NDB. LOC unusable inside 1.4 DME/0.5 NM from thld. LOC/DME unmonitored 2300-1300Z‡.

(3J7) 3 NE

I-GVL

308° 31.8 NM to fld. 790/00E. HIWAS.

Chan 42(Y)

LOC unusable byd 25° left of course. GS unusable 4° left of course.

UTC-5(-4DT)

S-33, D-50, 2D-80

AIRPORT REMARKS: Attended dalgt hours. 24 hr self svc fuel with credit

card. Deer on and invof all rwys. ACTIVATE HIRL Rwy 05-23 and

FKV N34°12.20′ W83°54.38′

Rwv 05.

COMM/NAV/WEATHER REMARKS: Clnc del provided by Gainsville RCO on frequency 122.55 (1115-0500Z‡)

N34°16.36′ W83°49.81′

NOTAM FILE GVL HIRL

0.8% up SW

RWY 23: PAPI(P2L)—GA 3.0° TCH 30', Thid dsplcd 400', Trees. 0.3% un NW

ILS unmonitored.

N33°35.88′ W83°08.30′

249°

LOM

Residential

`₹3

CG CG

€3

`&

€3

ß

Area

ATI ANTA

ΔΤΙ ΔΝΤΔ

Pacidontial

G G

ATLANTA

IAP

H-9B, 12G, L-18J

43

- - - G G

Area

Œ

63

C3 C3

€3

€3 Œ €3

63

*(*3 Œ C

 α

Œ

Ø

IAP

H-9B, 12G, L-18J

1-181

ΔΤΙ ΔΝΤΔ

I-18I A

ATLANTA

L-18J. A

ATI ANTA

L-18J. A

IAP

ΙΔΡ

GEORGIA

GRIFFIN-SPALDING CO (6A2) 1 S UTC-5(-4DT) N33°13.62′ W84°16.50′ S4

FUEL 100LL, JET A TPA-1800(842) NOTAM FILE MCN

S-26, D-30 MIRL 0.6% up NW


RWY 14-32: H3701X75 (ASPH)

RWY 14: REIL. Thid dspicd 200'. Trees. RWY 32: REIL, PAPI(P2L)—GA 3.0° TCH 25', Thid dspicd 200', Pole.

AIRPORT REMARKS: Attended Mon-Fri 1400-2000Z‡, Sat-Sun 1300-2300Z±, 24 hr self-service fuel avbl, MIRL Rwv 14-32 and

PAPI Rwv 32 preset low ints dusk-dawn, to incr ints-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.75 (770) 227-3934. COMMUNICATIONS: CTAF/UNICOM 123.075 R ATLANTA APP/DEP CON 128.575 CLNC DEL 128.575 RADIO AIDS TO NAVIGATION: NOTAM FILE ATL. ATLANTA (H) VORTAC 116.9 ATL Chan 116 N33°37.75' W84°26.11' 162° 25.4 NM to fld. 1000/00E. GRIFFIN NDB (MHW) 412 JHH N33°11.06′ W84°13.66′ 321° 3.5 NM to fld. NOTAM FILE MCN.



ß

Ø 4503×15

03 03

Ø a

€3 C3 C3

ଓ ଓ ଓ

(See LAWRENCEVILLE) **GWNET** N34°01.20′ W83°51.77′ NOTAM FILE 1711

NDB (LOM) 419 TX 245° 5.6 NM to Gwinnett Co-Brisco Fld.

HABERSHAM CO (See CORNELIA)

GWINNETT CO-BRISCOE FLD

HAMPTON

CLAYTON CO—TARA FLD (4A7) 3 W UTC-5(-4DT) N33°23.35′ W84°19.94′ FUEL 100LL, JET A1+ NOTAM FILE MCN S4

RWY 06-24: H4503X75 (ASPH) S-30, D-45 MIRL 0.5% up NE RWY 06: REIL. PAPI(P2L)-GA 3.0° TCH 50'. Trees. Rgt tfc. RWY 24: PAPI(P2L)-GA 3.45° TCH 65'.

AIRPORT REMARKS: Attended 1230-2230Z‡. Deer on and invof arpt. Acrobatic training and demonstration area SW of arpt, Fuel 24 hr self serve with credit card. Fuel call out avbl. Aircraft overnight parking fee. Acft parking fee required on major race days. MIRL ops dusk-dawn only, ACTIVATE MIRL Rwy 06-24, PAPI Rwy 06 and

WEATHER DATA SOURCES: AWOS-3 124.825 (770) 707-1719.

COMMUNICATIONS: CTAF/UNICOM 122.725 R ATLANTA APP/DEP CON 128.575 CLNC DEL 128.575 GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

Rwy 24 and REIL Rwy 06-CTAF.

ATLANTA (H) VORTAC 116.9 ATL Chan 116 N33°37.75' W84°26.11' 160° 15.3 NM to fld. 1000/00E.

HARRIS N34°56.58′ W83°54.94′ NOTAM FILE MCN.

217° 6.6 NM to Blairsville. 3660/00E. HIWAS. (L) VORTACW 109.8 HRS Chan 35 RC0 122.35 (MACON RADIO)

HARRIS CO (See PINE MOUNTAIN)

HARTSFIELD-JACKSON ATLANTA INTL (See ATLANTA)

Atlanta Raceway

ATLANTA H-9B, 12G, L-25B

SE, 23 SEP 2010 to 18 NOV 2010

NOTAM FILE MCN 270 B RWY 10-28: H3000X60 (ASPH) S-12 5 MIRI

RWY 10. Trees RWY 28. Trees AIRPORT REMARKS: Unattended. Deer on and invof arpt. MIRL Rwy 10-28 preset on med ints dusk-0400Z‡; to

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN

HAWKINSVILLE-PULASKI CO

COMMUNICATIONS: CTAF 122.9

VIENNA (L) VORTAC 116.5

RWY 14-32: H4508X75 (ASPH)

hrs 912-375-7381. COMMUNICATIONS: CTAF/UNICOM 122.8 (R) JAX CENTER APP/DEP CON 132.3 RADIO AIDS TO NAVIGATION: NOTAM FILE AMG.

ALMA (H) VORTAC 115.1

NOTAM FILE MCN.

NDB (MHW) 414

RWY 14: REIL. PAPI(P2L). Tree. RWY 32: REIL. PAPI(P2L). Trees. AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡, Sat

HAZLEHURST (AZE) 3 NW 255 В S2 FUEL 100LL, JET A

increase ints ACTIVATE-CTAF. After 0400Z# ACTIVATE-CTAF.

(51A) 2 E

VNΔ

UTC-5(-4DT) N31°53.08' W82°38.84' NOTAM FILE MCN S-30

Chan 112

AMG Chan 98 N31°32.19' 341° 22 NM to fld. 200/00E. HIWAS.

AZE N31°52.81′ W82°38.84′

MIRI 0.5% up SE

UTC-5(-4DT)

at fld

N32°12.81′ W83°29.84′

1400-23007±. Self serve fuel with credit card. Arpt phone after

€3

Ø

⟨3

¢

Ø

N32°17.01′ W83°26.31′

034° 5.2 NM to fld. 300/01E.

0 0 0 €3

*(*3

€3 €3

n

C C3

ΔΤΙ ΔΝΤΔ

JACKSONVILLE L-24H

1-181

HEART OF GEORGIA RGNL (See EASTMAN)

HENRY TIFT MYERS (See TIFTON)

HERBERT SMART DOWNTOWN (See MACON)

hol 1400-2200Z‡)

HOMERVILLE N31°03.36' W82°46.45' (HOF) 2 NW UTC-5(-4DT)

FUEL 100LL, JET A NOTAM FILE MCN RWY 14-32: H4000X75 (ASPH) S-30 MIRL

RWY 14: PAPI(P2L), Trees. RWY 32: PAPI(P2L), Trees. AIRPORT REMARKS: Unattended. Rwy 14-32 75 ft wide asph overlay;

remaining 371/2 ft width on each side is old asph with loose grvl. ACTIVATE PAPI Rwy 14 and Rwy 32 and MIRL Rwy 14-32-CTAF. WEATHER DATA SOURCES: AWOS-3 118.725 (912) 487-1253.

COMMUNICATIONS: CTAF 122.9 (R) VALDOSTA APP/DEP CON 119.525 (8,000' and abv) 126.6 (blo 8,000') (Opr Mon-Thu 1200-0700Z‡, Fri 1200-0300Z‡, Sat, Sun and

R JAX CENTER APP/DEP CON 133.7 (Mon-Thu 0700-1200Z‡, Fri 0300-1200Z‡, Sat, Sun and hol 2200-1400Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE AYS.

WAYCROSS (L) VORTAC 110.2 AYS Chan 39 N31°16.17' 221° 17 NM to fld. 150/00E. W82°33 39'

NDB(MHW) 209 HOE N31°03.33′ W82°46.33′

at fld. NOTAM FILE MCN. NDB unmonitored.

JACKSONVILLE L-24H IAP ¢ **(3** (3 €3 **(3 3** €3 €3 3 a 63 €3 ¢ €3 Œ €3 Œ €3 a **(3**

ΔΤΙ ΔΝΤΔ

DIAP. AD

ATLANTA

IAP

H-9A. 12G. L-18I

HUNTER AAF (SVN)(KSVN) A (CG ARNG) 2 SW UTC-5(-4DT) N32°00.60' W81°08.76'

Class I. ARFF Index Ltd. NOTAM FILE MCN Not insp. H-9B, 12G, L-24H R TPA—See Remarks

RWY 10-28: H11375X200 (ASPH) PCN 77 R/B/W/T HIRL

RWY 10: REIL. VASI. RWY 28: ALSF1. MILITARY SERVICE: LGT ACTIVATE 3-step apch lgt and HIRL Rwy 10-28, REIL Rwy 10-CTAF when twr clsd. JASU 3(AF M32A-86) 3(DND CE12 Equivalent) 1(DND CE14 Equivalent) 1(AF M32-95) FUEL J8. Tran fuel PPR.

ctc Base OPS DSN 729-5531. Tran acft may expect delay due to opr mission. **III** 0-156

TRAN ALERT Limited svc avbl Mon 0400Z‡ thru Sat 0400Z‡, except holidays.

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. RSTD PPR all trans acft. DSN 729-5110. Twy 1 clsd to all P3, C130 and larger acft. CAUTION Wildlife and bird hazard. Mil personnel conducting physical training on flt

line access road Mon-Fri 1130-1230Z‡. TFC PAT TPA-Fixed Wing 1500(1459), Rotary Wing 1000(959). NS ABTMT surrounding populated areas blo 1000' unless on anch to Hunter AAF, MISC Rotary Wing pilots planning to

Procedure in effect, Practice circling apch Category C. D. E not authorized blo 1500'. No overflt of Savannah and conduct opr within R3005 must receive a range briefing prior to opr. Briefing shall be accomplished at least 4 hr prior to flt on the reservation. Aviators briefed within the last 6 months may receive phone update. For briefing coordination ctc DSN 729-2523/6207, C912-315-2523/6207, Mon-Fri 0001-2300Z‡ except holidays. Base

OPS 24 hrs. Auto AN/FMO-19 in use 24 hrs. forecaster avbl Mon 0300Z±-Sat 0300Z± excluding hols. Wx/vis obsn rstd. KSVN forecaster DSN 729-5467, C912-315-5467 or 26 OWS (24 hrs) DSN 781-1220, C318-456-1220, Compass rose OTS.

ARNG Base OPS ctc DSN 729-7182/6534, C912-315-7182/6534. COMMUNICATIONS: CTAF 124.975 279.575 ATIS 127.525 323.125 (Mon 1130Z‡ through Fri 0100Z‡. CLOSED Federal Holidays) PTD/BASE OPS 126.2

(R) SAVANNAH APP/DEP CON 125.3 120.4 118.4 371.875 353.775 (1100-0400Z‡), other times ctc JAX CENTER APP/DEP CON 120.85 322.5 TOWER 124.975 279.575 285.425 46.7 (Mon 1130Z‡ through Fri 0100Z‡. CLOSED federal holidays) other times

GND CON 121.8 291.675 GCA 143.2 317.475 (Mon 1130-0300Z‡ and Fri 1130-0100Z‡) PMSV METRO 309.0 (Auto AN/FMQ-19 in use. KSVN forecasters avbl, Sun-Fri 0200Z‡-0100Z‡, clsd Federal hol.)

USCG SAVANNAH AIR 345.0 5692 (5692 Single Sideband) ARNG OPS 139 4 38 15 AIRSPACE: CLASS D svc Mon 1130Z‡ through Fri 0100Z‡, clsd federal holidays, other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE SVN. SVN N32°00.72′ W81°08.45′ at fld. 40/2W. Unmonitored Sat-Mon and (T) VORW/DME 111.6 Chan 53

hol 0200-1230Z±. Mil use only. DME unusable:

195-200° blo 1,800' 201°-225° blo 1,800'

WASSA NDB (LOM) 335 N32°00.54′ W80°59.20′ 277° 8.2 NM to fld. Unmonitored Sat-Mon and hol 0200-1200Z±.

0.7% up S

N34°09.75'

LOM WASSA NDB

Rwv 28. Class IT. ASR/PAR (Mon-Thu 1130-0300Z‡, Fri 0730-0100Z‡, except holidays

ctc Savannah APP 127.65. If Savannah APP clsd ctc JAX CENTER 127.65.

COMM/NAV/WEATHER REMARKS: Radar see Terminal FLIP for Radar Minima.

Chan 32

JACKSON CO (See JEFFERSON)

ILS/DMF 109 5

JASPER PICKENS CO (JZP) 2 SW UTC-5(-4DT) N34°27.21′ W84°27.43′

1535 В S2 FUEL 100LL, JET A NOTAM FILE MCN

I_SVN

RWY 16-34: H5000X100 (ASPH) S-14 MIRL

RWY 16: PAPI(P2R)-GA 3.0° TCH 25'. Trees.

RWY 34: PAPI(P2L)-GA 3.0° TCH 29'.

AIRPORT REMARKS: Attended 1400-2300Z‡. Extensive student training

Atlanta 340° 45 NM-Atlanta 355° 49NM; 3000-9000 ft; 1700-2230Z‡. MIRL Rwy 16-34 preset on low ints dusk-0500Z‡,

to increase ints and ACTIVATE after 0500Z‡-CTAF. WEATHER DATA SOURCES: AWOS-A 285, OTS indef.

COMMUNICATIONS: CTAF/UNICOM 122 725

R ATLANTA CENTER APP/DEP CON 133.1


GCO 121.725 (FLIGHT SERVICE)

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4

RMG Chan 101 W85°07.17'

061° 37.2 NM to fld. 1150/01E. HIWAS.



JEFFERSON

JACKSON CO (19A) 3 NE UTC-5(-4DT) N34°10.55′ W83°33.70′ S2 FUEL 100LL, JET A NOTAM FILE MCN

RWY 17-35: H5210X75 (ASPH) S-30, D-43 MIRL 0.4% up S RWY 17: PAPI(P2L)-GA 3.0° TCH 51'. Trees.

RWY 35: PAPI(P2L). Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Self service fuel avbl 24 hrs with credit card. PAEW invof Rwy 17-35. Deer on and

invof arpt. MIRL Rwv 17-35 preset on low ints dusk-0300Z‡, to increase ints and ACTIVATE after 0300Z‡—CTAF. WEATHER DATA SOURCES: ASOS 118.125 (706) 367-1607.

COMMUNICATIONS: CTAF/UNICOM 122.8 (R) ATLANTA APP/DEP CON 132.475 (blo 7000')

127.5 (abv 7000') (0200-0915Z‡)

R ATLANTA CENTER APP/DEP CON 127.5 (0915-0200Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86' W83°19.49' 319° 18.1 NM to fld. 790/00E. HIWAS.

COMMERCE NDB (MHW) 244 DDA N34°03.73′ W83°31.26′

346° 7.1 NM to fld. NOTAM FILE MCN. NDB unmonitored.

IAP €3 Œ ß ⟨3 Œ Ø n €3

ATLANTA

H-9B, 12G, L-18J

JACKSONVILLE

JEFFI N31°13.70′ W81°32.56′ NOTAM FILE BOK. NDB (LOM) 275 BO 069° 4.3 NM to Brunswick Golden Isles.

JEKYLL ISLAND UTC-5(-4DT) N31°04.47′ W81°25.67′ (Ø9J) 6 SE B NOTAM FILE MCN

RWY 18-36: H3715X75 (ASPH) S-20 MIRL

11

RWY 18: PAPI(P2L)-GA 3.0° TCH 20'. Rgt tfc. RWY 36: PAPI(P2L)-GA 3.0° TCH 20'. Trees.

AIRPORT REMARKS: Attended 1400-2100Z±. Rotating bcn located on top of a water tank 1/2-1 mile northeast of Rwy 18, in a swampy


COMMUNICATIONS: CTAF/UNICOM 123.0 (R) JAX CENTER APP/DEP CON 126.75

RADIO AIDS TO NAVIGATION: NOTAM FILE SSI.

BRUNSWICK (L) VORTAC 109.8 SSI Chan 35

N31°03 03' W81°26.76' 037° 1.7 NM to fld. 10/04W.

JACKSONVILLE L-24H



JESUP-WAYNE CO (JES) 3 S UTC-5(-4DT) N31°33.24′ W81°52.95′ B FUEL 100LL, JET A NOTAM FILE MCN 107 RWY 11-29: H5500X100 (ASPH) S-21.5 MIRI RWY 11: PAPI(P2L)-GA 3.5°TCH 42'. Trees. RWY 29: MALSF. PAPI(P2L)-TCH 55'. Trees.

0.7% up W

NOTAM FILE MCN

at fld

a ß C3

IACKSUNAILLE

ΙΔΡ

ATLANTA

L-18J

H-9B. 12F. L-24H

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. ACTIVATE MIRL Rwv 11-29, PAPI Rwv 11 and Rwv 29 and MALSF Rwv 29-CTAF. WEATHER DATA SOURCES: AWOS-3 118.125 (912) 427-0855. Plus

precipitation and thunderstorm. COMMUNICATIONS: CTAF/UNICOM 122.8 R JAX CENTER APP/DEP CON 126.75

RADIO AIDS TO NAVIGATION: NOTAM FILE AMG. ALMA (H) VORTAC 115.1 AMG

Chan 98 N31°32.19′ W82°30.49' 088° 32.1 NM to fld. 200/00E. HIWAS. SLOVER NDB (MHW) 340 JES N31°33.15′ W81°53.22′ AWOS-A. NOTAM FILE MCN.

JIMMY CARTER RGNL (See AMERICUS)

JUNNE N33°38.77′ W83°01.25′ NOTAM FILE MCN. NDB (MHW/LOM) 353 VV 249° 6.6 NM to Greene Co Rgnl.

KAOLIN FLD (See SANDERSVILLE)

LAFAYETTE BARWICK LAFAYETTE (9A5) 1 S S4 FUEL 100LL, JET A1+

RWY 02-20: H5350X75 (ASPH) S-20 MIRL RWY 02: PAPI(P2R)—GA 3.5° TCH 39'. Trees. RWY 20: PAPI(P2L)—GA 3.5° TCH 38'. Thid dsplcd 450'. Railroad.

rwy and arpt. MIRL Rwy 02-20 preset med ints, to incr ints and ACTIVATE MIRL Rwv 02-20 and PAPI Rwv 02 and Rwv 20-CTAF. WEATHER DATA SOURCES: ASOS 119.775 (706) 639-1976. COMMUNICATIONS: CTAF/UNICOM 122.8 CHATTANOOGA APP/DEP CON 125.1 (1100-0450Z‡)

ATLANTA CENTER APP/DEP CON 133.8 (0450-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE CHA. CHOO CHOO (H) VORTAC 115.8 GOO Chan 105 N34°57.68' 202° 17.7 NM to fld. 1030/01E. HIWAS. W85°09 20'

UTC-5(-4DT) N34°41.31′ W85°17.42′ ATLANTA H-9A, 12G, L-18I IAP AIRPORT REMARKS: Attended Mon-Sat 1400-2200Z‡. Deer on and invof Residential Area A B B GOJF CO. Ø n €3 **3** Golf Course €3 a View. Residential Area ß 03 03 03 Œ €3 €3 C3 Œ a

Œ

LAGRANGE-CALLAWAY (LGC) 3 SW UTC-5(-4DT) N33°00.53' W85°04.36' S4 FUEL 100LL, JET A 1+ TPA-1700(1007) NOTAM FILE LGC 693 R

RWY 13-31: H5600X150 (ASPH-GRVD) S-75, D-100, 2D-100 MIRL

RWY 13: REIL. PAPI(P4L)-GA 3.5°TCH 52'. € €3 RWY 31: MALSR, PAPI(P4R)-GA 3.0°TCH 43'. a RWY 03-21: H5000X100 (ASPH) S-45, D-50 0.3% up NE

RWY 03: Trees. RWY 21: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0100Z±. Sat-Sun 1300-2300Z‡. Deer on and invof arpt. Glider ops on and invof arpt during dalgt hrs Sat-Sun. MIRL Rwy 13-31 and REIL Rwy 13

preset on low ints; to increase ints ACTIVATE—CTAF. ACTIVATE MALSR Rwy 31, PAPI Rwys 13 and 31 and twy Igts-CTAF.

WEATHER DATA SOURCES: AWOS-3 126.325 (706) 845-0677. HIWAS 115.6 LGC COMMUNICATIONS: CTAF/UNICOM 122.975

RCO 122.1R 115.6T (MACON RADIO)

I-GNK

R ATLANTA APP/DEP CON 125.5 (blo 7000') 126.55 (7000' & abv)

(1115-0500Z‡) **CLNC DEL** 119.25 ATLANTA CENTER APP/DEP CON 120.45 (0500-1115Z±)

CLNC DEL 120.45 RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

(H) VORTAC 115 6 LGC Chan 103 N33°02.95′ W85°12.37′ 109° 7.2 NM to fld. 790/01E. HIWAS. Rwy 31. Class IA. Glide Slope unusable byd 5° left of localizer course. ILS

unmonitored COMM/NAV/WEATHER REMARKS: AWOS-3 ceiling unreliable.

an a Œ €3

ΔΤΙ ΔΝΤΔ

ATI ANTA H-9B, 12G, L-18J, A

ΙΔΡ

H-9A, 12F, L-18I

IIS 110 9

NOTAM FILE 1711

LAWRENCEVILLE

GWINNETT CO-BRISCOE FLD (LZU) 2 NE UTC-5(4DT) N33°58.68′ W83°57.74′ 1061 R S4 FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks

RWY 07-25: H6000X100 (ASPH) S-45, D-60

RWY 07: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

RWY 25: MALSR. PAPI(P2L)-GA 3.0° TCH 48'. Pole.

AIRPORT REMARKS: Attended continuously. TPA for lgt acft 2100(1039), TPA for jet and turbo prop acft 2600(1539). Twy T has NSTD marking, does not meet Design GP II std. When twr clsd HIRL Rwy

07-25 preset on low ints, to increase and ACTIVATE MALSR Rwy 25—CTAF WEATHER DATA SOURCES: AWOS-3 (770) 339-7753. LAWRS.

COMMUNICATIONS: CTAF 124.1 ATIS 132.275

UNICOM 123.05

R ATLANTA APP/DEP CON 126.975 CLNC DEL 134.0 (When twr clsd)

TOWER 124.1 (1200-0200Z‡) GND CON 121.8 CINC DFI 121 8

AIRSPACE: CLASS D svc 1200-0200Z‡ other times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATLANTA (H) VORTAC 116.9 ATL Chan 116 N33°37.75'

W84°26.11' 048° 31.6 NM to fld. 1000/00E.

GWNET NDB (LOM) 419

TX N34°01.20′ W83°51.77′ 246° 5.6 NM to fld

ILS 109.95 I-TXP Rwy 25. Class IB. LOM GWNET NDB. Localizer unmonitored. GS unusable byd 4° rgt of course.

HIRL 0.5% up W

IAP. AD Ä

ΔΤΙ ΔΝΤΔ

L-18J

ATLANTA

LAWSON AAF (FORT BENNING) (LSF)(KLSF) A 5 SW

H-9A I-18I DIAP. AD

UTC-5(-4DT) N32°19.91′ W84°59.23′ TPA—See Remarks Class I. ARFF Index A NOTAM FILE LSF Not insp. R RWY 15-33: H10000X150 (ASPH) PCN 81 R/B/W/T HIRL RWY 33: SALSF. Thid dsplcd 700'. RWY 15: Rgt tfc. MILITARY SERVICE: JASU 1(M32A-95) 5(M32A-86) FUEL J8. Refuel svc Mon-Fri 1200-0400Z‡. Sat 1300-2100Z‡.

OIL 0-128-148-156 TRAN ALERT Mon-Fri 24 hr, Sat-Sun 1200-0400Z‡. Except by NOTAM. OT 2 hr PPR. OT 48 hr PPR rar. MILITARY REMARKS: Attended continuously exc by NOTAM. Advisory svc on Base Ops frequency when twr clsd. RSTD 48

hr PPR for all hazardous cargo and 7 day PPR for fixed wing acft except AIR EVAC, and all rotary wing flights of 5 or more. Parking Itd. 7 day PPR for parking and remain overnight. DSN 835-3524, C706-545-3524, 24 hr. CAUTION Extensive troop carrier opr. Parachute drops at 1550' within 21/2 NM of arpt. Extensive helicopter opr 1230-2330Z‡. TFC PAT TPA-fixed wing 1800(1568), 360° overhead 2300(2068), rotary wing 1000(768). MISC

duty hrs Mon-Fri 1000-0200Z‡ exc holidays. VIP acft ctc PTD 45 NM out.

Wx obsn automated and augmented as required for continuous operation. Remote briefing svc avbl 26 OWS, Barksdale AFB, DSN 781-4755, C318-456-4775, FAX DSN 781-3493 or htts://barksdale.af,mil. Forecaster COMMUNICATIONS: ATIS 134.375 (Dur twr operation hrs.) PTD 134.1 245.7 R ATLANTA APP/DEP CON 125.5 323.1 (blo 7000') 126.55 353.75 (7000' and abv) (Mon-Fri 1200-0400Z‡), other

times ctc Atlanta Center App/Dep con 120.45 357.6 **TOWER** 119.05 269.525 288.275 (Mon-Fri 1200-0400Z‡, exc holidays) GND CON 121.7 254.25

GCA Opr Mon-Fri 1300-2100Z± (E) 121.05 307.325 PMSV METRO 343.2 BASE OPS 134.1 DOUGHBOY ADVISORY 138.325 134.1 244.6 245.7

AIRSPACE: CLASS D svc Mon-Fri 1200-0400Z±, exc holidays other times CLASS E. RADIO AIDS TO NAVIGATION: NOTAM FILE LSF. (T) VORW/DME 111.4 LSF N32°19.94′ W84°59.60′ Chan 51 VOR unusable 161°-169° 181°-214° bvd 15 NM.

NDR (MHW) 335 ΔWS N32°17.59′ W85°01.40′ 040° 3 NM to fld. **IIS** 110 7 I-LSF Rwy 33. Back course unusable.

ASR (Mon-Fri 1300-2100Z±) COMM/NAV/WEATHER REMARKS: Radar See Terminal FLIP for Radar Minima. Contact Airport Advisory Service on twr

frequency prior to Idg. (See GAINESVILLE)

LEE GILMER MEML LINDBERGH N32°10.47′ W84°06.49′ NOTAM FILE MCN.

ATLANTA NDB (MHW) 242 LKG 230° 5.2 NM to Jimmy Carter Rgnl.

(2J3)2 SE UTC-5(-4DT)N32°59.16' W82°23.09'

FUEL 100LL, JET A H-9B, 12G, L-24I NOTAM FILE MCN

LOUISVILLE MUNI RWY 13-31: H5000X100 (ASPH) S-26 MIRI

RWY 13: PAPI(P2L)-GA 3.5° TCH 25'. Trees. RWY 31: PAPI(P2L)-GA 3.5° TCH 20'.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 13-31 and PAPI Rwy 13 and Rwy 31-CTAF. COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

DUBLIN (L) VORTAC 113.1 DRN Chan 78 N32°33.81′ W82°49.80′ 047° 33.9 NM to fld. 300/05W. HIWAS.

LOWER CHATTAHOOCHEE RGNL (See CUTHBERT)

LUMPKIN CO-WIMPYS (See DAHLONEGA)

MACON N32°41.47′ W83°38.83′ NOTAM FILE MCN. ATI ANTA (H) VORTAC 114.2 MCN Chan 89 at Middle Georgia Rgnl. 381/01E. H-9B, 12F, L-18J

VOR portion unusable 085°-099°. VOR unusable 240°-280°. 122.4 122.2 122.1R. (MACON RADIO)

MACON

MACON DOWNTOWN (MAC) 3 SE UTC-5(-4DT) N32°49.33′ W83°33.72′ S4 FUEL 100LL JET A+ 0X 3.4 NOTAM FILE MCN

RWY 10-28: H4696X100 (ASPH) S-20 MIRL

RWY 10: VASI(V4R). Trees. RWY 28: VASI(V4L). Tree. Rgt tfc. RWY 15-33: H3614X75 (ASPH) S-20 1.1% up NW RWY 15: Thid dspicd 1000', Trees. RWY 33: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1230-0400Z‡. 825'MSL radio twr located approximately 1 mile SE of arpt near AER 33. Phone

ahead for special request, Call out fees after hrs, ACTIVATE MIRL Rwy 10-28 and VASI Rwy 10 and Rwy 28-CTAF. Ldg fee for certain services.

COMMUNICATIONS: CTAF/UNICOM 123.0

(R) ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z±)

ATLANTA CENTER APP/DEP CON 134.5 (0500-1115Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

(H) VORTAC 114.2 MCN Chan 89 N32°41.47' W83°38.83' 028° 9 NM to fld. 381/01E.

ILS 111.9 I-MAC Rwy 10. (LOC only) LOC unusable byd

18° N of centerline.



ΔΤΙ ΔΝΤΔ

L-18J

MIDDLE GEORGIA RGNL (MCN) 9 S UTC-5(-4DT) N32°41.57′ W83°38.95′ FUEL 100LL, JET A TPA-1154(800) Class I, ARFF Index A B S4

NOTAM FILE MCN RWY 05-23: H6501X150 (ASPH-GRVD) S-80, D-128, 2S-175, 2D-237

HIRL 0.4% up NE RWY 05: MALSR. Trees.

RWY 23: REIL. VASI(V4L)-GA 3.0° TCH 45'. Trees. Rgt tfc.

RWY 13-31: H5000X150 (ASPH-CONC) S-44, D-65, 2S-82,

MIRL 2D-110 RWY 13: REIL, VASI(V4L)—GA 3.0° TCH 53', Trees, Rgt tfc.

RWY 31: REIL, VASI(V4L)-GA 3.0° TCH 58', Railroad.

RUNWAY DECLARED DISTANCE INFORMATION

RWY 05: TORA-6501 TODA-6501 ASDA-6221 LDA-6221

RWY 13: TORA-5001 TODA-5001 ASDA-5001 LDA-5001 RWY 23: TORA-6501 TODA-6501 ASDA-6426 LDA-6426

RWY 31: TORA-5001 TODA-5001 ASDA-5001 LDA-5001 AIRPORT REMARKS: Attended 1000-0300Z±. For svc after hrs ctc

MACON FSS. Robins AFB class D airspace .4 mile SE of departure end of Rwy 13. VFR acft departure Rwy 13 between 0100-1300Z‡ are advised to ctc Robins ATCT 133.22 prior to departure. Deer on and invof the arpt. PAEW adjacent to the movement areas from

April 1 to November 1 for grass cutting, ACTIVATE REIL Rwv 23. HIRL Rwy 05-23, REIL Rwy 13 and Rwy 31, MIRL Rwy 13-31 and twy Igts-CTAF.

WEATHER DATA SOURCES: ASOS 120.775 avbl 0100-1300Z‡. (478) 784-8825.

COMMUNICATIONS: CTAF 128.2 ATIS 120.775 UNICOM 122.95

MACON RCO 122.1R 122.2 122.4 (MACON RADIO).

(R) ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z‡)

ATLANTA CENTER APP/DEP CON 134.5 (0500-1115Z±)

MACON TOWER 128.2 (1300-0100Z‡) GND CON 121.65

AIRSPACE: CLASS D svc 1300-0100Z‡ other times CLASS E.


TRSA svc ctc APP CON 20 NM out

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

N32°41.47′ W83°38.83′ MACON (H) VORTAC 114.2 MCN Chan 89 at fld. 381/01E.

ILS 109.5 I-MCN Rwv 05. Class IE.

COMM/NAV/WEATHER REMARKS: Ctc Macon Radio for airport advisory service on 128.2 when twr is clsd.



MADISON MUNI (52A) 2 NE UTC-5(-4DT) N33°36.73' W83°27.63' NOTAM FILE MCN В S8 FUEL 100LL


RWY 14-32: H3806X75 (ASPH) S-20 MIRL 1.5% up SE

RWY 14: PAPI(P2L)-GA3.0°TCH 32'. Trees. RWY 32: Thid dspicd 1131'. Fence. Rgt tfc.

AIRPORT REMARKS: Attended Mon-Sat 1400-2000Z‡, Sun 1400-1700Z±, ACTIVATE MIRL Rwv 14-32 and PAPI Rwv 14-CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8 R ATLANTA APP/DEP CON 127.5 (1115-0500Z‡) R ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AHN. ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86' W83°19.49' 199° 21.2 NM to fld. 790/00E. HIWAS.



(See BRUNSWICK)

MARION CO (See BUENA VISTA)

McRAE N32°05.68′ W82°53.03′

MALCOLM McKINNON

TELFAIR-WHEELER

MAVIS N32°07.79' W81°19.89' NOTAM FILE SAV.

 097° 6.6 NM to Savannah/Hilton Head Intl. NDB (LOM) 368 SA

McINTOSH N31°49.83′ W81°30.59′ NOTAM FILE MCN

NDB (MHW) 263 MOO

327° 4.4 NM to Wright AAF (Fort Stewart)/Midcoast Rgnl.

NOTAM FILE MCN

3 NE UTC-5(-4DT)

NDB (MHW) 280 MOW at Telfair-Wheeler. Unmonitored. Mc RAE

(MQW) 202 B NOTAM FILE MCN RWY 03-21: H5000X75 (ASPH) S-30 MIRL

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

RWY 03: PAPI(P2L)-GA 3.0° TCH 34'. Trees.

RWY 21: PAPI(P2L)-GA 3.0° TCH 39'. Trees. AIRPORT REMARKS: Unattended. Unlgtd 413' MSL twr 3.5 miles W. For

MIRL Rwy 03-21 opr dusk-0300Z‡; after 0300Z‡ ACTIVATE-CTAF. COMMUNICATIONS: CTAF 122.9 R JAX CENTER APP/DEP CON 132.3

DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81' W82°49.80' 190° 28.1 NM to fld. 300/05W. HIWAS. McRAE NDB (MHW) 280 MQW N32°05.68′ W82°53.03′

at fld. Unmonitored.

ΔΤΙ ΔΝΤΔ

CHARLOTTE

JACKSONVILLE

I-24H


L-24H

ATLANTA

L-24H

1-181

IAP



METTER MUNI (MHP) 2 S UTC-5(-4DT) N32°22.44′ W82°04.89′

R FUEL 100LL NOTAM FILE MCN 197 RWY 10-28: H5002X75 (ASPH) S_19

RWY 10: PAPI(P2R)-GA 3.0° TCH 32'. Trees. RWY 28: PAPI(P2L)-GA 3.35° TCH 29'. Pole.


AIRPORT REMARKS: Unattended. MIRL Rwy 10-28 preset low ints

dusk-0500Z±, to increase inst-CTAF, After 0500Z±, ACTIVATE

MIRL Rwv 10-28 and PAPI Rwv 10 and PAPI Rwv 28-CTAF. COMMUNICATIONS: CTAF/UNICOM 123.0 R JAX CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81'

111° 39.7 NM to fld. 300/05W. HIWAS. W82°49.80' NDR(MHW) 432 MHP N32°22.34′ W82°05.04′ at fld. SHUTDOWN.



MIDDLE GEORGIA RGNL (See MACON)

MILLEDGEVILLE

BALDWIN CO (MLJ) 4 N UTC-5(-4DT) N33°09.25' W83°14.48' B FUEL 100LL, JET A NOTAM FILE MCN

RWY 10-28: H5509X99 (ASPH) S-21 MIRI 0.6% up W

RWY 10: MALSF, PAPI(P2L), Trees. RWY 28: PAPI(P2L), Pole, AIRPORT REMARKS: Attended 1300-2300Z‡. MIRL Rwy 10-28 and PAPI

Rwy 10 and Rwy 28 preset on med ints dusk-0300Z‡, to incr ints and ACTIVATE after 0300Z‡-CTAF. WEATHER DATA SOURCES: AWOS-3 120.925 (478)445-7718. Wind

unreliable

COMMUNICATIONS: CTAF/UNICOM 122.8 R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv)

(1115-0500Z±)

ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

MACON (H) VORTAC 114.2 MCN Chan 89 N32°41.47' W83°38.83' 035° 34.5 NM to fld. 381/01E.


CULVR NDB (MHW) 380 UMB N33°09.11' W83°09.58'

276° 4.1 NM to fld.

ATLANTA

ΙΔΡ

H-9B. 12F. L-24H



MILLEN (215) 5 N UTC-5(-4DT) N32°53.61' W81°57.92'

237 В NOTAM FILE MCN RWY 17-35: H4000X75 (ASPH) S-16.5 MIRI 0.4% up N

RWY 17: PAPI(P2L)-GA 3.45° TCH 46'. Trees. Rgt tfc. RWY 35: PAPI(P2L)-GA 3.45° TCH 46'. Trees.


AIRPORT REMARKS: Unattended. Deer on and invof arpt. MIRL Rwy 17-35 ops dusk-0300Z±, after 0300Z± ACTIVATE-CTAF. COMMUNICATIONS: CTAF 122 9

R AUGUSTA APP/DEP CON 126.8 RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44' W82°09 72'

172° 49.7 NM to fld. 428/04W. LNH N32°53.68′ W81°58.02′ NDB(MHW) 205 at fld

NOTAM FILE MCN.



CHARLOTTE

1-241

ATLANTA

MONROE-WALTON CO (D73) 1 SE UTC-5(-4DT) N33°46.95' W83°41.57' FUEL 100LL, JET A NOTAM FILE MCN **S4**

RWY 03-21: H5000X75 (ASPH) S-14.5. D-18

RWY 03: PAPI (P2L)-GA 3.25° TCH 55'. Trees.

RWY 21: PAPI (P2L)-GA 2.75° TCH 42'. Trees. AIRPORT REMARKS: Attended 1300-2200Z‡. Parachute Jumping. Be advised-glider ops within 10 NM radius sfc-5000 ft. Deer on or

about arpt. MIRL Rwy 03-21 preset on low ints from dusk-0300Z‡ to increase ints and ACTIVATE after 0300Z‡-CTAF. PAPI Rwys 03 and 21 opr dusk-0300Z‡ after 0300Z‡

ACTIVATE—CTAE WEATHER DATA SOURCES: AWOS-A 392 JNM.

COMMUNICATIONS: CTAF 122.9 R ATLANTA APP/DEP CON 126.975

RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.


ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86'

W83°19.49' 242° 20.9 NM to fld. 790/00E. HIWAS.

to fld. AWOS-A. NOTAM FILE MCN.

NDB (MHW) 392 JNM N33°44.26′ W83°43.61′ 035° 3.2 NM

MONTEZUMA N32°22.04′ W84°00.45′ NOTAM FILE MCN. NDB (MHW) 426 IZS



184° 3.9 NM to Dr. C P Savage Sr. NDB unmonitored 0400-1200Z±.

L-18J

ATLANTA

MONTEZUMA

DR. CP SAVAGE SR. (53A) 1 E UTC-5(-4DT) N32°18.12′ W84°00.45′ 337 B NOTAM FILE MCN

RWY 18-36: H4220X75 (ASPH) S-30 MIRL

RWY 18: PAPI(P2L)-GA 3.0° TCH 31'. Trees.

RWY 36: PAPI(P2L)-GA 3.0° TCH 33'. Tree.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 18-36 and PAPI

Rwy 18 and Rwy 36-CTAF.

COMMUNICATIONS: CTAF 122.9

R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z‡) ATLANTA CENTER APP/DEP CON 134.5 (0500-1115Z±)


RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

VIENNA (L) VORTAC 116.5 VNA Chan 112 N32°12.81'

W83°29.84' 281°26.5 NM to fld. 300/01E.

MONTEZUMA NDB (MHW) 426 IZS N32°22.04′ W84°00.45′

184° 3.9 NM to fld. NDB unmonitored 0400-12007±.



ATLANTA

IACKSONVILLE

DIAP, AD

TRAN ALERT

SOF 143 825 305 6

at fld. 213/3W. Unmonitored when twr clsd. No NOTAM

H-9B. 12F. L-22J

GEORGIA

(MC-1) (M32A-60) (M32A-60A).

being a 37.5' wide asph sfc.

GND CON 138.95 275.8

VAD

15 NM blo 3000'. I-VAD

1100-1700Z±. ILS 109.9

1100-1700Z±.

COMD POST 228.225 381.05 (Angel Ops)

Chan 80

clsd Sat, Sun and Fed hol 1200-2000Z‡).

Rwy 18L.

Rwv 36R.

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

I-MDG

ATIS 273.5

COMMUNICATIONS: SFA

TACAN

ILS 109.3

MOODY AFB (VAD)(KVAD) ΑF 9 NE UTC-5(-4DT) NOTAM FILE VAD 233 R Class I. ARFF Index A

RWY 18L-36R: H9300X150 (CONC) PCN 55 R/B/W/T HIRI RWY 18L: ALSF1. PAPI(P4L). RWY 36R: ALSF1. PAPI(P4L). RWY 18R-36L: H8000X150 (PEM) PCN 62 R/C/W/T

RWY 18R: MALSR, PAPI(P4L). RWY 36L: MALS. PAPI(P4L). ARRESTING GEAR/SYSTEM

RWY 18L ← BAK-15 CHAG (150' OVRN) HOOK BAK-12A(B)(1100')

RWY 18R ← MA-1A CHAG (90' OVRN) HOOK BAK-12A(B)(1500')

HOOK BAK-12A(B) (1500') MA-1A CHAG (90' OVRN)→ RWY 36L

syc/refuel delays, limited maintenance. No fleet syc.

FUEL J8, J8+100

MILITARY REMARKS: Opr Mon-Thu 1330-0700Z‡, Fri 1330-0300Z‡, clsd Sat, Sun and hol. See FLIP AP/1 Supplementary Arpt info. RSTD PPR all tran acft. For PPR ctc AM ops DSN 460-3305/3306,

arr/dep can expect delays when R3008 active, ctc 23 WG schedule at DSN 460-4544/4892,

PTD 139.3 227.2

CLNC DEL 120.625 296.7

N30°57.60′ W83°11.61′

TOWER 128.45 257.625 (Mon-Thu 1330-0700Z‡, Fri 1330-0300Z‡, clsd Sat, Sun and hol)

® VALDOSTA APP CON 119.525 126.6 127.925 233.7 259.3 (119.525 259.3 180°-360°) (126.6 285.6 360°-180°) 285.6 (127.925 233.7 Moody Arr) (Mon-Thu 1200-0700Z‡, Fri 1200-0300Z‡, Sat, Sun and hol

f R VALDOSTA DEP CON 126.6 306.3 (Mon-Thu 1200-0700Z \ddagger , Fri 1200-0300Z \ddagger , Sat, Sun and hol 1400-2200Z \ddagger . R JAX CENTER APP/DEP CON 132.3 (Mon-Thu 0700-1200Z‡, Fri 0300-1200Z‡, Sat, Sun and hol 2200-1400Z‡)

AIRSPACE: CLASS D svc Mon-Thu 1330-0700Z‡, Fri 1330-0300Z‡, clsd Sat, Sun and hol, other times CLASS E.

MP Mon-Fri 1000-1200Z‡, Sat-Sun 0300-1400Z‡. TACAN unusable byd 25 NM blo 2,500′. 200°-250° byd

RADAR Moody Radar No NOTAM MP Mon-Fri 0700-1130Z‡, Sat 2300-1300Z‡. ASR/PAR (Mon-Fri 1000-0500Z‡,

SE, 23 SEP 2010 to 18 NOV 2010

PMSV METRO 263.45 No svc outside wx ops hrs

Unmonitored when twr clsd. No NOTAM MP Mon-Fri 1000-1200Z‡, Sat

Unmonitored when twr clsd. No NOTAM MP Mon-Fri 1000-1200Z‡, Sat

absorbers (chains). Ctc twr 30 min prior for Rwy 18R-36L E-5 configuration.

HOOK BAK-12A(B)(1500') BAK-15 CHAG (150' OVRN) → RWY 36R

disconnected from energy absorbers (chains). E-5 dep end raised. Ctc twr for other configurations, BAK-12B apch end apch end avbl 30 min prior notice. Rwy 18R-36L E-5 apch/dep end disconnected from energy

Tran maintenance svc opr Mon-Thu 1145-0430Z±, Fri 1145-0300±, clsd Sat, Sun and holidays, Expect 3 hr

C229-257-3305/3306, fax extension 4664. PPR issued up to 5 days prior to arr, min 24 hr prior notice. PPR good for +/-1 hr of PPR time. Coord of PPR outside of block time by phone is rgr or PPR number will be considered cancelled. Tran alert will not support local Round Robin or out and back for tran acft. Tran IFR acft

C229-257-4544/4892 for deconfliction. Tran VIP acft ctc pilot to dispatch 30 min prior ETA. Rwy 18L-36R and Rwy 18R-36L have NSTD rwy markings, with assault strip shown. Assault zone limited to 23 WG C-130 acft only. C5, C17 acft rstd to low apch or full stop ldg only. Ltd tran parking. Helipad limited to 347 RQG HH-60 acft only. 180° turns prohibited by fixed wing acft larger than fighters on Twy L. Parking row X-Ray on C-130 ramp closed due to unlit obstructions (AGE equipment). CAUTION Tran dep with rapid climb use extreme caution, maintain at or below 1200' until dep end. Overhead traffic pattern 2200' in continuous use. Simultaneous ops in use to Rwy 18 or Rwy 36 when R3008 in use. 130' AGL unlighted antenna 3.5 NM due S of Rwy 36R. 23' AGL unlighted house with numerous pieces of abandoned farm equipment located 1130' E of Rwy 18L extended centerline and 1805' N of Rwy 18L thld. BASH Heavy concentrations of cattle egrets likely Jun-Aug. Phase II bird activity for migratory season Oct-Feb. Peak activity occurs within 1 hr of SR and SS. TFC PAT USAF acft expected reduced rwy separation, similar type acft/day-3000', dissimilar type acft/ngt-6000'. Tran acft must notify twr on initial ctc if reduced rwy separation is not desired. NS ABTMNT Quiet hr 0330-1130Z. MISC Class D airspace when twr open, otherwise Class E. Wx opr hrs Mon-Thu 1330-0700Z‡, Fri 1330-0300Z‡; clsd Sat, Sun and hol; DSN 460-3457, C229-257-3457. Wx briefing for tran aircrews byd normal opr hr avbl via 26 OWS at Barksdale AFB DSN 781-4475 C318-456-4475. Afld wx is monitored by AN/FMQ-19 ASOS and augmented by human observer only when procedures dictate during indicated hr of opr. Wx obsn not rstd during automated obsn: visibility rstd due to buildings southwest thru northwest on afld next to building 622 during ASOS backup: no visibility marker beyond 9 miles. COMSEC storage will be provided at 23 WG COMD POST DSN 460-3501, C229-257-3501, Rwv 18R/36L-first 1000' conc, middle 6000' has 75' conc wide center with outer sides

Not insp.

FLUID SP LPOX LOX

N30°58.12' W83°11.58'

A-GEAR Rwy 18L-36R normal BAK-12B configuration: apch end down, dep end raised. E-5 apch end

MILITARY SERVICE: LGT All rwy thid lgt, mid 70' removed. Rwy 18L-36R PAPI and ILS glide slope not coincidental. Afld lighting intermittent 1 hr after official SS until airfield closure due to Night Vision Device training on field.

JASU (A/M32A-86) (MA-1A)

OIL 0-133-148 JOAP

MNIII TRIF

MOULTRIE MUNI (MGR) 6 S UTC-5(-4DT) N31°05.10′ W83°48.20′ B S4 FUEL 100LL JET A+ OX 3 NOTAM FILE MCN

H-9B, 12F, L-22J

IACKSONVILLE

RWY 04-22: H5129X100 (ASPH) S-30, D-49, 2D-98 MIRL 0.5% up NE RWY 04: PAPI(P2L)-GA 3.0° TCH 45'. Trees. RWY 22: PAPI(P2L)-GA 3.0° TCH 42'. Trees.

RWY 16-34: H3878X75 (ASPH) S-12.5 0.5% up N RWY 16: Thid dsplcd 260'. Trees. RWY 34: Trees. AIRPORT REMARKS: Attended 1300Z‡-dusk, Twy Igts Rwy 04-22 only.

Rwv 04-22 has 25' shoulders each side of rwv. MIRL Rwv 04-22 preset on low ints dusk-0300Z‡; to increase ints and ACTIVATE

after 0300Z±-CTAF. WEATHER DATA SOURCES: AWOS-3 118.925 (229) 890-5320.

COMMUNICATIONS: CTAF 122.8 UNICOM 122.8

RCO 122.1R 108.8T (MACON RADIO) (R) VALDOSTA APP/DEP CON 119.525 (8,000' and abv) 126.6 (blo 8,000')

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

(Opr Mon-Thu 1200-0700Z±, Fri 1200-0300Z±, Sat. Sun and hol 1400-22007t)

R JACKSONVILLE CENTER APP/DEP CON 132.3 (Mon-Thu 0700-1200Z‡, Fri 0300-1200Z‡, Sat, Sun and hol 2200-1400Z‡)

(L) VOR/DME 108.8 MGR Chan 25 N31°04.94′ W83°48.25′ at fld. 290/02W. VOR portion unusable 151°-226° blo 5000': 280°-355°.

IAP *(*3 **€**3 (3 63

SPENCE

______ (MUL) 4 SE UTC-5(-4DT) N31°08.26' W83°42.24'

292 S4 NOTAM FILE MCN RWY 14-32: H4500X75 (CONC) S-65, D-90

AIRPORT REMARKS: Unattended. Rwy condition poor. Farm and construction equipment crossing rwy. Extensive military traffic, 200 knots, sfc to 3500 ft within 5 NM. To avoid potential traffic conflict with MOODY AFB T-6A acft and receive advisories, all acft are requested to announce their arrival or departure intentions on UNICOM 123.0.

apron has loose gravel throughout. COMMUNICATIONS: CTAF/UNICOM 123.0 RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

MOULTRIE (L) VOR/DME 108.8 MGR Chan 25 N31°04.94′ W83°48.25′ 059° 6.1 NM to fld. 290/02W.

NAHUNTA

BRANTLEY CO (4J1) 4 E UTC-5(-4DT) N31°12.45′ W81°54.35′

NOTAM FILE MCN RWY 01-19: H3000X50 (ASPH) S-14

RWY 19: Trees. AIRPORT REMARKS: Unattended. Rwy 01-19 pavement severly oxidized and cracked.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE SSI.

SE, 23 SEP 2010 to 18 NOV 2010


Acft manufacturer located on arpt: acft testing and demonstration with Idgs and departure from apron. Parking

Chan 35 N31°03.03′ W81°26.76′ 296°25.5 NM to fld. 10/04W. BRUNSWICK (L) VORTAC 109.8 SSI

JACKSONVILLE

L-22J

JACKSONVILLE L-24H



190 **GEORGIA** PERRY-HOUSTON CO (PXE) 4 NW UTC-5(-4DT) N32°30.63′ W83°46.04′ ΔΤΙ ΔΝΤΔ FUEL 100LL, JET A1+ TPA-1218(800) NOTAM FILE MCN H-9R 12F I-18I 418 B S2 RWY 18-36: H5002X100 (ASPH) S-30 MIRI ΙΔΡ RWY 18: PAPI(P2L)-GA 3.0° TCH 26'. 81 €3 RWY 36: MALSR, PAPI(P2L)—GA 3.0° TCH 26', Trees. €3 AIRPORT REMARKS: Attended 1300-2300Z‡. For svc after hrs call Ø 478-397-3625, ACTIVATE MIRL Rwv 18-36, PAPI Rwv 18 and €3 C3 Rwv 36 and MALSR Rwv 36-CTAF. ପ ପ ପ ପ WEATHER DATA SOURCES: AWOS-3 123.825 (478) 987-8768. a 0000 COMMUNICATIONS: CTAF/UNICOM 122.7 0000 R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) 0000 G G 0 0 0 0 <3 (1115-05007+)ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z±) €3 GCO 121.725 (FLIGHT SERVICES) 03 03 RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. æ G G VIENNA (L) VORTAC 116.5 VNA Chan 112 N32°12.81' W83°29.84' 321° 22.5 NM to fld. 300/01E €3 G G BAY CREEK NDB (MHW) 350 BEP N32°27.45′ W83°45.94′ 002° 3.2 NM to fld. C **3** ILS 109.15 I-PXE Rwy 36. (LOC only). a a a G G C G G G Œ 134 PETERSON FLD (See PLAINS) PICKENS CO (See JASPER) PINE MOUNTAIN N32°50.57′ W84°52.36′ NOTAM FILE MCN. ATLANTA PIM L-181 NDB (MHW) 272 at Harris Co. Unmonitored. PINE MOUNTAIN HARRIS CO (PIM) 2 SW UTC-5(-4DT) N32°50.44′ W84°52.95′ ATLANTA FUEL 100LL, JET A+ NOTAM FILE MCN H-9A, 12F, L-18I RWY 09-27: H5002X100 (ASPH) S-20 MIRL IAP RWY 09: VASI(V4R)-GA 3.5° TCH 31'. Trees. RWY 27. Trees AIRPORT REMARKS: Attended Thu-Mon 1400-2200Z‡, Arpt unattended

COMMUNICATIONS: CTAF/UNICOM 122.8 (R) ATLANTA APP/DEP CON 125.5 (blo 7000') 126.55 (7000' & abv) **CLNC DEL** 127.7 (1115-0500Z‡)

ATLANTA CENTER APP/DEP CON 120.45 (0500-1115Z±)

Mon thru Thu. Fuel 24 hr self svc with credit card. Deer on and invof arpt. ACTIVATE MIRL Rwy 09-27 and VASI Rwy 09-CTAF.

CLNC DEL 120.45 RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. LAGRANGE (H) VORTAC 115.6 LGC Chan 103 N33°02.95'


W85°12.37' 126° 20.6 NM to fld. 790/01E.

PINE MOUNTAIN NDB (MHW) 272 PIM N32°50,57′ W84°52,36′ at

fld. Unmonitored.

C3 C3

(3



(See CEDARTOWN)

PLANTATION AIRPARK (See SYLVANIA) POLK CO ARPT-CORNELIUS MOORE FLD

PRISON N32°03.46′ W82°09.14′ NOTAM FILE MCN.

NDB (MHW) 424 RVJ

at Swinton Smith Fld At Reidsville Muni.

N31°27.37′ W84°16.57′ NOTAM FILE ABY.

QUITMAN BROOKS CO (4J5) 2 NW UTC-5(-4DT) NOTAM FILE MCN

NDB (MHW/LOM) 227 AB

RWY 09-27: H3600X75 (ASPH) MIRI

RWY 27: PAPI(P2L). Pole. RWY 09: PAPI(P2L). Trees. AIRPORT REMARKS: Unattended. MIRL Rwy 09-27 and PAPI Rwy 09 and

Rwv 27 preset on low ints dusk-0100Z±, to incr ints ACTIVATE-CTAF. After 0100Z# ACTIVATE-CTAF.

COMMUNICATIONS: CTAF 122.9

RADIO AIDS TO NAVIGATION: NOTAM FILE VLD. VALDOSTA (H) VOR/DME 114.8 OTK Chan 95 W83°16.78' 277° 15.9 NM to fld. 199/2W.

REDAN N33°38.72′ W84°18.68′

NDB (MHW/LOM) 266 BR

043°6.3 NM to Southwest Georgia Rgnl. L-221 N30°48.31′ W83°35.21′ JACKSONVILLE L-21D. 22J €3 ß G G 3600 X 75 cs Ø 03 03 €3 €3

(3

NOTAM FILE ATL.

269° 5.8 NM to Hartsfield-Jackson Atlanta Intl.

N30°46.83′

ATLANTA L-18J. A

ATLANTA L-24H

IACKSONVILLE

SE. 23 SEP 2010 to 18 NOV 2010

B FUEL 100LL NOTAM FILE MCN

S-30

AIRPORT REMARKS: Unattended, Self svc fuel 24 hr. Arpt bcn OTS indef. ACTIVATE PAPI Rwys 11 and 29-CTAF. MIRL Rwy 11-29 preset low ints dusk-0230Z±: to increase ints and ACTIVATE after

Chan 98

AF (ANG AFRC)

NOTAM FILE WRB

PCN 48 R/B/W/T

0.6% up SE

N31°32.19′

10 SF

RWY 33: ALSF2. PAPI(P4L). Rgt tfc.

PTD 134.1 372.2

Barksdale AFB DSN 331-2651/2652/2653, C318-529-2651/2652/2653, or toll free C866-223-9328. Full

CONTROL) 225.925 (Robins ALC-Maintenance acft only, not for relay of svc passenger cargo pickup req.)

Chan 89 N32°41.47′ W83°38.83′

at fld.

Not insp.

RWY 11-29: H3802X75 (ASPH)

0230Z±-CTAF.

COMMUNICATIONS: CTAF 122.9

R JAX CENTER APP/DEP CON 132.3 RADIO AIDS TO NAVIGATION: NOTAM FILE AMG. ALMA (H) VORTAC 115.1 AMG

RWY 11: PAPI(P2L)-GA 3.0° TCH 28'. RWY 29: PAPI(P2L)-GA 3.0° TCH 33'. Trees.

RFINSVILLE SWINTON SMITH FLD AT REIDSVILLE MUNI (RVJ)

PRISON NDB (MHW) 424 RVJ N32°03.46′ W82°09.14′ NOTAM FILE MCN.

W82°30.49' 030° 36.2 NM to fld. 200/00E. HIWAS.

(See ROME)

FLUID SP PRESAIR LHOX LOX LHNIT

ATIS 119.475 233.4

GND CON 121.85 275.8

116 ANG OPS (PEACH OPS) 293.525 ARNG OPS 36.10 327.2

(R)ATLANTA CENTER APP/DEP CON 134.5 360.75

AFMC COMD POST (BLACK KNIGHT CONTROL) 311.0

MCN

Rwv 15.

Rwy 33.

JASU 2(A/M-60) 9(A/M323A-86).

\$/~0. C3 n n 1

3 SW UTC-5(-4DT) N32°03.54′ W82°09.10′

UTC-5(-4DT) N32°38.41' W83°35.51'

OIL 0-148-156 SOAP Avbl weekdays 1200-1900-Z‡.

BAK-14 BAK-12B(B) (1651') HOOK BAK-9(B) (37' OVRN) RWY 33

ROBINS AFB (WRB)(KWRB) В Class I, ARFF Index A

RICHARD B. RUSSELL

RWY 15-33: H12001X300 (PEM) RWY 15: ALSF1 PAPI(P4L).

> ARRESTING GEAR/SYSTEM RWY 15 HOOK BAK-9(B) (48' OVRN) BAK-14 BAK12B(B) (1926')

MILITARY SERVICE: A-GEAR BAK-12B—extension. BAK-9(B) Disconnected on apch end. LGT All rwy thid gated.

ALERT Opr weekdays 1100-0200Z‡, weekends 1300-2100Z‡ and clsd hol. Fleet svc not avbl. Tran acft not

allowed when tran alert not avbl.

C478-2313. COMMUNICATIONS: SFA

R ATLANTA APP/DEP CON 124.2 279.6 (blo 7000') 119.6 388.2 (7000' and abv) (1200-0500Z‡), other times ctc

TOWER 133.225 316.125

AIRSPACE: TRSA svc ctc ATLANTA APP CON 20 NM out. RADIO AIDS TO NAVIGATION: NOTAM FILE MCN. MACON (H) VORTAC 114.2 **IIS** 111 7

ROME N34°09.75′ W85°07.17′

svc 24 hr.)

ILS 110.1

I-R IM

I-WRB

NOTAM FILE RMG.

(H) VORTACW 115.4 RMG Chan 101 188° 8.7 NM to Cornelius-Moore, 1150/01E. HIWAS. RCO 122.3 (MACON RADIO)

SE, 23 SEP 2010 to 18 NOV 2010

MILITARY REMARKS: See FLIP AP/1 Supplementary Arpt Remarks. RSTD PPR all acft, ctc Base OPS DSN 468-2114, C478-926-2114, fax extension 7480. PPR will be good for +/- 1 hr. Coordination of PPR outside of block time by phone rgr or will be considered cancelled. Base OPS opr 24 hr. CAUTION On apch Rwy 15, do not mistake Middle Georgia Rgnl Arpt 3.3 NM NW for Robbins AFB. All arrival/dep helicopter using helipad exercise caution, uncontrolled vehicle opr on twy N of helipad. 3 lgt TV twr 6.5 NM NE 1212'. Bird Watch Condition Phase II from

Sep thru Feb from SR-30 to SR+60 and SS-30 to SS+60, dates are subject to change with the migratory

AFRC COMD POST (GUNRUNNER) 372.175

PMSV METRO 349.85 (Remote briefing svc avbl 26 OWS

season. See NOTAMs for updates. NS ABTMT Strict adherence to procedure, acft rstd to full stop only between 0400-1100Z‡. CSTMS/AG/IMG CSTMS, AG on call with 2 hr prior notice rgr. US military personnel and dependents only, MISC Dep acft do not turn on transponder until entering rwy, Acft with VIP ctc PTD 30 minutes prior with firm block time. Standard USAF RSRS applied. ANG Opr Mon-Fri 0900-0400Z‡, exc hol, DSN 241-2313,

MAINT CONTROL CENTER (EAGLE

136° 4.2 NM to fld. 381/1E.

ATLANTA

H-9A, 12F, L-18I

TRAN

ATI ANTA

DIAP. AD

H-9B, 12F, L-18J

ΔΤΙ ΔΝΤΔ

L-24H

IAP

ROME

RICHARD B. RUSSELL (RMG) 6 N UTC-5(-4DT) N34°21.05′ W85°09.52′ S4 FUEL 100, JET A Class IV, ARFF Index A NOTAM FILE RMG


ΔΤΙ ΔΝΤΔ H-9A, 12F, L-18I

IAP. AD

JACKSONVILLE

IAP

H-9B, 12F, L-24G, A



RWY 01-19: H6006X143 (ASPH-GRVD) S-52, D-57, 2D-114 RWY 01: MALSR. PAPI(P4L)-GA 3.0° TCH 46'. Tree.

RWY 19: PAPI(P4L), Trees. RWY 07-25: H4497X100 (ASPH) S-16. D-30 0.4% un W

RWY 07: Thid dsplcd 115'. Tree. RWY 25: Tree. AIRPORT REMARKS: Attended 1200-0100Z±, Parachute Jumping. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 48 hrs PPR call arpt manager

706-295-7835. Military air cargo drop (C-130) in progress 2330-0130Z‡ Tue and Thu at NE end of Rwy 07-25. Ultralgt activity on and invof arpt. Deer on and invof arpt. ACTIVATE HIRL Rwy 01-19; PAPI Rwy 01 and Rwy 19 and MALSR Rwy 01-CTAF. VOR ground checkpoints avbl. Barrels on ramp area SW of terminal bldg.

WEATHER DATA SOURCES: ASOS 119.925 (706) 235-3467. HIWAS 115.4 RMG.

COMMUNICATIONS: CTAF/UNICOM 123.0 R ATLANTA CENTER APP/DEP CON 133.8

RADIO AIDS TO NAVIGATION: NOTAM FILE RMG.

ROME (H) VORTACW 115.4 RMG Chan 101 N34°09 75' W85°07.17' 349°11.4 NM to fld. 1150/01E.

HIWAS. FLOYD NDB (MHW) 388 OYD N34°17.93′ W85°09.85′

007° 3.1 NM to fld (Unmonitored indef) ILS/DME 111.15 I-HBO Chan 48(Y) Rwy 01. LOC unmonitored 0600-1600Z±

ROOSEVELT MEML (See WARM SPRINGS)

RUST AIRSTRIP (See WOOLSEY)

ST MARYS UTC-5(-4DT) N30°45.20′ W81°33.50′ (4J6)2 N

R 23 FUEL 100LL, JET A+ NOTAM FILE MCN

RWY 04-22: H5021X100 (ASPH) S-20

RWY 04: Thid dsplcd 758'. Trees/Brush.

RWY 22: Thid dspicd 981'. Trees/Brush.

RWY 13-31: H4000X75 (ASPH)

RWY 13: Thid dsplcd 699'. Trees. RWY 31: Thid dspicd 700'. Trees.

AIRPORT REMARKS: Attended 1300-2130Z‡. 100LL self svc fuel with credit card. Parachute Jumping. Recommend two-way radio

communications be utilized with the controlling agencies, while flying in the vicinity of St. Mary's arpt due to a flight restriction 1/2 to 21/2 miles N, NE of arpt. Rwy 04-22 lighting does not indicate dsplcd thld. MIRL Rwy 04-22 preset low ints; to increase ints ACTIVATE—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.8

R JACKSONVILLE APP/DEP CON 127.0 RADIO AIDS TO NAVIGATION: NOTAM FILE SSI.

BRUNSWICK (L) VORTAC 109.8 SSI Chan 35 N31°03.03'

W81°26.76' 202° 18.7 NM to fld. 10/04W. ASR

æ **43 €**3 €3 **C**3 €3 €3 Ø 3 (3 C 0

SANDERSVILLE

KAOLIN FLD (OKZ) 2 SW UTC-5(-4DT) N32°58.00′ W82°50.29′

438 B S4 FUEL 100LL, JET A NOTAM FILE MCN RWY 12-30: H5015X75 (ASPH) S-17 MIRL 0.6% up SE

RWY 12: PAPI(P2L)-GA 3.0° TCH 35'.

RWY 30: PAPI(P2L)-GA 3.6° TCH 38'. AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Deer on and invof

rwys and twys. MIRL Rwy 12-30 preset low ints dusk-0300Z‡, to increase ints and ACTIVATE after 0300Z‡—CTAF. ACTIVATE PAPI

Rwvs 12 and 30-CTAF.

WEATHER DATA SOURCES: AWOS-3 120.575 (478) 240-9432.


COMMUNICATIONS: CTAF/UNICOM 123.0

R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv) (1115-0500Z‡)

ATLANTA CENTER APP/DEP CON 123.95 (0500-1115Z±) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81' W82°49.80' 004° 24.2 NM to fld. 300/05W. HIWAS.

NDB (MH) 360 HIT N33°01.02′ W82°56.37′ 125°5.9 NM to fld. NDB unmonitored 2330-1330Z‡.



ATLANTA

H-9B, 12F, L-18J

GEORGIA SAVANNAH/HILTON HEAD INTL (SAV) 7 NW UTC-5(-4DT) N32°07.66′ W81°12.13′ CHARL OTTE FUEL 100LL, JET A OX 1, 2, 3, 4 TPA—See Remarks LRA H-9B. 12G. L-24H R Class I. ARFF Index C NOTAM FILE SAV IAP. AD RWY 10-28: H9351X150 (CONC-GRVD) S-75, D-190, 2S-175, HIRL CI RWY 10: MALSR(NSTD). TDZL. PAPI(P4L)-GA 3.0° TCH 69'. RWY 28: REIL, VASI(V4L)-GA 3.0° TCH 55'. RWY 01-19: H7002X150 (CONC-WC) S-75, D-190, 2S-175, 2D-310 HIRI RWY 01: PAPI(P4L)-GA 3.0° TCH 73'. RWY 19: REIL. VASI(V4R)-GA 3.0° TCH 52'. LAND AND HOLD SHORT OPERATIONS LANDING HOLD SHORT POINT DIST AVRI RWY N1 10-28 4050 **RWY 10** 5450 01 - 19**RWY 28** 01-19 3250 RUNWAY DECLARED DISTANCE INFORMATION RWY 01: TORA-7002 TODA-7002 ASDA-7002 LDA-7002 RWY 10: TORA-9351 TODA-9351 ASDA-9201 I DA-9201 RWY 19: TORA-7002 TODA-7002 ASDA-7002 LDA-7002 RWY 28: TORA-9351 TODA-9351 ASDA-9351 LDA-9351 MATSAS/AND SNITSBARY RWY 10 BAK-14 BAK-12A(B) (1500') BAK-14 BAK-12A(B) (1977') RWY 28 AIRPORT REMARKS: Attended 1100-0500Z‡. CAUTION-Birds and deer on and invof arpt. No 180 degree turns on ASPH for acft over 12500 lbs gross. Twy A south of Twy A4 CLOSED when ATCT clsd due to ILS critical area. Twy B2 Twy C2 are limited to 12500 lbs. South general aviation apron clsd to acft with wingspan greater than 95'. Twys B, C and E limited to dual wheel acft up to 173,000 lbs and dual tandem wheel acft up to 310,000 lbs. Twy E clsd from Rwy 28 to but not including Twy E2 to acft with wingspan of 175' or greater. Twy E west of Twy E1 clsd when twr clsd due to ILS critical area. Twy E2 connector clsd to acft ldg Rwy 28. Distance from touchdown too short for safe turn. Rwy 01 touchdown rwy visual range avbl. TPA-conventional 1550 (1500), overhead 2050 (2000). PPR for parking of general aviation acft on the air carrier terminal ramp ctc 912-964-7501. When twr clsd ACTIVATE REIL Rwy 28 and rwy/apch lgts for preselected favorable rwy—CTAF. MALSR Rwy 10 NSTD; spacing does not meet FAA standards. Flight Notification Service (ADCUS) avbl. WEATHER DATA SOURCES: ASOS (912) 966-0364. HIWAS 115.95 SAV. LLWAS. COMMUNICATIONS: CTAF 119.1 ATIS 123.75 UNICOM 122.95 RCO 115.95T 122.1R (MACON RADIO) RC0 123.65 (MACON RADIO) R APP/DEP CON 125.3 (011°-109°) 118.4 (270°-010°) 120.4 (110°-269°) 121.1 (1100-0500Z‡)

JACKSONVILLE CENTER APP/DEP CON 120.85. (0500-1100Z‡)

TOWER 119.1 (1100-0500Z‡) GND CON 121.9 CLNC DEL 119.55

AIRSPACE: CLASS C svc 1100-0500Z‡ ctc APP CON other times CLASS E.

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

(H) VORTAC 115.95 SAV

194° 1.1 NM to fld. 9/6W. HIWAS. Chan 106(Y) N32°08.78′ W81°11.95′ DME unusable:

342°-343° byd 30 NM

085°-100° byd 39 NM blo 3000';

126°-132° bvd 33 NM blo 3000':

N32°07.79′ W81°19.89′ 097° 6.6 NM to fld. MAVIS NDB (LOM) 368 SA

Rwy 10. LOM MAVIS NDB. IIS 109 9 I-SAV

I-TPV ILS 111.9 Rwy 01. Class IA. LOC unusable byd 30° left of course. LOC unusable from 1.2 NM to thid

GEORGIA 196 **SLOVER** N31°33.15′ W81°53.24′ NOTAM FILE MON

NDB (MHW) 340 JES SOPERTON

TREUTLEN CO

at Jesup-Wayne Co. AWOS-A. UTC-5(-4DT) N32°23.24′ W82°33.80′

HIRL 0.4% up NW

RWY 16-34: H3000X50 (ASPH) RWY 16: Trees. RWY 34: Trees.

(4J8) 2 E

NOTAM FILE MCN

AIRPORT REMARKS: Unattended. COMMUNICATIONS: CTAF 122.9

HIRL Rwy 14-32 preset on med ints dusk-0400Z‡, to increase ints and ACTIVATE MIRL after 0400Z‡—CTAF. ACTIVATE MALSR

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81′ W82°49.80′ 133° 17.2 NM to fld. 300/05W. HIWAS. SOUTHER FLD (See AMERICUS)

SOUTHWEST GEORGIA RGNL (See ALBANY)

SPENCE (See MOULTRIE)

STATESBORO-BULLOCH CO (TBR) 3 NE

NOTAM FILE TBR

UTC-5(-4DT) N32°28.97′ W81°44.22′

FUEL 100LL, JET A1 \$6 RWY 14-32: H6000X100 (ASPH) S-27. D-40 RWY 14: PAPI(P2L)-GA 4.0°TCH 40'. Trees. RWY 32: MALSR. PAPI(P2L)—GA 3.0°TCH 31'. Dsplcd thid 300'.

Trees RWY 05-23: H4383X100 (ASPH) RWY 05: Trees. RWY 23: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-0000Z±. Sat-Sun 1400-2200Z‡. 24 hr self-svc fuel avbl. Deer on and invof arpt.

Rwy 32 and PAPI Rwy 14 and Rwy 32-CTAF. WEATHER DATA SOURCES: AWOS-3 119.025 (912) 764-9321 COMMUNICATIONS: CTAF/UNICOM 122.8 RCO 122.6 (MACON RADIO)

R SAVANNAH APP/DEP CON 118.4 (1100-0500Z‡) R JAX CENTER APP/DEP CON 132.5 (0500-1100Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV. SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11 95' 313° 34 NM to fld. 9/6W. HIWAS.

BULLO NDB (MHW/LOM) 407 BZ N32°24.92′ W81°39.84′ 323° 5.5 NM to fld. NOTAM FILE MCN. ILS 111.5 I-BZO Rwy 32. LOM BULLO NDB. LOC unmonitored 0000-1300Z‡.

STOCKBRIDGE (4AØ) 3 E UTC-5(-4DT) N33°32.13′ W84°10.74′ BERRY HILL

> FUEL 100LL NOTAM FILE MCN RWY 11-29: H3000X40 (ASPH) RWY LGTS (NSTD)

RWY 11: Thid dsplcd 995', P-line. RWY 29: Thid dsplcd 597'. Treeline.

AIRPORT REMARKS: Attended irregularly. Ngt tkfs prohibited. Rwy 11-29 badly cracked, grass in cracks. Rwy Igts NSTD

in number, type, and globe color.

RADIO AIDS TO NAVIGATION: NOTAM FILE ATL.

ATLANTA (H) VORTAC 116.9 ATL

COMMUNICATIONS: CTAF/UNICOM 122.8

JACKSONVILLE I-24H

> ATLANTA I-24H

CHARLOTTE

€3

Œ

€3

ATI ANTA

L-18J, A

Ø

H-9B, 12G, L-24H

Δı


3

Chan 116 N33°37.75′ W84°26.11′ 114° 14.0 NM to fld. 1000/00E.

SE, 23 SEP 2010 to 18 NOV 2010

SWAINSRORD EMANUEL CO

(SBO) 2 NW UTC-5(-4DT) N32°36.55′ W82°22.20′ B S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE MCN



RWY 13-31: H6021X100 (ASPH) S-45, D-65, 2S-83, 2D-120 RWY 13: PAPI(P4L). Trees. RWY 31: Trees. AIRPORT REMARKS: Attended Mon-Sat 1300-2200Z±. Sun 1800-2200Z±. For after hrs fuel-self service, PAEW north side of Rwy 13-31 indef. Rwy 13 PAPI OTS indef. ACTIVATE PAPI Rwy

WEATHER DATA SOURCES: AWOS-3 133.375 (478) 237-8437

COMMUNICATONS: CTAF/UNICOM 122.975 ATLANTA CENTER APP/DEP CON 135.55

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

13 and HIRL Rwv 13-31-CTAF.

DUBLIN (L) VORTAC 113.1 DBN Chan 78 N32°33.81' W82°49.80' 088° 23.5 NM to fld. 300/05W. HIWAS.

NDB (MHW) 309 EEX N32°39.99' W82°27.16' 133° 5.4

NM to fld. ILS 109.35 I-SBO Rwv 13. LOC onlv.

SWINTON SMITH FLD AT REIDSVILLE MUNI (See REIDSVILLE)

SYLVANIA N32°38.95′ W81°35.66′ NOTAM FILE MCN.

NDB(MHW) 245 JYL at Plantation Airpark.

CHARLOTTE

H-9B, 12G, L-24I

CHARL OTTE

L-241

IAP

ΔΤΙ ΔΝΤΔ

H-9B. 12F. L-24H

SYI VANIA

PLANTATION AIRPARK (JYL) 7 S UTC-5(-4DT) N32°38.72′ W81°35.83′

B S2 FUEL 100LL NOTAM FILE MCN

0.4% up NE RWY 05-23: H5000X100 (ASPH) S-20 MIRL

RWY 05: PAPI(P2L)-GA 3.0° TCH 39'. Trees. Rgt tfc. RWY 23: PAPI(P2L)-GA 3.0° TCH 31'.

RWY 15-33: H3787X75 (ASPH)

RWY 15: Trees. Rgt tfc.

AIRPORT REMARKS: Attended dalgt hrs. Parachute Jumping. Rwy 05-23

sfc cracking, PAPI Rwy 05 and Rwy 23 opr continuously, MIRL Rwy 05-23 preset on low ints dusk-0600Z‡; to increase ints and ACTIVATE after 0600Z‡—CTAF.

WEATHER DATA SOURCES: AWOS-3 118.875 (912) 857-9000. COMMUNICATIONS: CTAF/UNICOM 122.8

(R) JAX CENTER APP/DEP CON 132.5

RADIO AIDS TO NAVIGATION: NOTAM FILE SAV.

SAVANNAH (H) VORTAC 115.95 SAV Chan 106(Y) N32°08.78' W81°11.95' 332° 36.1 NM to fld. 9/6W.

2AWIH SYLVANIA NDB(MHW) 245 JYL N32°38.95′ W81°35.66′

NOTAM FILE MCN.

~ Ø €3 **(3** g١ ීද €3 Ø Œ Œ €3 **(3** Taxiway C3 Not Used Œ **(3** 63 ୍ଦ ^ପଦ €3 €3 €3

SYLVESTER (SYV) 3 NW UTC-5(-4DT) N31°33.38' W83°53.65' JACKSONVILLE NOTAM FILE MCN 1-181 403 В RWY 01-19: H3293X75 (ASPH) S-26 MIRI Ø €3 RWY 01: PAPI(P2L) Trees. RWY 19: PAPI(P2L) Trees. €3 ß AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 01-19 and PAPI 03 Ø Rwy 01 and Rwy 19-CTAF. €3 ß COMMUNICATIONS: CTAF/UNICOM 122.8 Ø (R) JAX CENTER APP/DEP CON 125.75 Œ RADIO AIDS TO NAVIGATION: NOTAM FILE ABY. Ø PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31' €3 €3 W84°17.59' 108° 21.3 NM to fld. 280/02W. HIWAS. Œ €3 C3 at 63 €3 €3 €3 (3 €3 €3 a n **63** a TELFAIR-WHEELER (See Mc RAE) THOMASTON-UPSON CO 5 NE UTC-5(-4DT) N32°57.30′ W84°15.85′ (OPN) ATLANTA S4 FUEL 100LL, JET A1+ NOTAM FILE OPN Not insp. H-9A, 12F, L-18J B RWY 12-30: H6350X100 (ASPH) S-20, D-50 MIRI RWY 12: PAPI(P2L)-GA 3.0° TCH 27'. Thid dsplcd 648'. Trees. RWY 30: MALSR. PAPI(P2L)-GA 3.0° TCH 27'. Thid dspicd 699'.

AIRPORT REMARKS: Attended 1300-2300Z‡. For svc after hrs call 706-647-7143. Parachute Jumping. ACTIVATE MALSR Rwy 30

and PAPI Rwy 12 and Rwy 30-CTAF. MIRL Rwy 12-30 preset med

ints dusk-0500Z‡; after 0500Z‡ ACTIVATE-CTAF, WEATHER DATA SOURCES: AWOS-3 133.975 (706) 646-4123 COMMUNICATIONS: CTAF/UNICOM 122.8 R ATLANTA APP/DEP CON 124.2 (blo 7000') 119.6 (7000' and abv)

(1115-0500Z±) ATLANTA CENTER APP/DEP CON 134.5 (0500-1115Z‡)

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.


MACON (H) VORTAC 114.2 MCN Chan 89 N32°41.47' 296° 35 NM to fld. 381/01E.

W83°38.83' YATES NDB (MHW/LOM) 339 OP N32°55.14' W84°11.24' 302° 4.4 NM to fld

ILS/DME 109.75 I-OPN Chan 34(Y) Rwy 30. Class IB. LOM YATES NDB.

IAP

IACKSUNVILLE



H-9B. 12F. L-21D. 22J ΙΔΡ

RWY 04-22: H5496X100 (ASPH)

RWY 04: PAPI(P2L)-GA 3.0° TCH 51'. Trees. RWY 22: MALSF, REIL, PAPI(P2L)-GA 3.0°TCH 59', Trees.

RWY 14-32: H5000X100 (ASPH) S-20 LIRL 0.3% up NW RWY 14: Trees. RWY 32: Trees.

AIRPORT REMARKS: Attended Mon-Fri 1100-0100Z‡, Sat-Sun

1300-2300Z‡. Glider activity on and invof arpt. MIRL Rwy 04-22 preset low ints, to increase ints and ACTIVATE MALSF-CTAF.

ACTIVATE PAPI Rwy 04 and Rwy 22 during dalgt hours-CTAF, after dusk PAPI Rwy 04 and Rwy 22 opr continuously. WEATHER DATA SOURCES: AWOS-3 119.175 (229) 225-4336.

COMMUNICATIONS: CTAF/UNICOM 123.075

RC0 122.55 (MACON RADIO)

R VALDOSTA APP/DEP CON 119.525 (8,000' and abv) 126.6 (blo 8,000') (Opr Mon-Thu 1200-0700Z‡, Fri 1200-0300Z‡, Sat, Sun and hol 1400-22007t)

R JAX CENTER APP/DEP CON 135.325 (Mon-Thu 0700-1200Z‡, Fri

0300-1200Z±. Sat. Sun and hol 2200-1400Z±) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

MOULTRIE (L) VOR/DME 108.8 MGR Chan 25 N31°04.94' W83°48.25' 202° 11.5 NM to fld. 290/02W.

PATTEN NDB (MHW) 245 GTP N30°57.45′ W83°49.60′ 222° 4.4 NM to fld.

Unmonitored 0200-1100Z # Mon-Fri, 0500-1700Z # Sat-Sun.

Unmonitored 0200-1100Z‡ Mon-Fri, 0500-1700Z‡ Sat-Sun. II S/DMF 110 1 I_TVI Chan 38 Rwy 22. GS unusable blo 600'.

THOMSON-McDUFFIE CO (HQU) 4 N UTC-5(-4DT) N33°31.78′ W82°31.02′ FUEL 100LL, JET A NOTAM FILE MCN S8 RWY 10-28: H5503X100 (ASPH) S-30, D-50, 2D-87 HIRL RWY 10: PAPI(P2L)—GA 3.0° TCH 52'. Thid dsplcd 295'. Treeline. RWY 28: PAPI(P2L)—GA 3.0° TCH 28'. Thid dspicd 200'. Trees.

AIRPORT REMARKS: Attended 1230-2230Z‡. Deer on rwy at ngt. ACTIVATE HIRL Rwv 10-28, PAPI Rwv 10 and Rwv 28-CTAF. WEATHER DATA SOURCES: AWOS-3 120.625 (706) 597-9801.

COMMUNICATIONS: CTAF/UNICOM 122.8 R AUGUSTA APP/DEP CON 126.8 (1145-0400Z‡)

R ATLANTA CENTER APP/DEP CON 128.1 (0400-1145Z‡)

GCO 121.725 (FLIGHT SERVICES)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 IRO Chan 86 N33°42.44'

W82°09.72' 243° 20.7 NM to fld. 428/04W.

N33°32.00′ W82°36.86′ CEDAR NDB (MHW/LOM) 341 AA

4.9 NM to fld. NOTAM FILE MCN.

NDB unusable byd 15 NM.

ILS 110.75 I-AAO Rwy 10. LOM CEDAR NDB.

TIFT MYERS N31°25.72′ W83°29.33′ NOTAM FILE MCN.

(T) VORW 112.5 IFM at Henry Tift Myers. VOR portion unusable 301°-324°.

RC0 122.35 (MACON RADIO)

TIFTO N31°21.80′ W83°26.64′ NOTAM FILE MCN.

NDB (MHW/LOM) 409 TM 333° 4.5 NM to Henry Tift Myers.

€3 €3 3 Œ Œ €3 Ø €3 €3 3 €3 €3 €3 **(3** Œ Ø 3 63 3 €3 **3** 3 €3 €3 Œ Œ €3 ¢ €3 €3 a (3 C3 Ø 03 **43**

Ø

ΙΔΡ 0.9% up E 63 €3 Œ €3

JACKSONVILLE

ATLANTA

H-9B, 12G, L-24I

L-18J, 22J

JACKSONVILLE L-18J, 22J

SE. 23 SEP 2010 to 18 NOV 2010

096°

TIFTON

HENRY TIFT MYERS (TMA) N31°25.74′ W83°29.31′ 2 UTC-5(-4DT) S4 FUEL 100LL, JET A OX 3, 4 NOTAM FILE MCN RWY 15-33: H5504X100 (ASPH) S-42, D-60, 2D-106

RWY 15: PAPI(P2L). Trees. RWY 33: MALSR, PAPI(P2L), Trees.

RWY 10-28: H3805X75 (ASPH) S-30, D-45, 2D-75

RWY 10. Trees

RWY 28: Trees

AIRPORT REMARKS: Attended 1200-2200Z‡. After hrs svc: 229-382-2545. Parachute Jumping. ACTIVATE HIRL Rwy 15-33,

PAPI Rwv 15 and Rwv 33 and MALSR Rwv 33-CTAF. WEATHER DATA SOURCES: AWOS-3 118.525 (229) 387-7291.

COMMUNICATIONS: CTAF/UNICOM 122.7.

TIFT MYERS RCO 122.35 (MACON RADIO)

(R) VALDOSTA APP/DEP CON 119.525 (8,000' and abv) 126.6 (blo

8.000') (Opr Mon-Thu 1200-0700Z±, Fri 1200-0300Z±, Sat. Sun and hol 1400-2200Z±) R JAX CENTER APP/DEP CON 133.7 (Mon-Thu 0700-1200Z‡, Fri

0300-1200Z‡, Sat, Sun and hol 2200-1400Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE ABY.

PECAN (H) VORTACW 116.1 PZD Chan 108 N31°39.31'

W84°17.59′ 110° 43.5 NM to fld. 280/02W. TIFT MYERS (T) VORW 112.5 IFM N31°25.72' W83°29.33'

TIFTO NDB(MHW/LOM) 409 TM N31°21.80′ W83°26.64′ **ILS/DME** 109.7 I-TMA Chan 34 Rwy 33. LOM TIFTO NDB.

TOCCOA RG LETOURNEAU FLD (TOC) 2 NE UTC-5(-4DT) FUEL 100LL, JET A NOTAM FILE MCN RWY 02-20: H5008X100 (ASPH) S-30 MIRL 0.5% up SW

RWY 02: PAPI(P2L)-GA 3.25° TCH 32'. Trees. RWY 20: REIL. PAPI(P2L)-GA 3.0° TCH 33'. Trees.

RWY 09-27: H2951X50 (ASPH)

S-20 0.8% up W RWY 09: Treeline. RWY 27: Trees.

AIRPORT REMARKS: Attended Mon-Sat 1400-2300Z‡, Sun 1700-2300Z‡. MIRL Rwy 02-20 opr dusk-0300Z‡, after 0300Z‡

ACTIVATE MIRL Rwy 02-20, REIL Rwy 02 and Rwy 20, PAPI Rwy 02 and Rwy 20-CTAF.

WEATHER DATA SOURCES: AWOS-3 119.625 (706) 297-7473. COMMUNICATIONS: CTAF/UNICOM 122.8

(R) ATLANTA CENTER APP/DEP CON 134.8

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

FOOTHILLS (H) VORTAC 113.4 ODF Chan 81 N34°41.75'

W83°17.86' 179° 6.2 NM to fld. 1700/00E.

C3 C3 C3 æ^{જે} 73 Œ ଓ ଓ ଓ 0.3% up W a ଫ୍ଟଫ C C 380.5 CO ¢ at fld. NOTAM FILE MCN.


IACKSONVILLE

IAP

H-9B, 12F, L-18J. 22J

333° 4.5 NM to fld. NOTAM FILE MCN. ILS/DME unusable byd 17° left of course.

N34°35.57′ W83°17.78′ ATLANTA H-9B, 12G, L-25B



TOM B. DAVID FLD (See CALHOUN)

TREUTLEN (See SOPERTON)

TURNER CO (See ASHBURN)

IACKSUNVILLE

H-9B. 12F. L-21D. 22J

VALDOSTA RGNL (VLD) 3 S UTC-5(-4DT) N30°46.88′ W83°16.57′

S4 FUEL 100LL, JET A1 + ARFF Index—See Remarks

NOTAM FILE VLD 203 R RWY 17-35: H8002X150 (ASPH-GRVD) S-60, D-98, 2S-124, 2D-180 RWY 17: REIL. PAPI(P4L)-GA 3.0°TCH 51'. Trees.

RWY 35: MALSR. PAPI(P4L)-GA 3.0° TCH 51'. Trees. RWY 04-22: H5598X100 (ASPH-GRVD) S-24, D-95 MIRL

RWY 04: REIL, PAPI(P4L)-GA 3.25° TCH 46', Trees.

RWY 22: REIL, PAPI(P4L)—GA 3.25° TCH 51', Trees. RWY 13-31: H3636X75 (ASPH) S-24, D-155

RWY 13: Trees RWY 31: Trees.

AIRPORT REMARKS: Attended 1000-0200Z±, Contact FBO

229-242-3175. Contract Jet A fuel avbl from FBO for military acft, Class I, ARFF Index A, Index B coverage avbl upon request.

Rwv 13-31 CLOSED to air carrier ops with more than 30 passenger seats. CLOSED to unscheduled air carrier ops with more than 30 passenger seats except 24 hr PPR call arpt manager 912-333-1833. Rwy 13-31 northwest 860' not visible

from the twr due to trees. When twr clsd ACTIVATE HIRL Rwy 17-35, PAPI Rwv 17 and 35, REIL Rwv 17 and MALSR Rwv 35-CTAF. MIRL Rwys 04-22 and 13-31, PAPI Rwys 04 and 22 and REIL Rwys 04 and 22 unavailable when twr clsd.

WEATHER DATA SOURCES: ASOS 126.225 (229) 245-8746. COMMUNICATIONS: CTAF 120.9 **UNICOM** 122.95

RCO 122.1R 114.8T (MACON RADIO) RCO 122.2 (MACON RADIO)

R APP/DEP CON 119.525 (8,000' and abv) 126.6 (blo 8,000') (Opr Mon-Thu 1200-0700Z‡, Fri 1200-0300Z‡, Sat, Sun and hol 1400-2200Z‡)

R JAX CENTER APP/DEP CON 133.7 (Mon-Thu 0700-1200Z‡, Fri 0300-1200Z‡, Sat, Sun and hol 2200-1400Z‡) TOWER 120.9 (1200-0400Z‡) GND CON 121.7

AIRSPACE: CLASS D svc 1200-0400Z tother times CLASS G.

RADIO AIDS TO NAVIGATION: NOTAM FILE VLD.

N30°46.83′ W83°16.78′ (H) VNR/NMF 114 8 OTK Chan 95 at fld. 199/02W. ILS 110.9 I-VLD Rwv 35. LOC unusable byd 25° left of course and 27° right of course.

VIDALIA RGNL (VDI) 3 SE UTC-5(-4DT) N32°11.56′ W82°22.27′ В FUEL 100LL, JET A1 + TPA—See Remarks NOTAM FILE VDI

RWY 06-24: H6003X100 (CONC) S-30, D-48, 2D-85

RWY 06: REIL. PAPI(P4L)—GA 3.0° TCH 40'. Trees. RWY 24: MALSR. REIL. PAPI(P4L)-GA 3.0° TCH 40'.

RWY 13-31: H5000X150 (CONC) S-30, D-48, 2D-85

RWY 13: Trees RWY 31: Trees.

RUNWAY DECLARED DISTANCE INFORMATION

RWY N6: TORA-5000 TODA-5000 ASDA-5000 LDA-5000 AIRPORT REMARKS: Attended 1300-2300Z‡. Self-serve 100LL avbl 24 hrs with credit card. Rwy 13-31 moderately broken and spalled

concrete outer rwy edges. PPR for Jet A1+ after hrs, call 912-537-3979 or 912-538-0871. TPA-1275(1000) for light acft, 1775(1500) for heavy acft. HIRL Rwy 06-24 preset med ints dusk-0400Z‡, after 0400Z‡-CTAF. ACTIVATE MALSR Rwy 24,

PAPI Rwy 06 and PAPI Rwy 24-CTAF. WEATHER DATA SOURCES: AWOS-3 119.925 (912) 538-0219.

COMMUNICATIONS: CTAF/UNICOM 122.8

R JAX CENTER APP/DEP CON 132.3

ILS 110.3

GCO 121.725 (FLIGHT SERVICES) RADIO AIDS TO NAVIGATION: NOTAM FILE MCN.

I-VDI

DUBLIN (L) VORTAC 113.1


DBN Chan 78 N32°33.81' W82°49.80' 138° 32.2 NM to fld. 300/05W. HIWAS.

ONYUN NDB (MHW) 372 UQN N32°13.40′ W82°17.89′ 248° 4.1 NM to fld. Rwy 24.

VIENNA N32°12.81′ W83°29.84′ NOTAM FILE MCN.

(L) VORTAC 116.5 VNA Chan 112

045° 15.5 NM to Cochran, 300/01E. RC0 122.1R 116.5T (MACON RADIO)



ATLANTA

H-9B. 12F. L-24H

C3 C3

€3 Ø €3

C3 C3

€3

(3 (3 (3 €3 103 Œ (3 G G 3 Λ G, C3 C C à 3 €3 €3 **43** 100 Œ ~ æ Ġ **43** a P003 G G G 43 **63** €3 G G ß 3 3 3 €3 03 03 03 ß C3 C3 Œ 03 03 C3 C3 C3 C3

¢

€3

Firing

ATLANTA

WARM SPRINGS ROOSEVELT MEM (5A9)

3 N UTC-5(-4DT)N32°56.23′ W84°41.77′ S4 FUEL 100LL NOTAM FILE MCN

RWY 17-35: H3000X75 (ASPH) S-28 RWY 35. Trees

AIRPORT REMARKS: Unattended, 100LL self-serve, 24 hrs, Rwy 17 trees 125' left of centerline extd. Rwy 35 trees 125' left of centerline extd. MIRL Rwy 17-35 ops low ints dusk-0300Z‡, after 0300Z‡ ACTIVATE—CTAF. **COMMUNICATIONS: CTAF 122.9**

RADIO AIDS TO NAVIGATION: NOTAM FILE CSG. COLUMBUS (H) VORTAC 117.1 CSG

RWY 13-31: H4020X75 (ASPH)

Chan 118 N32°36.92' W85°01.06' 039° 25.2 NM to fld. 630/01E. WARNER ROBINS AIR PARK (5A2) 4SW UTC-5(-4DT) N32°33.64′ W83°40.61′ ATLANTA

MIRL 0.3% up NW

409 NOTAM FILE MCN S2 RWY 09-27: 2833X130 (TURF) LIRL

S-30

RWY 27: Thid dspicd 300'. Road. AIRPORT REMARKS: Unattended. Rwy 09-27 outlined with tires. Rwy 27 dsplcd thld marked with lgts. ACTIVATE LIRL

Rwv 09-27--CTAF

COMMUNICATIONS: CTAF 122.9

WASHINGTON-WILKES CO (IIY) 4 NW UTC-5(-4DT)

B S2 FUEL 100LL, JET A NOTAM FILE IIY

RWY 13: PAPI(P2L)-GA 3.0° TCH 31'. Trees. RWY 31: PAPI(P2L)-GA 3.0° TCH 32'. Trees. AIRPORT REMARKS: Attended 1300-2200Z±. Areas byd white rwy end


stripes designated non-movement areas. ACTIVATE MIRL Rwy 13-31. PAPI Rwv 13 and Rwv 31-CTAF. WEATHER DATA SOURCES: AWOS-3 118.375 (706) 678-3647. COMMUNICATIONS: CTAF/UNICOM 122.7

R ATLANTA APP/DEP CON 127.5 (1115-0500Z‡) R ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡) RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86'

W83°19.49' 111° 27.3 NM to fld. 790/00E. HIWAS. NDB(MHW) 435 IIY N33°46.49′ W82°48.79′

NOTAM FILE MCN. SHUTDOWN.



WASSA N32°00.54′ W80°59.20′ NOTAM FILE MCN. NDB (LOM) 335 SV 277° 8.2 NM to Hunter AAF. Opr Mon-Thu 1200-0400Z‡, Fri 1200-2300Z‡, except

holidays.

ATLANTA L-24H

ΔΤΙ ΔΝΤΔ

L-18I

N31°14.90′ W82°23.72′

WAYCROSS—WARE CO (AYS) 3 NW UTC-5(-4DT)

FUEL 100LL, JET A1 NOTAM FILE AYS B RWY 18-36: H6000X100 (ASPH) S-45, D-70, 2S-88 HIRI

RWY 18: MALSR. REIL. PAPI(P2L)-TCH 33'. Tree. RWY 36: Trees. PAPI (P2L).

RWY 05-23: H5035X100 (ASPH) S-18 RWY 05: Trees. RWY 23: Trees. RWY 13-31: H3528X100 (ASPH) S-18

RWY 13: Thid dsplcd 500'. Trees.

AIRPORT REMARKS: Attended Oct-Mar 1200-0000Z‡, Apr-Sep

1300-0100Z‡. For fuel after hrs call 912-287-4335. Parachute Jumping. Rwy pavement cracked, vegetation in rwy and along edges. Unlgtd 344 ft MSL twr 3 mi SE. After 0300Z# ACTIVATE HIRL Rwv 18-36. REIL Rwv 18 and MALSR Rwv 18-CTAF.

RWY 31. Trees

N31°16.17′ W82°33.39

WEATHER DATA SOURCES: AWOS-3 118.575 (912) 287-4466. COMMUNICATIONS: CTAF/UNICOM 122.8

RC0 122.1R 110.2T (MACON RADIO) R JAX CENTER APP/DEP CON 132.3 GCO 121.725 (FLIGHT SERVICES)

AIRSPACE: CLASS E svc continuous. RADIO AIDS TO NAVIGATION: NOTAM FILE AYS.

WAYNESBORO

(L) VORTAC 110.2 AYS Chan 39 099° 8.4 NM to fld. 150/00E.

WIKET NDB (LOM) 219 AY N31°19.54′ W82°23.89′ 183° 4.6 NM to fld.

ILS 108.3 I-AYS Rwv 18. Class IB. LOM WIKET NDB.

BURKE CO (BXG) 3 S UTC-5(-4DT) N33°02.48′ W82°00.16′ NOTAM FILE MCN

RWY 08-26: H4035X75 (ASPH) S-20 MIRI RWY N8: Trees RWY 26: Thid dspicd 100'. Road.

AIRPORT REMARKS: Unattended. ACTIVATE MIRL Rwy 08-26-CTAF. COMMUNICATIONS: CTAF 122.9

R AUGUSTA APP/DEP CON 126.8 (1145-0400Z‡)

(R) ATLANTA CENTER APP/DEP CON 128.1 (0400-1145Z‡)

RADIO AIDS TO NAVIGATION: NOTAM FILE AND. COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44' W82°09.72' 173° 40.7 NM to fld. 428/04W.

NDB(MHW) 356 BXG N33°02.55′ W82°00.29′ at fld. NOTAM FILE MCN. NDB unmonitored.


63 03 03 O O €3 or G **4**3 03 C3 a N 36 Œ ૈલ æ 13 ദേദ്

IACKSONVILLE

ΙΔΡ

ATI ANTA 1-241

H-9B. 12F. L-24H



WEST GEORGIA RGNL-OV GRAY FLD (See CARROLLTON)

W H 'BUD' BARRON (See DUBLIN)

WHITFIELD N34°47.37′ W84°56.76′ NOTAM FILE DNN. NDB (MHW) 400 UWI

140° 5.6 NM to Dalton Muni.

WIKET N31°19.54′ W82°23.89′ NOTAM FILE AYS. NDB (LOM) 219 AY 183° 4.6 NM to Waycross-Ware Co.

L-25A JACKSONVILLE L-24H

ATLANTA

NUSWYIIIM

PEACH STATE (GA2) 1 W UTC-5(-4DT) N33°11.01′ W84°22.30′ S2 FUEL 100LL NOTAM FILE MCN

RWY 13-31: 2400X100 (TURF) RWY 31: Fence. RWY 13: Trees. Rgt tfc.

AIRPORT REMARKS: Attended 1400-2300Z±. Ctc FBO at 770-227-9989. Rwy 13 and 31 thlds marked by tires.

COMMUNICATIONS: CTAF/UNICOM 122 8

WILLIS N30°58.36′ W84°31.56′ NOTAM FILE MCN. NDB (MHW) 359 LYZ 273° 5.7 NM to Decatur Co Industrial Airpark. IACKSONVILLE L-21D, 22I

H-9B, 12G, L-18J

ATLANTA

IAP

ΔΤΙ ΔΝΤΔ

WINDER

BARROW CO (WDR) 3 E UTC-5(-4DT) N33°58.97' W83°40.05'

943 B S4 FUEL 100LL, JET A1 + NOTAM FILE WDR RWY 13-31: H5500X100 (ASPH) S-20 HIRI 0.5% up NW

RWY 13: PAPI(P4L)-GA 3.0° TCH 30'. Trees.

RWY 31: MALSR. PAPI(P4L)—GA 4.0°. Thid dsplcd 340'. Railroad.

RWY 05-23: H3610X100 (ASPH) S-20 MIRL RWY 05: PAPI(P2L)-GA 3.0° TCH 22'. Trees.

RWY 23: PAPI(P2L)-GA 3.0° TCH 40'. Trees.

AIRPORT REMARKS: Attended Mon-Fri 1300-2200Z‡. Deer on and invof arpt. HIRL Rwy 13-31 preset on low ints; to increase ints and ACTIVATE MIRL Rwy 05-23, PAPI Rwy 05, Rwy 23, Rwy 13 and

Rwv 31. MALSR Rwv 31 and twv lgts-CTAF. WEATHER DATA SOURCES: AWOS-3 118.575 (770) 868-0642.

COMMUNICATIONS: CTAF/UNICOM 123.0 R ATLANTA APP/DEP CON 132.475 (blo 7000')

127.5 (abv 7000') (1115-0500Z‡)

R ATLANTA CENTER APP/DEP CON 127.5 (0500-1115Z‡)

GCO 121.725 (FLIGHT SERVICES) RADIO AIDS TO NAVIGATION: NOTAM FILE AHN.

ATHENS (H) VORTAC 109.6 AHN Chan 33 N33°56.86' 274° 17.2 NM to fld. 790/00E. HIWAS. W83°19.49'

BMW N33°56.12′ W83°35.37′ NDB (MHW) 404 311° 4.8 NM to fld. NOTAM FILE WDR. (Unmonitored holidays and daily

0100-1300Z‡). NDB unusable byd 15 NM. ILS/DME 111.5 I-IDR Chan 52 Rwy 31. ILS unmonitored.

WOOLSEY

810

RUST AIRSTRIP (3RU) 2 S UTC-5(-4DT) N33°19.97′ W84°24.05′

NOTAM FILE MCN RWY E-W: 2750X120 (TURF)

RWY E: Trees. RWY W: Trees.

AIRPORT REMARKS: Unattended. COMMUNICATIONS: CTAF 122.9

WRENS MEML (65J) 1 N UTC-5(-4DT) N33°13.37′ W82°23.07′

B NOTAM FILE MCN S-20 MIRI

RWY 11-29: H3000X50 (ASPH)

RWY 11: Trees. RWY 29: Road.

AIRPORT REMARKS: Unattended. Rotating bcn OTS indef. ACTIVATE MIRL Rwy 11-29—CTAF.

COMMUNICATIONS: CTAF/UNICOM 122.7

RADIO AIDS TO NAVIGATION: NOTAM FILE AND.

COLLIERS (H) VORTAC 113.9 IRQ Chan 86 N33°42.44′ W82°09.72′ 205° 31.1 NM to fld. 428/04W.

WRIGHT AAF (FORT STEWART)/MIDCOAST RGNL (See FORT STEWART (HINESVILLE))

YATES N32°55.14′ W84°11.24′ NOTAM FILE MCN.

NDB (MHW/LOM) 339 OP 302° 4.4 NM to Thomaston-Upson Co.

ATLANTA L-18J

ATLANTA

ATLANTA

L-241

2010 U.S. & CANADIAN MILITARY AERIAL AIRCRAFT/PARACHUTE DEMONSTRATIONS

During calendar year 2010, the U.S. and Canadian Military Aerial Demonstration Teams (Thunderbirds, Blue Angels, Snowbirds, and Golden Knights) will be performing on the dates and locations listed below.

Pilots should expect Temporary Flight Restrictions (TFR) in accordance with 14 CFR Section 91.145, Management of aircraft operations in the vicinity of aerial demonstrations and major sporting events. The dimensions and effective times of the TFRs may vary based upon the specific aerial demonstration event and will be issued via the U.S. NOTAM system. Pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding these airspace restrictions.

The currently scheduled 2010 aerial demonstration locations, subject to change without notice, are:

П	DATE:		USAF Thunderbirds	USN Blue Angels	USA Golden Knights	Canadian Snowbirds
П	September	25-26		MCAS Kaneohe		
			McConnell AFB, KS	Bay, HI		Chico, CA
	October	1-3		MCAS Miramar, CA		MCAS Miramar, CA
		2-3	Salinas, CA		MCAS Miramar, CA	
		2-3			Jackson, MS	
		9-10	Little Rock AFB, AR	San Francisco, CA	Little Rock, AFB, AR	Daytona Beach, FL
П		16-17	El Paso, TX	Dobbins AFB, GA	El Paso, TX	Atlanta, GA
		23-24		NAS Jacksonville,		
			Houston, TX	FL	Washington, DC	
		30-31		Ft Worth Alliance,	Ft Worth Alliance,	
			Cocoa Beach, FL	TX	TX	
	November	6-7	Lackland AFB, TX	Homestead ARB, FL	Lackland AFB, TX	
		6-7			Homestead ARB, FL	
		11-14			Ft Bragg, NC	
		12-13		NAS Pensacola, FL		
		13-14	Nellis AFB, NV			

Note: Dates and locations are scheduled "show dates" only and do not reflect arrival or practice date TFR periods that may precede the specific aerial demonstration events listed above. Again, pilots are strongly encouraged to check FDC NOTAMs to verify they have the most current information regarding any airspace restrictions.

COVINGTON, KY, CINCINNATI/NORTHERN KENTUCKY INTL AIRPORT (CVG) Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no

NOISE ABATEMENT PROCEDURES

further than 2 miles from the departure end of parallel runways, due to noise abatement restrictions. AEROBATIC PRACTICE AREA

Jack Edwards Airport (JKA) **Gulf Shores. AL** Aerobatic flight activity will be conducted within a 2 NM radius of airport. Contact UNICOM for traffic and Anniston AFSS for

Fayette County (FYE), Somerville, Tennessee Aerobatic training and practice is conducted in a 3500' symmetrical box located 500 feet west of Rwy 01-19 from the sfc

to 4500 MSL. If surface winds favor Rwy 01, right traffic for that rwy is in effect when area is active. Pilots should use caution within this area. For further information contact Jackson AFSS on 1-901-423-1289.

specific times.

1230-1700Z‡.

533-3113/3352.

overflight of their territory.

CONTROLLED FIRING AREA

Milan, Tennessee

Controlled Firing Area 5 NM radius 2500' & blo of MKL 030/018, eff. Mon-Fri 1200-2300Z‡, Sat 1530-2230Z‡ Sun

Helicopter Activity Mosby Army Heliport, Dahlonega, GA Area

Occasional military helicopter activity within 15NM radius of Mosby AHP, (34°37'N/84°06'W) SFC to 3700 MSL. Activity

includes: flight formations, personnel transport operations, cargo para-drop operations (below 500 AGL), medical evacuation and night vision device training. CTAF 227.2, 139.3, "Mountain Ranger 08" FM 34.10. Staff Duty Officer, Camp Frank D. Merrill, (706) 864-3367.

NIGHT VISION LIGHTS OUT OPERATIONS North Carolina, South Carolina

Military helicopter activity will be conducted for Night Vision Lights Out Training in North Carolina and South Carolina. Position lights will be extinguished or greatly reduced in intensity. The training is conducted in areas of low air traffic and

not within four (4) miles of a public use airport. Training is IAW exemption to Far Part 91.

Boundaries: Beginning at Lat 35°41'N, Lon 78°30'W; to Lat 34°00'N, Lon 78°30'W; to Lat 34°00'N, Lon 80°00'W; to Lat 36°00'N, Lon 80°30'W; to point of beginning.

Times of use: Sunset to sunrise, daily, **Helicopter Activity**

Mon-Sat 1300-0500Z‡, 1300-2000Z‡ Sun. Blanding Twr 123.0 by NOTAM, other times Range Control 123.0. (904)

Camp Blanding, Starke, Florida Area Heavy military helicopter activity within 9 NM radius Blanding AAF, (29°57′7.84″N; 81°58′47.32″W). Surface to 1,500 feet. Activity includes: flight formations, personnel transport operations, sling loads, MED VAC, and night vision goggle training.

Cuban Flight Advisory

(UNTIL FURTHER NOTICE)

The Federal Aviation Administration has been informed that an official Cuban government publication has issued a warning that Cuban Armed Forces will shoot down any aircraft that penetrates Cuban Airspace illegally and refuses to obey an order to land for inspection. All pilots should take note: use extreme caution in the area of Cuban Airspace; adhere strictly to Cuban requirements for

SE, 23 SEP 2010 to 18 NOV 2010

SPECIAL NOTICES 376

cockpit illumination may occur beyond these distances.

LASER LIGHT DEMONSTRATIONS Lake Buena Vista, Florida

A laser light demonstration will be conducted at Disney MGM Studios Theme Park, Lake Buena Vista, Florida (ORL 226

radial, 16.2 NM, LAT 28°21'42"N, LON 81°33'29"W), from 6:00 PM until 4:00 AM, until further advised. The beam may be injurious to eyes if viewed within 3,000 feet vertically and/or 12,000 feet laterally of the light source. Flash blindness or

Lake Buena Vista, Florida

A laser light demonstration will be conducted at Epcot Center, Lake Buena Vista, Florida (ORL 226 radial, 16 NM, lat

within 5000 feet vertically and/or 1 nautical mile laterally of the light source. Flash blindness or cockpit illumination may

Miami. Florida

A permanent laser light demonstration will be conducted at Bayfront Park, Miami, Florida (VKZ 312 radial, 2.24 NM, Lat

25°46'41"N, Lon 80°11'12"W), from 8:00 p.m. until 12:00 a.m. until further advised. The laser light beam is not expected to elevate above the horizon from a 90 foot high platform. Laser light beam may be injurious to eyes if viewed within 4.400

beyond these distances.

353R/18NM, from dusk until dawn, daily.

occur beyond these distances.

feet laterally of the light source. Cockpit illumination-flash blindness may occur beyond these distances.

Miami Beach, Florida A permanent Laser Light Demonstration will be conducted at the Amnesia Club, located in Miami Beach, Florida, Lat 25°46"N/Long 80°08"W, nightly from dusk until 2 AM.

Laser Light beam may be injurious to eyes if viewed within 3,500 feet vertically and/or 2,000 feet laterally of the light

source. Cockpit illumination-flash blindness may occur beyond these distances.

Orlando, Florida

VORTAC 239 radial, 15 nautical miles, from Dusk to 12:00 AM daily.

source. Cockpit illumination-flash blindness may occur beyond these distances.

further notice. Flash blindness or cockpit illumination may occur beyond these distances.

source. Flash blindness or cockpit illumination may occur beyond these distances.

A laser light demonstration will be conducted at Sea World of Florida, Orlando, Florida (ORL 220 radial, 11 NM, Lat within 5000 feet vertically and/or 6500 feet laterally of the light source. Flash blindness or cockpit illumination may occur

A permanent laser light demonstration will be conducted at the Walt Disney World, Alien Encounter, Orlando, Florida, ORL

Laser light beam may be injurious to eyes if viewed within 2500 feet laterally and/or 2500 feet vertically of the light

Decatur, Georgia Laser light activity will be conducted at Agnes Scott College, Decatur, GA located at Lat 33° 45′ 55"N/Long 84° 17′ 39"W (ATL 041° radial, 11 NM), intermittent daily, at an angle of 90 degrees from the surface, projecting up to 14,036 feet, until

Clemson, South Carolina A permanent laser light demonstration will be conducted at Clemson University, Clemson, South Carolina, ELW VORTAC

Laser light beam may be injurious to eyes if viewed within 3,500 feet laterally and/or 3,500 feet vertically of the light

SE, 23 SEP 2010 to 18 NOV 2010

27°24'N, Long 81°27'W), from 6:30 pm until 12:00 am, until further advised. The beam may be injurious to eyes if viewed

28°22'N, long 81°32'W), from 6:00 pm until 4:00 am, until further advised. The beam may be injurious to eyes if viewed

LASER LIGHT EXPERIMENT

Arecibo Observatory, Puerto Rico

before sunset until one hour after sunrise twice weekly (by NOTAM).

source. Cockpit illumination-flash blindness may occur beyond these distances.

Location: 18°-20'-37"N 66°-45'-11"W A Laser Light Beam Experiment will be conducted at the Arecibo Observatory, Puerto Rico (PSE 340/30), from one hour

MEMPHIS. TN

Laser light beam may be injurious to eyes if viewed within 5,000 feet vertical and/or one nautical mile lateral of the light

MEMPHIS INTL AIRPORT (MEM) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no

NASHVILLE, TN NASHVILLE INTL AIRPORT (BNA) NOISE ABATEMENT PROCEDURES

later than 2 miles from the departure end of parallel runways, due to noise abatement restrictions.

Successive or simultaneous departures from Runways 20L and 20R are authorized, with course divergence beginning

within 1mile of the departure end of parallel runways, due to noise abatement restrictions.

CHARLOTTE. NC CHARLOTTE/DOUGLAS INTL AIRPORT (CLT) NOISE ABATEMENT PROCEDURES

Successive or simultaneous departures from Runways 18L and 18R are authorized, with course divergence beginning no later than 3 miles from the departure end of parallel runways, due to noise abatement restrictions.

AIRSPACE DELEGATED TO MACDILL AFB. FL From 1100-2300 UTC (0700-1900 Local) daily, the following airspace that lies within the Tampa CLASS B Airspace will be delegated to McDill AFB ATCT for airport traffic control services, and CLASS B Airspace services will not be provided within

That airspace which extends from 1,200 feet MSL up to and including 1,600 feet MSL, south of a line located 1½ miles west of and parallel to MacDill AFB Runway 4/22 extended runway centerline, within a 4.5 NM radius from the geographical

center of the MacDill AFB Airport. **Indianapolis ARTCC**

this portion of the CLASS B Airspace:

event of problems or clearance requirements.

capability.

NABB. INDIANA AREA New Hope, London, Lexington Kentucky Area

Indianapolis Center has installed frequencies in the southern portion of their airspace that require 720-channel radio

Pilots should be aware that if they fly in the Nabb, IN, or the New Hope, London, and Lexington, KY, area without a 720-channel radio, ATC services will be greatly reduced. Traffic advisories, weather information, airport information, along

with any other direct communication services will not be available. While in this area of Indianapolis Center, pilots without 720-channel capability will, in most cases, monitor Flight Service Stations. There will be a noticeable delay in all clearance activity. Please ensure that ATC has adequate lead time in the

to see from only a few hundred feet. See the Miami Sectional Chart for location.

HELICOPTER ACTIVITY ORLANDO, FL AREA. Heavy helicopter activity over the Disney attractions, Sea World, Universal Studios, Bay Hill and surrounding area. Surface

to 1000' MSL. Operations 24 hours daily. Helicopters, transmitting and receiving on 123.02.

CAUTION-TETHERED AEROSTAT RADAR SYSTEM (TARS) A TARS (a large helium-filled balloon) operates continuously up to 14,000 feet, except during inclement weather or when the system is down for maintenance, in R-2916 at Cudjoe Key, Florida. The tether is unmarked and is virtually impossible

378

2100 local.

stations to exchange necessary operational information and to facilitate the resolution of operational problems. Frequencies have been designated as follows:

Caribbean area: 123 45 MHz Pacific area: 123.45 MHz

SPECIAL NORTH ATLANTIC, CARIBBEAN AND PACIFIC AREA COMMUNICATIONS VHF air-to-air frequencies enable aircraft engaged in flights over remote and oceanic areas out of range of VHF ground

123.45 MHz

ST. PETERSBURG. FLORIDA Pilots planning to overfly the St. Petersburg VORTAC (PIE) below 13,000 feet MSL should file via the Lakeland VORTAC (LAL) between 1100 and 2300 UTC.

North Atlantic area:

GEORGIA

Atlanta Tower: Low altitude airway structure in proximity of the Hartsfield-Jackson Atlanta Intl Airport is aligned to provide bypass routes for traffic overflying Atlanta. To avoid heavy concentration of high performance and wide-bodied aircraft,

pilots should file for airways beyond 35 nautical miles from Atlanta VOR. Aircraft operating IFR below 15,000 MSL, via airways within 35 nautical miles of Atlanta VOR may expect altitude changes and/or rerouting between the hours 0830 and

U.S. SPECIAL CUSTOMS REQUIREMENT

Air Commerce Regulations of the Treasury Department's Customs Service require all private aircraft arriving in the U.S. from a foreign place in the Western Hemisphere, (a) south of 33 degrees north latitude which cross into the U.S. over a

point on the U.S./Mexican border between 97 and 120 degrees west longitude, or (b) south of 31 degrees north latitude

which enter the U.S. via the Gulf of Mexico and Atlantic Coasts, to provide notice of intended arrival to the Customs Service

at least one hour prior to crossing the U.S./Mexican border or the U.S. coastline. This notice may be provided by: (1) radio

through an appropriate FAA Flight Service Station, (2) normal FAA flight plan notification procedures (a flight plan filed in

Mexico does not meet this requirement due to unreliable relay of data), or (3) directly to the District Director of Customs or other Customs officer at place of first intended landing. Unless an exemption has been granted by Customs, private aircraft

are required to make first landing in the U.S. at one of the following designated airports nearest to the point of border or

coastline crossing:

Brownsville/South Padre Island International, Corpus Christi International, Del Rio International, El Paso International, Laredo International, Maverick County Memorial International, McAllen Miller International, Presidio-Lely International,

Southwest Texas Regional, or William P. Hobby Airport in Texas; Calexico International, or Brown Field Municipal in California; Bisbee Douglas International, Nogales International, Tuscon International, or Yuma MCAS/Yuma International

in Arizona; Las Cruces Intl in New Mexico; Lakefront or Louis Armstrong New Orleans Intl in Louisiana; Fort Lauderdale

Executive, Fort Lauderdale-Hollywood International, Key West International, Miami International, Opa-Locka Executive Airport, Palm Beach International, St. Lucie County International, or Tampa International in Florida.

SE, 23 SEP 2010 to 18 NOV 2010

MILITARY TRAINING ROUTES

The DOD Flight Information Publication AP/1B provides textual and graphic descriptions and operating instructions for all military training routes (IR, VR, SR) and refueling tracks/anchors. Complete and more comprehensive information relative

for military users.

CIVIL USE OF MILITARY FIELDS:

either Headquarters USAF (PRPOC) or the Commander of the installation concerned (who has authority to approve landing rights for certain categories of civil aircraft). For use of more than one Air Force installation, requests should be forwarded

For Navy and Marine Corps installations prior permission should be requested at least 30 days prior to first intended landing. An Aviation Facility License must be approved and executed by the Navy prior to any landing by civil aircraft. Forms and further information may be obtained from the nearest U.S. Navy or Marine Corps aviation activity. For Coast Guard fields prior permission should be requested from the Commandant, U.S. Coast Guard via the

When instrument approaches are conducted by civil aircraft at military airports, they shall be conducted in accordance

AIRCRAFT RESTRICTIONS **BOCA RATON AIRPORT (BCT), FLORIDA** On initial contact, pilot should advise local Air Traffic Control Tower or announce on local Unicom frequency if aircraft has greater than 79 feet wingspan and/or greater than 140 knot approach speed. Aircraft with wingspan greater than 79 feet and/or an approach speed greater than 140 knots are prohibited from using Runway 5/23 while any aircraft occupies Taxiway P. Aircraft with a wingspan greater than 79 feet must remain clear of Taxiway P while any aircraft are approaching

AIRCRAFT LANDING RESTRICTIONS Landing of aircraft at locations other than public use airports may be a violation of Federal or local law. All land and water areas are owned or controlled by private individuals or organizations, states, cities, local governments, or U.S. Government agencies. Except in emergency, prior permission should be obtained before landing at any location that is not a designated

Landing of aircraft is prohibited on lands or waters administered by the National Park Service, U.S. Fish and Wildlife Service, U.S. Forest Service, and on many areas controlled by the U.S. Army Corps of Engineers, unless prior authorization

FEDERAL AVIATION REGULATION 91.713

Air traffic clearances to aircraft of Cuban registry not engaged in scheduled International Air Service in U.S. airspace will require that the flight plan be filed with appropriate authorities at least five days prior to the proposed departure time. Route changes while en route will normally not be authorized. The procedures set forth herein do not apply at this time to

CAUTION—HIGH DENSITY AIR TRAFFIC AREA Heavy helicopter and seaplane traffic exists over the Gulf of Mexico and adjacent onshore areas. Thousands of

Itinerant pilots traversing this area should familiarize themselves with offshore operating practices and frequencies

with the procedures and minimums approved by the military agency having jurisdiction over the airport.

U.S. Army, Air Force, Navy and Coast Guard Fields are open to civil fliers only in emergency or with prior permission.

direct to Hq USAF (PRPOC), Washington, D.C. 20330. Use of USAF installations must be specifically justified.

Commanding Officer of the field.

or departing Runway 5/23.

public use airport or seaplane base.

is obtained from the respective agency.

The provisions of FAR 91.713 will apply as follows:

overflights by aircraft of Cuban registry engaged in scheduled International Air Service.

through contact with the pertinent Flight Standards District Office (FSDO) or Flight Service Station.

operations per month occur in this area in support of oil drilling and exploration.

Army Installations, prior permission is required from the Commanding Officer of the installation.

For Air Force installations, prior permission should be requested at least 30 days prior to first intended landing from

agreed to by the DOD and therefore directive for all military flight operations. The AP/1B is the official source of route data

to policy and procedures for IRs and VRs is published in FAA Handbook 7610.4 (Special Military Operations) which is

CONTINUOUS POWER FACILITIES

In order to insure that a basic ATC system remains in operation despite an areawide or catastrophic commercial power failure, key equipment and certain airports have been designated to provide a network of facilities whose operational capability can be utilized independent of any commercial power supply. In addition to those facilities comprising the basic ATC system, the following approach and lighting aids have been

included in this program for a selected runway. 1. ILS (Localizer, Glide Slope, COMLO, Inner, Middle and Outer Markers)

01L

03

08L

05L

07

19R

24R

36L

- 2. Wind Measuring Capability
- 3. Approach Light System (ALS) or Short ALS (SALS)
- 4. Ceiling Measuring Capability
- 5. Touchdown Zone Lighting (TDZL)
- 6. Centerline Lighting (CL)
- 7. Runway Visual Range (RVR)
- 8. High Intensity Runway Lighting (HIRL) 9. Taxiway Lighting
- 10. Apron Light (Perimeter Only)

The following have been designated "Continuous Power Airports," and have independent back up capability for the

Fairbanks, AK (FAI)

Great Falls, MT (GTF).....

Honolulu, HI (HNL)

Houston, TX (IAH).....

Indianapolis, IN (IND)

Jacksonville, FL (JAX).....

Kansas City, MO (MCI).....

Los Angeles, CA (LAX).....

Memphis, TN (MEM).....

Miami, FL (MIA).....

equipment installed.

Airport/Ident	Runway No.	Airport/Ident	Runway No.
•	•	• • • • • • • • • • • • • • • • • • • •	•
Albuquerque, NM (ABQ)	08	Milwaukee, WI (MKE)	01L
Anchorage, AK (ANC)	07R	Minneapolis, MN (MSP)	30L
Andrews AFB, MD (ADW)	01L	Nashville, TN (BNA)	02L
Atlanta, GA (ATL)	09R	New Orleans, LA (MSY)	10
Baltimore, MD (BWI)	10	New York, NY (JFK)	04R
Bismarck, ND (BIS)	31	New York, NY (LGA)	22
Boise, ID (BOI)	10R	Newark, NJ (EWR)	04R
Boston, MA (BOS)	04R	Oklahoma City, OK (OKC)	35R
Charlotte, NC (CLT)	36L	Omaha, NE (OMA)	14R
Chicago, IL (ORD)	10	Ontario, CA (ONT)	26L
Cincinnati, OH (CVG)	36C	Philadelphia, PA (PHL)	09R
Cleveland, OH (CLE)	06R	Phoenix, AZ (PHX)	08
Dallas/Fort Worth, TX (DFW)	17C	Pittsburgh, PA (PIT)	10L
Denver, CO (DEN)	35R	Reno, NV (RNO)	16R
Des Moines, IA (DSM)	31	Salt Lake City, UT (SLC)	34L
Detroit, MI (DTW)	03R	San Antonio, TX (SAT)	12R
El Paso, TX (ELP)	22	San Diego, CA (SAN)	09

San Francisco, CA (SFO)

San Juan, PR (SJU).....

Seattle, WA (SEA)

St. Louis, MO (STL)

Tampa, FL (TPA)

Tulsa, OK (TUL).....

Washington, DC (DCA)

Washington, DC (IAD)

Wichita, KS (ICT).....

28R

80

16C

30R

36L


36R

01

01R

011

NOTE—The existing CPA runway is listed. Pending and future changes at some locations will require a revised runway designation.




SPECIAL NOTICES


DISNEY WORLD THEME PARK NOTICE

Pursuant to Public Law 108-199, Section 521, aircraft flight operations are prohibited at and below 3,000 feet AGL within

a 3 nautical mile radius of the Disney World Theme Park (282445N/081342W or the Orlando (ORL) VORTAC 238 degree radial at 14.8 nautical miles). This restriction does not apply to: (A) those aircraft authorized by ATC for operational or safety purposes, including aircraft arriving or departing from an airport using standard air traffic procedures; (B) Department of Defense, law enforcement, or aeromedical flight operations that are in contact with ATC; Those who meet any of the following criteria may apply for a waiver to these restrictions: (A) for operational purposes of the venue, including

the transportation of equipment or officials of the governing body; (b) for safety and security purposes of the venue.





BOWMAN FIELD


TERMINAL AREA GRAPHIC NOTICE

(Not to be used for navigation)

Bowman Airport Runway 24 and Runway 33 VFR Departure Procedure.

"SENECA DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.



Remaining within $1\frac{1}{2}$ miles from Bowman VOR (BQM), turn right heading 045, maintaining VFR at or below 2500 feet. Expect IFR activation and climb upon crossing the IIU 360 radial.

WEATHER MINIMUMS: Ceiling 3000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 2500 feet constitutes activation of IFR clearance upon leaving 2500 feet.

SPECIAL NOTICES

HOLLYWOOD/NORTH PERRY (HWO) HOLLYWOOD, FL


TERMINAL AREA GRAPHIC NOTICE

(Not to be used for navigation)

"SHERIDAN DEPARTURE"

PILOTS SHOULD SPECIFICALLY REQUEST THIS PROCEDURE USING THE ABOVE NAME.

Hollywood/North Perry Airport Runway 9L, 9R, 36L and 36R VFR Departure Procedure.



ATIS 135.475 MIAMI APPROACH CONTROL 128.6

NORTH PERRY TOWER 132.1

NORTH PERRY TOWER 132.


GROUND CONTROL 120.45

Street VFR at or below 1500. Expect IFR activation and climb crossing I75 (5 miles west of HWO) or the DHP 360 rad WEATHER MINIMUMS: Ceiling 2000 and visibility 3 miles.

NOTE: Receipt of a clearance to climb above 1500 constitutes activation of IFR clearance.

Remain within 1 mile from HWO airport, if departing north or east turn left to heading 260. Remain south of SI

FIREFIGHTING TRAFFIC AREAS



Pilots are advised to stay clear of Firefighting Traffic Areas. Remain 15 miles from the area of activity. If you must over-fly the area, do so at an altitude of 5000 feet AGL above. However, to remain safe and out of the way of working aircraft, it is best to circumnavigate the area.

The wild-land fire environment can be very complex and involve a large number and variety of aircraft types including fixed and rotary wing aircraft. Some of the aircraft are small single and multi-engine command and control platforms that can be especially difficult to see and may give the appearance that the fire is not staffed. The aircraft participating in firefighting can orbit as far out as 12 miles from the perimeter of the fire. Any intrusion by aircraft not directly involved in the firefighting operation could delay the delivery of much needed retardant or water to ground firefighters and will adversely affect the safety of participating aircraft. Please stay well away from wild-land fires even if you feel that aircraft are not working the fire; they may be en route or unseen.

If you see a fire developing along your route, report it immediately to air traffic control who will advise the US Forest Service. The firefighting community would welcome this information.

388

REGULATORY NOTICES

The following narratives summarize the FAR Part 93 Special Air Traffic Rules, Patterns, and/or Airport Traffic Patterns in effect as prescribed in the rule. This information is advisory in nature and in no way relieves the pilot from compliance with the specific rules set forth in FAR Parts 91 and 93.

Special Airport Traffic Areas prescribed in Part 93 are depicted on Sectional Aeronautical Charts, World Aeronautical Charts, Enroute Low Altitude Charts, and where applicable, on VFR Terminal Area Charts.

DESTIN-FT WALTON BEACH, FLORIDA VALPARAISO TERMINAL AREA

Part 93, Subpart F, prescribes that Valparaiso, Florida, Terminal Area, and the special air traffic rules for operating aircraft within specific corridor.

- North-South Corridor.

Before operating within the corridor, obtain a clearance from the Eglin Radar Control Facility or an appropriate FAA ATC facility, and maintain two-way radio communication with the Eglin Radar Control Facility while within the corridor.

- East-West Corridor.

Before operating within the corridor, establish two-way radio communications with Eglin Radar Control Facility or an appropriate FAA ATC facility for an ATC advisory concerning operations being conducted therein; and maintain two-way radio communications with the Eglin Radar Control Facility while within the corridor. For Destin/Eglin AFB FL Part 93 Operations details, see FAASafety.gov Knowledge Course at: http://faasafety.gov/gslac/ALC/course_catalog.aspx.

OPERATIONS RESERVATIONS FOR HIGH DENSITY TRAFFIC AIRPORTS KENNEDY, LAGUARDIA, AND WASHINGTON REAGAN NATIONAL

The Federal Aviation Administration (FAA) has designated New York's Kennedy and LaGuardia Airports and Washington Reagan National Airport as High Density Traffic Airports (HDTA), Title 14, Code of Federal Regulations, part 93, subpart K, and has prescribed air traffic rules and requirements for operating aircraft (excluding helicopters) to and from those airports during certain hours.

Reservations are required for operations from 6 a.m. through 11:59 p.m. local time at LaGuardia Airport and Washington Reagan National Airport. Reservations at Kennedy Airport are required from 3 p.m. through 7:59 p.m. local time.

Reservation procedures are detailed in Advisory Circular 93–1, Reservations for Unscheduled Operations at High Density Traffic Airports. A copy of the advisory circular is available on the FAA website at http://www.faa.gov. Reservations for unscheduled operations are allocated through the Enhanced Computer Voice Reservation System (e–CVRS) accessible via telephone or the Internet. This system may not be used to make reservations for scheduled air carrier or commuter flights.

The toll–free telephone number for accessing e–CVRS is 1–800–875–9694 and is available for calls originating within the United States, Canada, and the Caribbean. Users outside the toll–free areas may access e–CVRS by calling the toll number of 703–707–0568. The Internet web address for accessing the e–CVRS is http://www.fly.faa.gov/ecvrs. If you have any questions about reservation requirements or are experiencing problems with the system, you may telephone the Airport Reservation Office at the Air Traffic Control System Command Center at (703) 904–4452.

Requests for instrument flight rules (IFR) reservations will be accepted beginning 72 hours prior to the proposed time of operation at the high-density airport. For example, a request for an 11 a.m. reservation on a Thursday will be accepted beginning at 11 a.m. on the previous Monday.

IFR reservations must be obtained prior to IFR landing or takeoff at an HDTA during slot controlled hours. An air traffic control (ATC) clearance does not constitute a reservation. A reservation does not constitute permission to operate at an HDTA if additional operational limits or procedures are required by NOTAM and/or regulation.

Aircraft involved in medical emergencies will be handled by ATC without regard to a reservation after obtaining prior approval of the ATC System Command Center on (703) 904–4452. ATC will accommodate declared other emergency situations without regard to slot reservations.

NOTE: Visual flight rule (VFR) reservations via ATC for unscheduled operations at LaGuardia are not authorized from 7 a.m. through 8:59 a.m. local time and 4 p.m. through 6:59 p.m. local time, Monday through Friday and Sunday evenings, unless otherwise announced by NOTAM. Both IFR and VFR operations during those time periods must obtain an advance reservation through e–CVRS.

FSS TELEPHONE NUMBERS

Flight Service Station (FSS) facilities provide flight planning and weather briefing services to pilots. FSS services in the

remote facilities some of which operate part-time. Because of the interconnectivity between the facilities, all FSS services including radio frequencies are available continuously using published data.

contiguous United States, Hawaii and Puerto Rico, are provided by a network of large FSS facilities and a few select

Telephone Information Briefing Service (TIBS) is a FSS service that provides continuous recordings of meteorological and/or aeronautical information. A touch-tone telephone is required to fully utilize this service.

Further information can be found in the Aeronautical Information Manual (AIM).

NATIONAL FSS TELEPHONE NUMBER

Pilot Weather Briefings

OTHER FSS TELEPHONE NUMBERS (except in Alaska)

* District of Columbia Special Flight Rules Area & Flight Restricted Zone

390 FAA AND NWS

KEY to AERODROME FORECAST (TAF) and AVIATION ROUTINE WEATHER REPORT (METAR)

	(METAR)			
TAF KPIT 091730Z 091818 15005KT 5SM HZ.FEW020 WS010/31022KT				
FM1930 30015G25KT 3SM SHRA OVC015 TEMPO 2022 1/2SM +TSRA				
	C008CB IOO 27008KT 5SM SHRA BKN020 OVC040 PROB40 0407 1SM	-RA RR		
1	015 18005KT 6SM -SHRA OVC020 BECMG 1315 P6SM NSW			
	IT 091955Z COR 22015G25KT 3/4SM R28L/2600FT TSRA OV	C010CB		
	2 RMK SLP045 T01820159			
Forecast	Explanation	Report		
TAF	Message type: <u>TAF</u> -routine or <u>TAF AMD</u> -amended forecast, <u>METAR</u> -hourly, <u>SPECI</u> -special or <u>TESTM</u> -non-commissioned ASOS report	METAR		
KPIT	ICAO location indicator	KPIT		
091730Z	Issuance time: ALL times in UTC "Z", 2-digit date, 4-digit time	091955Z		
091818	Valid period: 2-digit date, 2-digit beginning, 2-digit ending times			
	In U.S. METAR : <u>COR</u> rected ob; or <u>AUTO</u> mated ob for automated report with no human intervention; omitted when observer logs on	COR		
15005KT	Wind: 3 digit true-north direction, nearest 10 degrees (or VaRiaBle); next 2-3 digits for speed and unit, KT (KMH or MPS); as needed, Gust and maximum speed; 00000KT for calm; for METAR , if direction varies 60 degrees or more, Variability appended, e.g. 180V260	22015G25KT		
5SM	Prevailing visibility: in U.S., Statute Miles & fractions; above 6 miles in TAF Plus6SM. (Or, 4-digit minimum visibility in meters and as required, lowest value with direction)	3/4SM		
	Runway Visual Range: R; 2-digit runway designator Left, Center, or Right as needed; "/"; Minus or Plus in U.S., 4-digit value, FeeT in U.S., (usually meters elsewhere); 4-digit value Variability 4-digit value (and tendency Down, Up or No change)	R28L/2600FT		
HZ	Significant present, forecast and recent weather: see table (on back)	TSRA		
FEW020	Cloud amount, height and type: SKy Clear 0/8, FEW >0/8-2/8, SCaTtered 3/8-4/8, BroKeN 5/8-7/8, OVerCast 8/8; 3-digit height in hundreds of ft; Towering CUmulus or CumulonimBus in METAR; in TAF, only CB. Vertical Visibility for obscured sky and height "VV004". More than 1 layer may be reported or forecast. In automated METAR reports only, CLeaR for "clear below 12,000 feet"	OVC010CB		
	Temperature: degrees Celsius; first 2 digits, temperature "/" last 2 digits, dew-point temperature; Minus for below zero, e.g., M06	18/16		
	Altimeter setting: indicator and 4 digits; in U.S., A-inches and hundredths; (Q-hectoPascals, e.g., Q1013)	A2992		
		L		

KEY to AERODROME FORECAST (TAF) and **AVIATION ROUTINE WEATHER REPORT** (METAR)

Forecast	Explanation	Report
WS010/31022KT	In U.S. TAF , non-convective low-level (≤2,000 ft) <u>Wind Shear; 3-digit height</u> (hundreds of ft); "/"; 3-digit wind direction and 2-3 digit wind speed above the indicated height, and unit, <u>KT</u>	·
	In METAR , <u>ReMarK</u> indicator & remarks. For example: <u>Sea-Level Pressure</u> in hectoPascals & tenths, as shown: 1004.5 hPa; <u>Temp/dew-point</u> in tenths °C, as shown: temp. 18.2°C, dew-point 15.9°C	RMK SLP045 T01820159
FM1930	<u>FroM</u> and 2-digit hour and 2-digit minute beginning time: indicates significant change. Each FM starts on new line, indented 5 spaces.	
TEMPO 2022	TEMPOrary: changes expected for < 1 hour and in total, < half of 2-digit hour beginning and 2-digit hour ending time period	
PROB40 0407	PROBability and 2-digit percent (30 or 40): probable condition during 2-digit hour beginning and 2-digit hour ending time period	
BECMG 1315	BECoMinG: change expected during 2-digit hour beginning and 2-digit hour ending time period	

Table of Significant Present, Forecast and Recent Weather - Grouped in categories and used in the order listed below; or as needed in TAF, No Significant Weather. QUALIFIER

Intensity or Proximity

- Liaht

"no sign" Moderate + Heavy VC Vicinity: but not at aerodrome; in U.S. METAR, between 5 and 10SM of the point(s) of

observation; in U.S. TAF, 5 to 10SM from center of runway complex (elsewhere within 8000m)

Descriptor

BL Blowing

Precipitation DZ Drizzle

Obscuration

NOAA/PA 96052

MI Shallow BC Patches

SH Showers DR Drifting **WEATHER PHENOMENA**

RA Rain

PL Ice pellets

SN Snow GR Hail UP Unknown precipitation in automated observations

PR Partial

FU Smoke

PY Spray

DS Duststorm

National Oceanic and Atmospheric Administration—National Weather Service

SG Snow grains GS Small hail/snow pellets

VA Volcanic ash

DU Widespread dust

PO Well developed

UNITED STATES DEPARTMENT OF COMMERCE

dust/sand whirls

TS Thunderstorm

FZ Freezing

BR Mist (≥5/8SM) FG Fog (<5/8SM) SA Sand HZ Haze Other

IC Ice crystals

SS Sandstorm SQ Squall FC Funnel cloud +FC tornado/waterspout Explanations in parentheses "()" indicate different worldwide practices.

Ceiling is not specified; defined as the lowest broken or overcast layer, or the vertical visibility.

NWS TAFs exclude turbulence, icing & temperature forecasts; NWS METARs exclude trend fcsts Although not used in US, Ceiling And Visibility OK replaces visibility, weather and clouds if: visibility ≥10 km; no cloud below 5000 ft (1500 m) or below the highest minimum sector altitude, whichever is greater and no CB; and no precipitation, TS, DS, SS, MIFG, DRDU, DRSA or DRSN.

SE. 23 SEP 2010 to 18 NOV 2010

FAA AND NWS

KEY AIR TRAFFIC FACILITIES

Air Traffic Control System Command Center

Main Number......703–904–4400

RGNL AIR TRAFFIC DIVISIONS			
REGION TELEPHONE			
Alaskan	907-271-5464		
Central	816-329-2500		
Eastern	718-553-4502		
Great Lakes	847-294-7202		
New England	781-238-7500		
Northwest Mountain	425-227-2500		
Southern	404-305-5500		
Southwest	817-222-5500		
Western Pacific	310-725-6500		

AIR ROUTE TRAFFIC CONTROL CENTERS (ARTCCs)

*24 HR RGNI

	24 RK KGINL		
ARTCC NAME	DUTY OFFICE TELEPHONE #	BUSINESS Hours	BUSINESS TELEPHONE #
Albuquerque	817-222-5006	7:30 a.m4:00 p.m.	505-856-4300
Anchorage	907-271-5936	7:30 a.m4:00 p.m.	907-269-1137
Atlanta	404-305-5180	7:30 a.m5:00 p.m.	770-210-7601
Boston	617-238-7001	7:30 a.m4:00 p.m.	603-879-6633
Chicago	847-294-8400	8:00 a.m4:00 p.m.	630-906-8221
Cleveland	847-294-8400	8:00 a.m4:00 p.m.	440-774-0310
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-651-4100
Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	817-858-7300
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-5300
Indianapolis	847-294-8400	8:00 a.m4:00 p.m.	317-247-2231
Jacksonville	404-305-5180	8:00 a.m4:30 p.m.	904-549-1501
Kansas City	816-329-3000	7:30 a.m4:00 p.m.	913-254-8500
Los Angeles	661-265-8200	7:30 a.m4:00 p.m.	661-265-8200
Memphis	404-305-5180	7:30 a.m4:00 p.m.	901-368-8103
Miami	404-305-5180	7:00 a.m3:30 p.m.	305-716-1500
Minneapolis	847-294-8400	8:00 a.m4:00 p.m.	651-463-5580
New York	718-995-5426	8:00 a.m4:40 p.m.	516-468-1001
Oakland	310-725-3300	6:30 a.m3:00 p.m.	510-745-3331
Salt Lake City	425-227-1389	7:30 a.m4:00 p.m.	801-320-2500
Seattle	425-227-1389	7:30 a.m4:00 p.m.	253-351-3500
Washington	718-995-5426	8:00 a.m4:30 p.m.	703-771-3401

MAJOR TERMINAL RADAR APPROACH CONTROLS (TRACONS)

TRACON NAME	*24 HR RGNL DUTY OFFICE TELEPHONE #	BUSINESS Hours	BUSINESS TELEPHONE #
Atlanta	404-305-5180	7:00 a.m3:30 p.m.	404-669-1200
Chicago	847-294-8400	8:00 a.m4:00 p.m.	847-608-5509
Dallas/Ft. Worth	817-222-5006	7:30 a.m4:00 p.m.	972-615-2500
Denver	425-227-1389	7:30 a.m4:00 p.m.	303-342-1500
Houston	817-222-5006	7:30 a.m4:00 p.m.	281-230-8400
New York	718-995-5426	8:00 a.m4:30 p.m.	516-683-2901
Northern CA	310-725-3300	7:00 a.m3:30 p.m.	916-366-4001
Potomac	718-995-5426	8:00 a.m4:30 p.m.	540-349-7500
Southern CA	310-725-3300	7:30 a.m4:00 p.m.	858-537-5800

^{*}Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

8:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:00 a.m.-5:30 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:00 p.m.

8:00 a.m.-4:00 p.m.

8:00 a.m.-4:00 p.m.

8:00 a.m.-4:30 p.m.

8:30 a.m.-5:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:00 a.m.-3:30 p.m.

7:30 a.m.-4:00 p.m.

7:00 a.m.-3:30 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-5:00 p.m.

8:00 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:00 a.m.-3:30 p.m.

7:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

7:00 a.m.-4:00 p.m.

8:00 a.m.-4:00p.m.

7:00 a.m.-3:30 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-5:00 p.m.

8:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

7:00 a.m.-3:30 p.m.

7:30 a.m.-5:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

7:30 a.m.-4:00 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

8:00 a.m.-4:30 p.m.

BUSINESS **TELEPHONE #**

505-842-4366

301-735-2380

410-962-3555

617-455-3100

203-627-3428

818-567-4806

704-344-6487

773-884-3670

773-601-7600

216-898-2020

606-767-1006

972-615-2531

937-454-7300

303-342-1600

734-955-5000

907-474-0050

305-356-7932

713-230-8400

404-669-1200 808-840-6100

713-847-1400

317-484-6600

808-877-0725

816-329-2700

702-262-5978

310-342-4900

504-471-4300

901-322-3350

305-869-5400

612-713-4000

615-781-5460

718-656-0335

718-335-5461

973-565-5000

408-982-0750

909-983-7518

407-850-7000

215-492-4100

602-379-4226

412-269-9237

503-493-7500

919-840-5544

703-413-1535

801-325-9600

210-805-5507

619-299-0677

650-876-2883

809-253-8663

206-768-2900

314-890-1000

813-371-7700

907-271-2700

201-288-1889

571-323-6372

561-683-1867

914-948-6520

393

KEY AIR TRAFFIC FACILITIES

FAA AND NWS

DAILY NAS REPORTABLE AIRPORTS		
*24 HR RGNL		
DUTY OFFICE	BUSINESS	
TELEPHONE #	HOURS	
	*24 HR RGNL DUTY OFFICE	

	*24 HR RGNL		
AIRPORT	DUTY OFFICE	BUSINESS	
NAME	TELEPHONE #	HOURS	
Ibuquerque Intl Sunport, NM	817-222-5006	8:00 a.m5:00	

718-995-5426 Baltimore/Washington

Albuquerque Intl S Andrews AFB, MD

718-995-5426

781-238-7001

617-238-7001

310-725-3300

404-305-5180

847-294-8400

847-294-8400

847-294-8400

708-294-7401

817-222-5006

847-294-8400

425-227-1389

847-294-8400

907-271-5936

404-305-5180

817-222-5006

404-305-5180

310-725-3300

817-222-5006

847-294-8400

310-725-3300

816-329-3000

310-725-3300

310-725-3300

817-222-5006

404-305-5180

404-305-5180

847-294-8400

404-305-5180

718-995-5426

718-995-5426

718-995-5426

310-725-3300

310-725-3300

404-305-5180

718-995-5426

310-725-3300

718-995-5426

425-227-1389

404-305-5180

718-995-5426

425-227-1389

817-222-5006

310-725-3300

310-725-3300

404-305-5180

425-227-1389

816-329-3000

404-305-5180

907-271-5936

718-995-5426

718-995-5426

404-305-5180

718-995-5426

SE, 23 SEP 2010 to 18 NOV 2010

*Facilities can be contacted through the Rgnl Duty Officer during non-business hours.

8:00 a.m.-5:00 p.m.

Intl Thurgood Marshall, MD

Boston Logan Intl, MA

Burbank/Bob Hope, CA

Chicago O'Hare Intl, IL

Chicago Midway, IL

Charlotte Douglas Intl, NC

Cleveland Hopkins Intl, OH

Covington/Cincinnati, OH

Dallas/Ft. Worth Intl, TX

Dayton Cox Intl, OH

Denver Intl. CO

George Bush

Honolulu Intl, HI

Houston Hobby, TX

Indianapolis Intl. IN

Kansas City Intl. MO

Los Angeles Intl, CA

Memphis Intl, TN

Nashville Intl, TN

Ontario Intl. CA

Orlando Intl. FL

Philadelphia Intl, PA

Pittsburgh Intl, PA

Raleigh-Durham, NC

Portland Intl, OR

Salt Lake City, UT

San Juan Intl. PR

Tamna Intl Fl

Teterboro, NJ

San Antonio Intl, TX

San Francisco Intl, CA

Seattle-Tacoma Intl, WA

St. Louis Lambert, MO

Phoenix Sky Harbor Intl, AZ

Ronald Reagan Washington National, DC

San Diego Lindbergh Intl, CA

Ted Stevens Anchorage Intl, AK

Washington Dulles Intl, DC West Palm Beach, FL

Westchester Co. NY

Miami Intl. FL

Intl, LA

Las Vegas McCarran, NV

Louis Armstrong New Orleans

Minneapolis/St. Paul, MN

New York Kennedy Intl, NY

Norman Y. Mineta San Jose Intl. CA

New York La Guardia, NY

Newark Liberty Intl. NJ

Kahului/Maui, HI

Detroit Metro, MI

Fairbanks Intl, AK

Fort Lauderdale Intl. FL

Intercontinental/Houston, TX

Hartsfield-Jackson Atlanta Intl. GA

Bradley Intl, CT

8:00 a.m.-4:30 p.m.

AIR ROUTE TRAFFIC CONTROL CENTERS

Air Route Traffic Control Center frequencies and their remoted transmitter sites are listed below for the coverage of this volume. Bold face type indicates high altitude frequencies, light face type indicates low altitude frequencies. To insure unrestricted IFR operations within the high altitude enroute sectors, the use of 720 channel communications equipment

```
(25 kHz channel spacing) is required.
         (R)ATLANTA CENTER
                                                                       H-6-9-10-12, L-18-22-24-25-26-36, A-1
           Albemarle - 133.15
                                                                                                         (KZTL)
           Anniston - 134.95
           Athens - 127.5 127.5 124.45 120.425
ı
           Atlanta A - 135.0 135.0
           Augusta - 128.1
           Birmingham - 128.725 127.3
            Chattanooga - 133.175 132.05 126.675 124.875
            Columbus - 125.575 120.45
           Foothills - 124.375
            Gadsden - 133.8
            Glade Springs - 127.85
            Greensboro - 128.8 124.425
           Hampton - 127.125 119.375
           Hickory - 134.55 132.975 125.15
           Hinch Mountain - 133.6 132.675 125.925
           Huntsville - 126.825
            Jonesville – 125.025
           Macon - 134.5 126.425 123.95
           Millen - 135.55
            Monroeville - 118.55
            Montgomery - 134.6 128.025 125.875 120.55
           Mount Oglethorpe - 134.8 133.1 121.35 127.05 127.05
           Newport - 134.075 127.55
            Owing - 135.35 125.625 123.725
            Sandersville - 124.325
            Sugarloaf Mountain - 121.5 121.5
ı
           Tri City - 127.85 126.775 120.725
           Uniontown - 132.25
         RHOUSTON CENTER - 134.35
                                                                              H-6-7-8-9, L-17-18-19-20-21-22
           Arr-Dep US - 135.77 134.95 133.75 133.4 132.65 132.4 128.3 127.8 125.75 120.35
                                                                                                         (KZHU)
           Mobile - 127.65 125.775
```

RINDIANAPOLIS CENTER - 133.425 132.775 128.375 125.55 H-5-9-10-12, L-16-25-26-27-29 124.525 119.55

Arr-Dep US-South Atlantic Control N of 31°30′ — 135.05 S of 31°30′N 134.85

(KZID)

(KZJX)

H-6-7-8-9-12, L-18-21-22-24-25-35-36, A-1

```
Evansville - 132.525 128.3
Livingston - 134.675 126.925
London 2 - 126.57 124.625 121.325
Lynch - 126.575
New Hope - 124.625 121.175
```

Portsmouth - 124.225 120.275 Tri City - 124.575

```
Winchester - 128.22 126.375 123.775
R JACKSONVILLE CENTER
```

Albany - 134.45 125.75 Alma - 135.975 133.3 132.3

Charleston - 135.05 133.625 132.475 127.95 124.075

Columbia - 127.875 124.7 Crestview - 134.15 124.475 120.2 Daytona Beach - 134.0 Dothan - 134.3

Eglin - 132.1 Florence - 134.35 133.45 Gainesville - 135.65 134.4 124.75

Glynco - 126.75

Jacksonville - 134.85 126.35 Lake City - 125.375

Lowell - 135.75 133.325 125.175 Millen - 132.5

Myrtle Beach - 135.05 128.7

CONTINUED ON NEXT PAGE

CONTINUED FROM PRECEDING PAGE Panama City - 119.1

Perry Foley - 127.8 St. Augustine - 134.575 132.825 127.475 126.35 Savannah - 132.425 126.125 120.85 Tallahassee - 135.325 128.625 128.075 125.05

Valdosta - 133.7 125.95 (R)MEMPHIS CENTER — 127 975 124 025 Columbus - 134.775 133.125 127.1

Favetteville - 132.55 Graham - 125.85 124.275 Greenville - 133.075 124.925

Greenwood - 127.425 Harrison - 133.025

Huntsville - 120.8 Little Rock - 132,425 125,475

McKellar - 134.65 127.975 126.45 124.35

Memphis - 135.225 118.625 133.125 Meridian - 128.275

Nashville - 133.85 124.125 118.875

Nashville/Joelton 132.1 Paducah - 133.65

Shelbyville - 126.75

Walnut - 135,225 132,375

South Fulton - 128.05 127.975 122.275 Tupelo - 135.9 135.9 134.4 127.375 120.025

Avon Park - 134.55 127.2 126.525 Fort Myers - 134.75 133.275

(R)MIAMI CENTER Grand Bahama Island - 134.2 Grand Turk - 135.2 132.3

Key West - 133.5 132.2 132.2 124.7 124.7 Melbourne - 135.075 128.65 124.1 119.825 Miami - 132.95 133.85 133.2 133.95 132.4 127.7 126.325 124.7 124.7 Nassau - 134.8 125.7 Pahokee - 133.55 132.45

Sarasota - 133.9 132.35 128.225 Vero Beach - 135.7 132.25 125.075 West Palm Beach - 135.175 133.4 132.15

CENTER REMARKS: All northbound IFR flights entering Miami in vicinity of Grand Turk and Great Inagua must contact Miami Center on 132.3/307.2 at least 10 minutes prior to the Miami Center boundary for an air

traffic congestion in this area.

traffic clearance. Alternate communications are avbl thru ARINC or Miami Radio. This is due to heavy air

(R)SAN JUAN CENTER Boringuen - 135.7 135.7 124.35

523-134.3; East of Amber 523 clockwise to North of Blue 520-125.0; Blue 520 clockwise thru Amber 636-118.15; Red 763 clockwise thru Green 431-135.7. San Juan Cerap provides IFR clearances for St Croix Christiansted on freq 121.7 when St Croix twr closed. San Juan Cerap provides IFR clearances for St Thomas Charlotte Amalie-Harry S Truman on freq 121.9 when twr closed. San Juan Cerap provides IFR

Eugenio Maria De Hostos on freg 121.7.

Whaleyville - 133.825 128.525 127.425 123.85

(R)WASHINGTON CENTER

Sampson - 135.3

Wilmington - 124.025

Green Bay - 133.725 127.75 Johnsonville - 135.2 118.925 Manteo - 124.725 New Bern - 135.5 118.825 Rocky Mount - 118.475 132.225

CENTER REMARKS: All acft on an IFR flight plan in the San Juan CTA and within 200 NM of San Juan are requested to ctc San Juan Center on the following frequencies: Amber 300 clockwise thru Amber

El Yungue - 134.3 134.3 128.65 128.6 125.0 125.0 118.75 118.75 118.15 118.15 Pico Del Este - 134.3 134.3 128.65 128.65 125.0 125.0 118.15 118.15

Arr-Dep US - 135.5 133.82 133.12 132.55 128.52 127.7 127.42 124.02 123.85 118.82

SE, 23 SEP 2010 to 18 NOV 2010

H-8, L-21-22-23-24, A-1

(KZMA)

H-5-6-9. L-15-16-17-18-22-25-26

H-2-3, L-5-6 (ZSU) (MJZS)

395

(KZME)

clearances for Ponce-Mercedita on freq 121.9. San Juan Cerap provides IFR clearances for Mayaguez-

H-9-10-12, L-24-25-26-29-34-35-36

(KZDC)

396 FLIGHT SERVICE STATION COMMUNICATION FREQUENCIES VHF frequencies available at Flight Service Stations and at their remote communication outlets (RCO's) are listed below for the coverage of this volume. Frequencies in bold type are available all altitudes but recommended for use FL180 and

above. "T" indicates transmit only and "R" indicates receive only. RCO's available at NAVAIDS are listed after the NAVAID

ANDERSON RCO 122.2 123.6 CHARLESTON VORTAC 113.5T 122.1R 122.2 122.5 CHESTERFIELD VOR/DME 108.2T 122.05R

COLLIERS VORTAC 113.9T 122.1R COLUMBIA VORTAC 114.7T 122.1R 122.65 FLORENCE VORTAC 115.2T 122.1R 122.6

name. RCO's not at NAVAID's are listed by name.

ANDERSON AFSS **AIKEN RCO 122.45**

ALLENDALE VOR 116.7T 122.1R

FOOTHILLS VORTAC 113.4T 122.1R FORT MILL VORTAC 112.4T 122.1R

GRAND STRAND VORTAC 117.6T 122.1R 123.6 GREER RCO 122.2 122.65

GREENWOOD VORTAC 115.5T 122.1R 122.625 HILTON HEAD ISLAND RCO 122 55

SPARTANBURG VORTAC 115.7T 122.1R

VANCE VORTAC 110.4T 122.1R

ANNISTON AFSS ANNISTON RCO 122.2 123.6

BIRMINGHAM RCO 122.2 123.65 BROOKLEY VORTAC 112.8T 122.1R CRIMSON VORTAC 117.8T 122.1R DECATUR RCO 122.6

DOTHAN RCO 122.2 122.5 EUFAULA VORTAC 109.2T 122.1R GADSDEN VOR/DME 112.3T 122.1R

HAMILTON RCO 122.3 **HUNTSVILLE RCO 122.2**

MOBILE RCO 122.2 123.65 MONROEVILLE VORTAC 116.8T 122.1R MONTGOMERY VORTAC 112.1T 122.1R 122.2 122.55 MUSCLE SHOALS RCO 122.2 122.4

SELMA RCO 122.4 TALLADEGA VOR/DME 108.8T 122.05R

TUSCALOOSA RCO 122.2

TUSKEGEE VOR/DME 117.3T 122.1R VULCAN VORTAC 114.4T 122.1R WIREGRASS VORTAC 111.6T 122.1R

GAINESVILLE AFSS 122.1R 122.2 122.5 123.65 CRAIG VORTAC 114.5T 122.1R 122.2 122.45 CRESTVIEW RCO 122.0 122.2 122.45 CROSS CITY VORTAC 112.0T 122.1R GATORS VORTAC 116.2T 122.1R

GREENVILLE VORTAC 109.0T 122.1R LAKE CITY RCO 122.6 MARIANNA VORTAC 114.0T 122.1R

OCALA VORTAC 113.7T 122.1R PALATKA RCO 122 25 PANAMA CITY VORTAC 114.3T 122.1R PENSACOLA RCO 122.2 122.6

PERRY RCO 122.45 ST AUGUSTINE RCO 122.3

SAUFLEY VOR 108.8T 122.1R

SEMINOLE VORTAC 117.5T 122.1R 122.2 122.4 TAYLOR VORTAC 112.9T 122.1R

SE, 23 SEP 2010 to 18 NOV 2010

FLIGHT SERVICE STATION COMMUNICATION FREQUENCIES	397
JACKSON AFSS CLARKSVILLE VOR/DME 110.6T 122.1R DYERSBURG RCO 122.2 122.45 GRAHAM VORTAC 111.6T 122.1R 122.25 JACKS CREEK VOR/DME 109.4T 122.1R JACKSON RCO 122.2 122.65 127.15 MEMPHIS VORTAC 117.5T 122.1R 122.2 123.65	
BOWLING GREEN RCO 122.2 122.4 CENTRAL CITY VORTAC 109.8T 122.1R CINCINNATI VORTAC 117.3T 122.1R FALMOUTH VOR/DME 117.0T 122.1R FRANKFORT VOR 109.4T 122.1R HAZARD VOR/DME 111.2T 122.1R LEXINGTON VORTAC 112.6T 122.1R LEXINGTON VORTAC 112.6T 122.1R 122.2 122.65 LOUISVILLE RCO 122.1R 122.2 122.45 MADISON RCC 122.3 NEW HOPE VOR/DME 110.8T 122.1R NEWCOMBE VORTAC 110.4T 122.1R OWENSBORO VOR/DME 10.86T 122.1R PADUCAH RCO 122.2 PIKEVILLE RCO 122.05 SOMERSET RCO 122.55 YORK VORTAC 112.8T 122.1R	

MACON AFSS

ALBANY RCO 122.6

DANIEL RCO 122.3

HARRIS RCO 122.35

ROME RCO 122.3

STATESBORO RCO 122 6 THOMASVILLE RCO 122.55 TIFT MYERS RC0 122.35

VIENNA VORTAC 116.5T 122.1R

ALMA VORTAC 115.1T 122.1R 123.6 ATHENS VORTAC 109.6T 122.1R

ATLANTA VORTAC 116.9T 122.1R 122.2 122.6 BRUNSWICK VORTAC 109.8T 122.1R 122.2

CHOO CHOO VORTAC 115.8T 122.1R COLUMBUS VORTAC 117.1T 122.1R 122.65

DUBLIN VORTAC 113.1T 122.1R 122.6

GAINESVILLE RCO 122.55

LAGRANGE VORTAC 115.6T 122.1R

MACON RCO 122.1R 122.2 122.4 MOULTRIE VOR/DME 108.8T 122.1R

PEACHTREE VOR/DME 116.6T 122.1R

SAVANNAH VORTAC 115.95T 122.1R 123.65

VALDOSTA VOR/DME 114.8T 122.1R 122.2

WAYCROSS VORTAC 110.2T 122.1R

MIAMI AFSS 122.2 122.3 122.55 123.65

MIAMI IFSS 127.9 126.9 126.7 DADE COLLIER RCO 122.3

DAVIE RCO 126.7

DOLPHIN VORTAC 113.9T 122.1R

FORT MYERS RCO 122.1R 122.2 122.65 FORT PIERCE RCO 122.55

KEY WEST VORTAC 113.5T 122.1R 122.2 123.65 LA BELLE VORTAC 110.4T 122.1R

MARATHON RCO 122.6 NAPLES RCO 123.6 PAHOKEE VORTAC 115.4T 122.1R 122.35

PALM BEACH VORTAC 115.7T 122.1R 122.4 VIRGINIA KEY VOR/DME 117.1T 122.1R

FLIGHT SERVICE STATION COMMUNICATION FREQUENCIES	399
NASHVILLE AFSS BRISTOL RCO 122.2 CHATTANOOGA RCO 122.2 123.65 CROSSVILLE RCO 122.2 122.5 HINCH MOUNTAIN VORTAC 117.6T 122.1R HOLSTON MOUNTAIN VORTAC 114.6T 122.1R LIVINGSTON VORTAC 108.4T 122.1R MCGHEE TYSON RCO 122.2 122.3 NASHVILLE RCO 114.1T 122.1R 122.2 122.55 SHELBYVILLE VOR/DME 109.0T 122.1R VOLUNTEER VORTAC 116.4T 122.1R	
RALEIGH AFSS BARRETTS MOUNTAIN VOR/DME 110.8T 122.1R CHARLOTTE RCO 122.4 COFIELD VORTAC 114.6T 122.1R ELIZABETH CITY VOR/DME 112.5T 122.05R 122.2 FAYETTEVILLE VOR/DME 112.5T 122.1R GREENSBORO VORTAC 116.2T 122.1R 122.2 123.65 HATTERAS RCO 122.3 HICKORY RCO 122.2 122.6 KINSTON VORTAC 109.6T 122.15R LIBERTY VORTAC 113.0T 122.1R NEW BERN VOR/DME 113.6T 122.1R 122.2 122.4 PITT-GREENVILLE RCO 122.35 RALEIGH RCO 122.2 122.65 ROCKY MOUNT RCO 122.2 122.3 SANDHILLS VORTAC 111.8T 122.1R SUGARLOAF MOUNTAIN VORTAC 112.2T 122.1R 122.2 122.3 TAR RIVER VORTAC 117.8T 122.1R WILKESBORO RCO 122.4 WILMINGTON VORTAC 117.0T 122.1R 122.55	
SAINT PETERSBURG AFSS BROOKSVILLE RCO 122.3 FORT DRUM RCO 122.2 LAKELAND VORTAC 116.0T 122.1R MELBOURNE VOR/DME 110.0T 122.1R 122.6 ORLANDO VORTAC 112.2T 122.1R 122.2 122.65 123.65 ORMOND BEACH VORTAC 112.6T 122.1R 122.4 PUNTA GORDA RCO 122.025 ST PETERSBURG VORTAC 116.4T 122.1R 122.2 122.45 123.6 SARASOTA VORTAC 115.2T 122.1R SEBRING RCO 122.25 TITUSVILLE RCO 123.6 VERO BEACH VORTAC 117.3T 122.1R 122.2 122.5	
SAN JUAN AIFSS BORINQUEN VORTAC 113.5T 122.1R MAYAGUEZ VOR/DME 110.6T 122.1R PONCE VOR/DME 109.0T 122.1R ST CROIX VOR/DME 108.2T 122.1R ST THOMAS VOR/DME 108.6T 123.6R SAN JUAN RCO 126.7 123.65 122.2	

400 FSD0

FLIGHT STANDARDS DISTRICT OFFICES (FSDO)

Below is a list of FSDO's in the area of coverage of this directory. These offices serve the aviation industry and the general public on matters relating to certification and operation of general aviation aircraft. Address letters to Manager, Flig Standards District Office—Federal Aviation Administration.

ALABAMA

Liberty Park Building 1500, Suite 250 1500 Urban Center Drive Vestavia Hills, AL 35242 Telephone: 205–731–1557

elephone: 205-7

FLORIDA

Ft. Lauderdale Jet Center 1050 Lee Wagener Blvd. Ft. Lauderdale, FL 33315 Telephone: 954–635–1300

5950 Hazeltine National Drive Suite 500 Orlando, FL 32822-5023 Telephone: 407-812-7700 Fax: 407-812-7710

8600 NW 36th Street Miami, FL 33166 Telephone: 305-716-3400

5601 Mariner St, Suite 310 Tampa, FL 33609

Telephone: 813-287-4900 Fax: 813-639-1551

GEORGIA

Campus Building 1701 Columbia Ave. Suite 2–110 College Park, GA 30337–2748 Telephone: 404–305–7200 Fax: 404–305–7215

KENTUCKY

1930 Bishop Lane Waterson Towers, 11th Floor Louisville, KY 40218 Telephone: 502–753–4200

NORTH CAROLINA

6433 Bryan Blvd. Greensboro, NC 27409 Telephone: 336-662-1000

3800 Arco Corporate Drive, Suite 233

Charlotte, NC 28273 Telephone: 704-319-7020

PUERTO RICO

525 F.D. Roosevelt Ave. La Torre de Plaza, Suite 901 San Juan, PR 00918 Telephone: 787-764-2538

SOUTH CAROLINA

125-B Summer Lake Drive West Columbia, SC 29170 Telephone: 803-765-5931

TENNESSEE

2 International Plaza Drive, Suite 700

Nashville, TN 37217 Telephone: 615-324-1300

2842 Business Park Drive, Bldg G Memphis, TN 38118 Telephone: 901–322–8600

401

Effective Times

(UTC)

1200-0300

1200-0300

1200-0300

1100-0300

1100-0300

1100-0300

1100-0300

PRFFFRRFD IFR ROUTES

The following will explain the terms/abbreviations used in the listing:

flight are normally cleared directly on the airway.

7. Intersection names are spelled out.

UIM UIM255 GSW081); or an intersection (e.g., GSW081 FITCH).

indicate the preferred route based on aircraft performance.

14. Use current SIDs and STARSs for flight planning.

Chicago Midway (MDW) Chicago O'Hare (ORD).....

Cincinnati (CVG).....

Ann Arbor (ARB)

CINCINNATI METRO AREA (CVG, LUK) Detroit/Wayne (DTW)

traffic service

e.g., New York Metro Area.

Terminals

ATLANTA METRO AREA

Detroit Satellites:

Pontiac (PTK),

A system of preferred routes has been established to guide pilots in planning their route of flight, to minimize route

changes during the operational phase of flight, and to aid in the efficient orderly management of the air traffic using federal airways. The preferred IFR routes which follow are designed to serve the needs of airspace users and to provide for a

systematic flow of air traffic in the major terminal and en route flight environments. Cooperation by all pilots in filing preferred routes will result in fewer traffic delays and will better provide for efficient departure, en route and arrival air

The following lists contain preferred IFR routes for the low altitude stratum and the high altitude stratum. The high altitude list is in two sections; the first section showing terminal to terminal routes and the second section showing single direction route segments. Also, on some high altitude routes low altitude airways are included as transition routes.

1. Preferred routes beginning/ending with an airway number indicate that the airway essentially overlies the airport and

2. Preferred IFR routes beginning/ending with a fix indicate that aircraft may be routed to/from these fixes via a

3. Preferred IFR routes for major terminals selected are listed alphabetically under the name of the departure airport. Where several airports are in proximity they are listed under the principal airport and categorized as a metropolitan area;

4. Preferred IFR routes used in one direction only for selected segments, irrespective of point of departure or

8. Navaid radial and distance fixes (e.g., ARD201113) have been used in the route description in an expediency and intersection names will be assigned as soon as routine processing can be accomplished. Navaid radial (no distance stated) may be used to describe a route to intercept a specified airway (e.g., MIV MIV101 V39); another navaid radial (e.g.,

9. Where two navaids, an intersection and a navaid, a navaid and a navaid radial and distance point, or any navigable

10. The effective times for the routes are in UTC. During periods of daylight saving time effective times will be one hour earlier than indicated. All states observe daylight saving time except Arizona, Puerto Rico and the Virgin Islands. Pilots planning flight between the terminals or route segments listed should file for the appropriate preferred IFR route.

12. The notations "pressurized" and "unpressurized" for certain low altitude preferred routes to Kennedy Airport

15. For high altitude routes, the portion of the routes contained in brackets is suggested but optional. The portion of the

LOW ALTITUDE

13. High Altitude Preferred IFR Routes are in effect during the following time periods unless otherwise noted.

Standard Instrument Departure (SID) route, radar vectors (RV), or a Standard Terminal Arrival Route (STAR).

destination, are listed numerically showing the segment fixes and the direction and times effective.

5. Where more than one route is listed the routes have equal priority for use. 6. Official location identifiers are used in the route description for VOR/VORTAC navaids.

combination of these route descriptions follow in succession, the route is direct.

11. (90-170 incl) altitude flight level assignment in hundred of feet.

route outside the brackets will likely be required by the facilities involved.

Route

(60-170 incl) V97 NELLO V311 HCH V51 CGT

(60-170 incl) V97 NELLO V311 HCH V51 CGT V7 BEBEE

(80-170 incl) V97 VXV V115 AZQ V339 FLM

DQN MIZAR-STAR

MIZAR-STAR

DQN CRUXX-STAR.....

CRUXX-STAR.....

CRUXX-STAR

(RNAV only) HAGOL (RNAV)-DP DQN

(RNAV only) HAGOL (RNAV)-DP DQN

(RNAV only) HAGOL (RNAV)-DP DQN

PREFERRED IFR ROUTES

Effective Times

1030-0300

1030-0300

1030-0300

Terminals	Route	Times (UTC)
Willow Run (YIP)	(all others) DQN CRUXX-STAR	
	or (RNAV only) HAGOL (RNAV)-DP DQN	
Windsor (CYQG),	CRUXX-STAR	
willusor (cryd),	(all others) (RNAV only) HAGOL (RNAV)-DP DQN V272 KLINE VXV VXV064 LYNTN	
Young (DET)	V272 KLINE VWV VWV064 LINTN	
	(RNAV only) HAGOL (RNAV)-DP DQN V275 KLINE VXV VXV 064 LYNTN	
From COVINGTON (CVG) only		
Atlanta (ATL)	BLUEGRASS-DP HYK V97 VXV V267 HRS V463	
	WOMAC	1100-0300
Chicago Midway (MDW)	V128 VHP BVT V97 CGT	1100-0300
Chicago O'Hare (ORD)	V128 VHP BVT V97 CGT V7 BEBEE	1100-0300
Indianapolis (IND)	V128 VHP	1100-0300
Knoxville (TYS)	(all others) BLUEGRASS-DP HYK V97	
	or	
	(RNAV only) KENLIN (RNAV)-DP HYK V97	
Louisville (SDF)	CVG206 IIU055 IIU	1100-0300
Pittsburgh (PIT)	(60–170 incl) (all others) RHOMM–DP YRK V44	4400 0000
	JPU V117 WISKE WISKE-STAR	1100-0300
	or (60–170) (RNAV only) GIPLE (RNAV)–DP YRK V44	
	JPU V117 WISKE WISKE-STAR	1100 0200
	JPU VIII WISKE WISKE-STAR	1100-0300
DAYTONA BEACH Miami (MIA)	(110 and below) V3 MLB V437 PHK V267 BRIKL	1300-0300
	(======================================	
FT LAUDERDALE METRO AREA (FLL, FXE, PMP)		
Cross City (CTY)	(at or below 50) DHP V97 LBV V157 LAL V7 or	1030-0300
	(60–170) V511 LAL V7	1030-0300
Daytona Beach (DAB)	(at or below 100) PBI V3 SMYRA	1030-0300
	or	4000 0000
FA Misere (FMV)/DCM/)	(110–170) V159 TBIRD MLB V3	1030-0300
Ft. Myers (FMY)(RSW)	(at or below 50) DHP V521	1030-0300
Ft. Pierce (FPR)	(at or below 100) V3	1030-0300
Cainaguilla (CNIV)	(110–170) V159 TBIRD	1030-0300 1030-0300
Gainesville (GNV)	(at or below 50) DHP V97 LBV V157	
Landa and May (TANO)	(60–170) V511 LAL V157	1030-0300
Jacksonville (JAX)	(at or below 90) PBI V3 OMN V51 CRGor	1030-0300
	(130–170) ORL V267 CRG or	1030-0300
Labatan d (LAL)	V159 VRB V3 OMN V51 CRG	4000 0000
Lakeland (LAL)	(at or below 50) DHP V97 LBV110 V157	1030-0300
	or (60, 170) V511	1020 0200
Melhourne (MLR)	(60–170) V511	1030-0300
Melbourne (MLB)	(at or below 100) V3	1030-0300
01- (005)	(110–170) FLL V159 TBIRD	1030-0300
Ocala (OCF)	(at or below 50) DHP V97 LBV V157	1030-0300

Orlando (MCO).....

(60-170) V511 LAL V157

(at or below 100) PBI V531 ORL.....

(110-170) V159 TBIRD V531 ORL

	KELEKKEN ILK KOOIE2	40
Terminals	Route	Effective Times (UTC)
Sarasota/Bradenton (SRQ)	(60–170) LBV V97 ROGAN	1030-0300
	(60–170) SRQ	1030–3000
	(at or below 50) DHP V97 ROGANor	1030-0300
	(60–170) ROGAN	1030-0300
Tallahassee (TLH)	(at or below 50) DHP V97 LBV V157 LAL V7 SZW. or	1030-0300
Tampa (TPA)	(60–170) V511 LAL V7 SZW (60–170) LBV BRDGE–STAR	1030-0300 1030-0300
	(60–170) BRDGE BRDGE–STAR or	1030-0300
	(at or below 50) DHP V97 PIEor	1030-0300
	(60–170, GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STARor	1030-0300
	(60–170, GPS or DME/DME-IRU equipped) LBV DEAKK (RNAV)-STAR	1030-0300
Vero Beach (VRB)	or (110, 170, V150, TRIPD)	1030-0300
FORT MYERS METRO AREA (RSW, FMY, APF, MKY, PGD)	(110–170) V159 TBIRD	1030-0300
Daytona Beach (DAB)	ORL	1030-0300
Ft. Lauderdale (FLL)	(RSW/FMY/PGD-prop/turbo) RSW V599or	1030-0300
	(RSW/FMY/PGD-turbo/jets) FORTL JINGL (RNAV)-STARor	1030-0300
	(APF/MKY prop/turbo) DRCTor	1030-0300
5. B	FORTL JINGL (RNAV)- STAR	1030-0300
Ft. Pierce (FPR)	V225	1030-0300
Gainesville (GNV)	V7 LAL V157	1030-0300
Jacksonville (JAX)	ORL V267 CRG	1030-0300
Lakeland (LAL)	V7 LAL	1030-0300
Melbourne (MLB)	V225 VRB	1030-0300
Miami (MIA)	V35 CURVEor	1030-0300
	(all others) CYY CYY-STARor (Turbojets-GPS or DME/DME-IRU equipped) CYY	1030-0300
Orlando (MCO)	SSCOT (RNAV)-STAR(Jets) LAL ORL	1030-0300
. ,	or (Turbo/Props) ORL	1030-0300
	or (Jets) LAL MINEE-STAR	1030-0300
	or (Jets) DOWNN MINEE-STAR or	1030-0300
	(Turbo/Props) DOWNN MINEE-STAR	1030-0300
Ocala (OCF)	V7 LAL V157	1030-0300
Tallahassee (TLH)	V7 SZW(at or below 100) V35 PIE	1030-0300 1030-0300
	or (110–170) RSW BRDGE–STAR or	1030-0300
	(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR	1030-0300
	V225	1030-0300

4 PF	REFERRED IFR ROUTES	
T	P. A.	Effective
Terminals GAINESVILLE (GNV)	Route	(UTC)
Ft. Lauderdale (FLL)	(100 and below) V157 NEWER	0000-23
Ft. Myers (FMY)	(100 and below) V157 LAL V521	0000-23
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE	0000-23
Orlando (ORL)	(100 and below) V157 OCF V159	1100-04
Sarasota/Bradenton (SRQ) Tampa (TPA)	(100 and below) V157 LAL(100 and below) V157 OCF V581 DADES	0000-23 0000-23
JACKSONVILLE METRO AREA (JAX)	(100 did bolow) V107 doi V001 b/blo	0000 20
Miami (MIA)	(100 and below) V3 MLB V437 PHK V267 BRIKL	1300-03
Tampa (TPA)	(100 and below) OCF V581 DADES or	0000-23
	(100 and below, GPS or DME/DME-IRU equipped) OCF V581 DADES (RNAV)-STAR	0000 23
KEY WEST METRO AREA (NQX)	equipped) OCF VS81 DADES (RNAV)-STAR	0000–23
Daytona Beach (DAB)	RSW ORL	1030-03
Ft Myers (RSW)	EYW	1030-03
Fort Lauderdale (FLL)	(props) EYW V157 DHP	
	Or (into all others) EVW DVALL STAP	1030-03
	(jets-all others) EYW DVALL-STAR or	1030-0
	(jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	4000 -
Malhauma (MLD)	(RNAV)-STAR	1030-03
Melbourne (MLB) Miami (MIA)	EYW PHK(props) EYW V157	1030-03
	or	
	(Jets-all others) EYW DVALL-STAR	1030-03
	(Jets-/E,/G,/R,/J,/L,/Q) EYW CURSO	1020 0
Orlando (MCO)	(RNAV)-STAR(props) EYW RSW MINEE-STAR	1030-03
	(Jets) EYW RSW MINEE-STAR	1030-03
Palm Beach (PBI)	EYW PHK	1030-03
Sarasota/Bradenton (SRQ)	(at or below 100) EYW RSW V35 MURDO or (110–170) EYW RSW V7 ROGAN	1030-0
Tallahassee (TLH)	EYW RSW V7 SZW	1030-03
Tampa (TPA)	(at or below 100) EYW RSW V35 PIE or	
	(110–170) EYW RSW V7 BRDGE–STAR or	1030-0
	(110–170, GPS or DME/DME-IRU equipped) EYW V225	
	RSW V7 ROGAN DEAKK (RNAV)-STAR	1030-0
Vero Beach (VRB)	EYW PHK V51	1030-0
AKELAND METRO AREA (LAL, GIF, BOW, BKV, X16)		
Ft Lauderdale (FLL)	(Jets only-all others) V7 RSW FORTL-STAR	1030-0
Ft. Myers (FMY)	V521	1030-0 1030-0
	or (150–170) VRB	1030-0
Key West (EYW)	V7 RSW V225	1030-03
Miami (MIA)	(100 and below) V157 LBV V529 V35 CURVE or	
	(all others) CYY CYY-STAR	1030-0
	(Turbojets-GPS or DME/DME-IRU equipped) CYY SSCOT (RNAV)-STAR	
Opa Locka (OPF)	(props/turbo) V511 NEWERor	
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR	
Vero Beach (VRB)	(at or below 140) V441 DEARY V159	1030-0
West Palm Beach (PBI)	(150–170) VRBPHK	1030-03
west raim beach (rbl)	ΓΠN	1030-0

PREFERRED IFR ROUTES		405
Terminals	Route	Effective Times (UTC)
LEXINGTON (LEX)		()
Atlanta (ATL) LOUISVILLE	HYK V53 AZQ SOT WHINZ-STAR	
Kansas City (MKC)	V4 PXV V190 SGF TYGER-STAR V4 PXV V190 SGF V132 CNU V350	0000–2359 0000–2359
Chicago Midway (MDW)	SPI MOTIF-STAR	0000-2359 1100-0300
	or PNT V227 PLANO	0000-2359
MIAMI METRO AREA (MIA, HWO, OPF,		
TMB, HST, X51) Cross City (CTY)	V97 LBV V157 LAL V7	1030-0300
Daytona Beach (DAB)	(at or below 100) PBI V3 SMYRA	1030-0300 1030-0300
Ft Pierce (FPR)	(110–170) V437 MLB V3	1030-0300 1030-0300
	or (110–170) V267 PHK V51 VRBor	1030-0300
Gainesville (GNV)	FPR V97 LBV V157 or	1030-0300
	LAL	1030-0300
Jacksonville (JAX)	(at or below 90) PBI V3 OMN V51 CRG or (at 110) PHK V437 MLB V3 OMN V51 CRG	1030-0300 1030-0300
	or (130, 170) V267 CBC	1020 0200
Lakeland (LAL)	(130–170) V267 CRG	1030–0300 1030–0300
Melbourne (MLB)	(at or below 100) V3or	1030-0300 1030-0300
	(120-170) PBI V531 TBIRD	1030-0300
New Orleans (MSY) Ocala (OCF)	Or Obelow FL180) LBV SRQ AM	1100-0300 1030-0300
Orlando (MCO)	LAL	1030-0300
Overwater Routes to the Northeast	(110–170) V267 PHK GOOFY–STAR PERMT ILM or PERMT DIW	1030-0300
Sarasota/Bradenton (SRQ)	V97 ROGAN	1030-0300
Tallahassee (TLH) Tampa (TPA)	DHP V97 LBV V157 LAL V7 SZW V97 LBV BRDGE-STARor	1030–0300 1030–0300
	(GPS or DME/DME-IRU equipped) V97 LBV DEAKK	1030-0300
Vero Beach (VRB)	(at or below 100) PBI V3or	1030-0300
	(110–170) V267 PHK V51or	1030-0300
NASHVILLE	(110–170) VRB	1030-0300
Tallahassee (TLH)	RQZ TDG TGE RRS	1100–2300
ORLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)		
Ft Lauderdale (FLL)	(at or below 100) PHK V267 BRIKL or	1030-0300
Et Diorgo (EDD)	(110–170) PHK V267 BRIKL	1030-0300
Ft Pierce (FPR)	V159 VRB RSW V225	1030-0300 1030-0300
Miami (MIA)	(at or below 100) PHK V267 BRIKL	1030-0300

Route	Effective Times
	(UTC)
V492or	1030-030
(Jets only) PHKor	1030-030
(Turbojets-GPS or DME/DME-IRU equipped) DEARY VRB FRWAY (RNAV)-STAR	
(at or below 140) V531 BAIRN OCF V159 or	
(150–170) LAL V7	1030-030 1030-030
v531 TBIRD MLB V3 SMYRA	1030-030
(at or below 110) V3 VRB V51 CRG or	1030-030
(130–170) ORL V267 CRG	1030-030 1030-030
(SUA Dep) LAL	
or (120–170) PBI V531 TBIRD	1030-030
or	
V531 BAIRN GOOFY-STAR	1030-030
LBV V97 ROGANor	
(at or below 140) V531 BAIRN OCF V159 CTY V7 SZW	
(150–170) LAL V7 SZW LBV BRDGE–STAR	1030-030
or BRDGE BRDGE-STARor	1030-030
(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR	1000-030
(GPS or DME/DME-IRU equipped) LBV DEAKK (RNAV)-STAR	1000-030
(at or below 100) PBI V3or	
	1030-030
or (130–170) LAL V7	1030-030
TBIRD V531 ODDEL V441 LAL	1030-030 1030-030
(at or below 120) BAIRN OCF V159 CTY V7 SZW or	
	or (Jets only) PHK

T I		
- - - - -	Boute	Effective Times
	Route	(UTC)
ARASOTA/BRADENTON AREA (SRQ) Ft Lauderdale (FLL)	(at or below 100, below 210 kts) RSW V599 NEWER	
	or (110–170), below 210 kts) LBV V157 NEWER or	
	(at or above 210 kts) V579 RSW V7 KUBIC or	
	(all others) RSW FORTL-STAR or	1030-0300
	(/E, /G, /R, /J, /L, /Q) RXXAN JINGL	
Ft Myers (RSW)	(RNAV)-STAR V579 RSW	1030-0300
Orlando (MCO)	LAL MINEE-STAR	1030-0300
West Palm Beach (PBI)ALLAHASSEE AND CROSS CITY AREA	SABEE JOOOE WLACE (RNAV)-STAR	
Ft Myers (FMY)	(120 and below) CTY V7 LAL V521	1100-0300
Miami (MIA) AMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)	(170 and below) LAL V157 LBV V529 V35 CURVE	1300-0300
Ft Lauderdale (FLL)	(Jets only) RSW V7 KUBIC FLLor	
	(all others) RSW FORTL-STAR	
	(Turboprop–all others) RSW FORTL–STAR or	1030-0300
	(props only) V509 HALLR V511 NEWERor	1030-0300
	(GPS or DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR	
Ft Myers (RSW)	PIE V579 RSW or (Turbojets-GPS or DME/DME-IRU equipped) SRQ TYNEE (RNAV)-STAR	
Ft Pierce (FPR)	or (150, 470) VPR	4000 0000
Key West (EYW)	(150–170) VRB PIE V35 RSW V225or	1030-0300
	V579 RSW V225	1030-0300
Miami (MIA)	Or	1030-0300
	or (Turbojets-GPS or DME/DME-IRU equipped) CYY	1030-0300
Opa Locka (OPF)	SSCOT (RNAV)-STAR(props) V509 HALLR V511 NEWER	
	or (turbo) RSW V7 KUBIC	
	or (turbo) V509 HALLR V511 NEWER	1030-0300
	(jets) RSW CYY CYY–STAR	1030-0300
	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR	
Orlando (MCO)	LAL MINEE-STAR (Max alt. 12,000 ft)	1030-0300
West Palm Beach (PBI)	(150–170) VRB RSW PHK	1030-0300
. ,	or (Turbojets-GPS or DME/DME-IRU equipped) SABEE JOOOE WLACE (RNAV)-STAR	

PREFERRED IFR ROUTES SPECIAL LOW ALTITUDE ARRIVAL ROUTES

FOR ATLANTA TERMINAL AREA (JETS AND TURBOPROPS)

NORTHEAST

Traffic entering ZTL airspace V97 and East to	V66 file:
	VXV AWSON-STAR
	SOT ODF AWSON-STAR
	SUG ODF AWSON-STAR
	SPA ODF AWSON-STAR
	ELW ODF AWSON-STAR
SOUTHEAST	
Traffic entering ZTL airspace South of V66 to	East of a line from ATL to MGR file:
	IRQ TRBOW-STAR
	DBN TRBOW-STAR
	MCN TRBOW-STAR
	DBN JRAMS (RNAV)-STAR
	IRQ TRBOW-STAR
	MCN JRAMS (RNAV)-STAR
Traffic originating South of a line from ATL to I	RDII to East of IS9 file:
Traine originating court of a line from ALE to 1	DBN JRAMS (RNAV)-STAR
	DBN TRBOW-STAR
	IRQ JRAMS (RNAV)-STAR
	IRO TRBOW–STAR
	INQ INDOW-STAIN
SOUTHWEST	
Traffic entering ZTL airspace South of V278 to	
	LDK V66 LGC DIFFI-STAR
	MVC MGM LGC DIFFI-STAR
	CEW MGM LGC DIFFI-STAR
	SZW PZD CSG LGC DIFFI-STAR
	V56 MGM LGC DIFFI-STAR
NORTHWEST	
Traffic entering ZTL airspace on V278 and Nor	th to West of V97 file:
	IGB V278 VUZ V417 MAYES V325 DALAS
	HAB V159 VUZ V417 MAYES V325 DALAS
	MSL V325 DALAS
	DCU V541 GAD V325 DALAS
	RQZ BUNNI-STAR
	BNA V5 GQO BUNNI-STAR
	SYI V67 GQO BUNNI-STAR
	BWG V243 GQO BUNNI-STAR
	LVT V51 HCH V333 GQO BUNNI-STAR
	HYK V333 GQO BUNNI-STAR

	V56 MGM LGC DIFFI-STAR
NORTHWEST	
Traffic entering ZTL airspace on V278 and No	rth to West of V97 file:
	IGB V278 VUZ V417 MAYES V325 DALAS
	HAB V159 VUZ V417 MAYES V325 DALAS
	MSL V325 DALAS
	DCU V541 GAD V325 DALAS
	RQZ BUNNI-STAR
	BNA V5 GQO BUNNI-STAR
	SYI V67 GQO BUNNI-STAR
	BWG V243 GQO BUNNI-STAR
	LVT V51 HCH V333 GOO BUNNI-STAR
	HYK V333 GOO BUNNI-STAR
SPECIAL LOW	ALTITUDE DIRECTIONAL ROUTES
	Route
Low Altitude IFR routes for traffic overflying th	
	PSK V37 CAE (90 and 100 only)

HIGH	ALTITUDE

GRD V66 SDZ (30-100 only)

Route

WEONE J239 MEI AEX LFK.....

EAONE SPA J14 RIC OTT-STAR

(GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK PRRIE (RNAV)-STAR

EATWO GRD J209 RDU J207 FKN J79 JFK ORW-STAR.....

Effective Times (UTC) 1100-0300

1100-0300

1100-0300

Effective Times

(UTC)

1100-0300

1100-0300

1100-0300

1100-0300

Terminals

ATLANTA (ATL)

Boston (BOS).....

Austin (AUS)

Baltimore (BWI).....

Boca Raton (BCT).....

Effective

Terminals	Route	Effective Times (UTC)
Chicago Midway (MDW)	(/E/G/R/S/L/Q only) NOONE J89 IIU OKK FISSK	1100-0300
	(RNAV)-STARor	1100-0300
	(Non-Advanced RNAV only) NOONE J89 IIU OKK	4400 0000
Chicago O'Hare (ORD)	V285 CLEFT OXI CGT (non-Advanced RNAV only) CADIT GLAZR HOPAP	1100-0300
	VOSTK HEVAN MZZ MZZ344/33 OXI	
	KNOX-STAR	1100-0300
	(/E/G/R/J/L/Q only) CADIT GLAZR HOPAP VOSTK	
	HEVAN MZZ ROYKO (RNAV)-STAR	1100-0300
	J89 IIU MZZ OXI	
Cincinnati (CVG)	NOTWO J43 VXV HARDU-STAR	1100-0300
Charlotte (CLT)	GRD ADENA (RNAV-STAR)	1100-0300
Cleveland (CLE)	SUMMT (RNAV)-DP VXV J91 BULEY J91 HNN TVT KEATN-STAR	
Columbus (CMH)	NOTWO J43 VXV J91 HNN BREMN-STAR	1100-0300
Denver (DEN)	WETWO VUZ J41 MEM RZC PER GCK J154 RYLIE	
	DANDD-STAR	1100-0300
Detroit/Wayne (DTW)	SUMMT (RNAV)-DP VXV J91 HNN WEEDA-STAR	
Eglin AFB (KVPS)	NOVSS (RNAV) DP SARGE RRS CEW	
Flint (FNT)	NUGGT (RNAV)-DP RAFTN FLM J43 ROD JXN	
Fort Lauderdale (FLL)	V353SOONE J89 HITTR PIE FORTL-STARor	1100-0300
	(GPS or DME/DME-IRU equipped) BRAVS	
	(RNAV)-DP WALET OTK JINGL (RNAV)-STAR	1100-0300
Fort Myers (FMY and RSW)	(Turbojets–GPS or DME/DME–IRU equipped)	1100 0000
Totalinjoid (Time and Novi) illinininini	THRSR (RNAV)-DP LUCKK SZW TYNEE	
	(RNAV)-STAR	1100-0300
Gainesville (GNV)	SOONE J89 OTK	1100-0300
Houston (HOU)	(DME/DME-IRU or GPS-equipped) JAMMR AEX ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) JAMMR MEI AEX	
	DAS-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped)	
Houston (IAH)	JAMMR AEX TXMEX (RNAV)-STAR	
Kennedy (JFK)	EATWO GRD J209 ORF J121 SIE CAMRN-STAR	1100-0300
La Guardia (LGA)	EAONE AHN J208 HPW J191 PXT KORRY-STAR	1100-0300
Louisville (SDF)	NOONE HCH DARBY-STAR	1100-0300
Marco Island (MKY)	SOTWO J43 SZW PIKKR (RNAV)-STAR	
	or	
	SOONE J89 J75 TEPEE ZEILR-STAR	
Miami (MIA)	(all others) SOTWO SZW J43 PIE CYY-STAR or	1100-0300
	(Turbojets-GPS or DME/DME equipped) THRSR	
	(RNAV)-DP LUCKK SZW SSCOT (RNAV)-STAR	1100-0300
Minneapolis (MSP)	(all others) NOONE J89 IIU J89 BAE EAU-STAR or	1100-0300
	(RNAV only) COKEM (RNAV) DP CARPT BNA ENL	
	IOW ALO KASPR-STAR	1100-0300
Naples (APF)	SOTWO J43 SZW PIKKR (RNAV)-STAR	
Newark (EWR)	GSO J14 J51 FAK DYLIN-STARor	1100-0200
	(GPS or DME/DME-IRU equipped) GSO J14 J51	
	FAK PHLBO (RNAV)-STAR	1100-0200
Orlando (MCO)	SOONE J89 OTK LEESE-STARor	1100-0300
	(GPS or DME/DME-IRU equipped) SOONE J89	
	OTK PIGLT (RNAV)-STAR	1100-0400
Orlando (ORL)	(GPS or DME/DME-IRU equipped) SOONE J89	
B	OTK PIGLT (RNAV)-STAR	1100-0400
Panama City-Bay Co Intl (PFN) Pensacola Rgnl (PNS)	NOVSS (RNAV) DP SARGE NOVSS (RNAV) DP SARGE	
5 (-//	, ,	

		Effective
		Times
erminals	Route	(UTC)
Philadelphia (PHL)	EAONE SPA J14 J51 FAK DPNT-STAR	1100-030
Raleigh-Durham (RDU) Sarasota/Bradenton (SRQ)	EATWO IRQ CAE BUZZY-STAR	1100-030 1100-030
Tampa (TPA)	SOTWO J43 SZW DARBS-STAR	1100-03
	(GPS or DME/DME-IRU equipped) SOTWO J43 SZW FOXXX (RNAV)-STAR	1100-03
Teterboro (TEB)	(Advanced Nav Only) EAONE SPA J14 J51 FAK JAIKE-STAR	1100-03
	or (Non-Advanced Nav Only) EAONE SPA J14 J51	
Weeklerder Nett (DOA)	FAK BRV AML J227 J49 J70 LVZ LVZ-STAR	1100-03
Washington Natl (DCA)	(GPS or DME/DME-IRU equipped) EAONE SPA J14 RIC OJAAY (RNAV)-STAR	1100-03
	or EAONE SPA J14 RIC IRONS-STAR	
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) BRAVS (RNAV)-DP WALET OTK WLACE	
	(RNAV)-STAR	1100-03
Windsor Locks (BDL)	EATWO GRD J209 RDU J207 FKN J79 JFK DPK DPK-STAR	1100-03
UGUSTA (AGS)		30
Kennedy (JFK)IRMINGHAM (BHM)	GRD J209 ORF J121 SIE CAMRN-STAR	
Baltimore (BWI)	ATL J14 RIC OTT-STAR	
	(GPS or DME/DME-IRU equipped) ATL J14 RIC	
Chicago Midway (MDW)	RAVNN (RNAV)-STAR(/E/G/R/J/L/Q only) VUZ IIU OKK FISSK	
Cilicago Midway (MDW)	(RNAV)-STAR	1100-03
	or (non-advanced RNAV only) VUZ IIU OKK V285	
	CLEFT OXI CGT	1100-03
Chicago O'Hare (ORD)	MEM FTZ BDF BDF-STAR(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR	0000–23
	or BNA CCT VHP FWA MIZAR-STAR	
Houston (HOU)	(DME/DME-IRU or GPS-equipped) MEI AEX ROKIT (RNAV)-STAR	
	(Non-advanced NAV only) MEI AEX DAS-STAR	
Houston (IAH)	(Turbojets-DME/DME-IRU or GPS-equipped) MEI AEX TXMEX (RNAV)-STAR	
	or (Non-advanced NAV only) MEI AEX DAS-STAR	
Washington Dulles (IAD)	ATL J14 J51 FAK COATT-STAR	
Washington Natl (DCA)	ATL J14 RIC IRONS-STARor	
	(GPS or DME/DME-IRU equipped) ATL J014 RIC OJAAY (RNAV)-STAR	
HARLESTON (CHS)	NIO OJAAT (NIVAY)-STAR	
Baltimore (BWI)	J79 TYI J40 RIC OTT-STARor	1100-04
	(GPS or DME/DME-IRU equipped) J79 TYI J40 RIC RAVNN (RNAV)-STAR	1100 04
Detroit/Wayne (DTW)	BKW GEMNI-STAR	1100–04
Houston (HOU)	(GPS or DME/DME-IRU equiped) MGM J37 SJI COLUMBIA (RNAV)-STAR	
	or (Non-advanced NAV only) MGM J37 SJI AEX	
	DAS-STAR	
Houston (IAH)	(DME/DME-IRU or GPS-equipped) MGM J37 SJI WOLDE (RNAV)-STAR	
	Or (Non-advanced NAV only) MGM J37 SJI	
Philadelphia (PHL)	GILCO-STAR J121 SWL SWL034 RADDS VCN-STAR	1100-04

PREFERRED IFR ROUTES **Effective** Times Terminals (UTC) Route J55 FLO J207 RDU FAK COATT-STAR..... Washington Dulles (IAD)..... (GPS or DME/DME-IRU equipped) J55 FLO J207 RDU FAK BARIN-STAR CHARLOTTE (CLT) Baltimore (BWI)..... MERIL RDU J52 RIC OTT-STAR..... 1100-0300 (GPS or DME/DME-IRU equipped) MERIL RDU J52 RIC RAVNN (RNAV)-STAR 1100-0300 Boston (BOS) MERIL RDU J207 FKN J79 JFK ORW-STAR..... Chicago Midway (MDW) SADIE HNN FWA GOSHEN-STAR..... 1100-0300 SADIE HVQ APE J178 FWA GOSHEN-STAR..... 1100-0300 Chicago O'Hare (ORD)..... (/E/G/R/J/L/Q only) SADIE FLM HEVAN MZZ ROYKO (RNAV)-STAR..... 1100-0300 or (non-advanced RNAV only) SADIE FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR..... 1100-0300 Cincinnati (CVG)..... (RNAV only) HMV JAKIE (RNAV)-STAR..... (all others) HMV HARDU-STAR..... Denver (DEN)..... HARAY SPA SPA270 VXV125 VXV BNA FAM J112 BUM J110 GCK J154 RYLIE DANDD-STAR...... 1100-0300 HUGO-DP ROBAY BKW GEMNI-STAR Detroit/Wayne (DTW)..... (DME/DME-IRU or GPS-equipped) AHN ATL J14 Houston (HOU)..... VUZ AEX ROKIT (RNAV)-STAR..... (Non-advanced NAV only) AHN ATL J14 VUZ AEX DAS-STAR or (DME/DME-IRU or GPS equipped) AHN MGM J37 SJI Columbia (RNAV)-STAR (Turbojets-DME/DME-IRU or GPS-equipped) AHN Houston (IAH) ATL J14 VUZ AEX TXMEX (RNAV)-STAR..... (Non-advanced NAV only) AHN ATL J14 VUZ AEX DAS-STAR Kennedy (JFK)..... MERIL RDU J209 ORF J121 SIE CAMRN-STAR MERIL RDU J55 HPW J191 PXT KORRY-STAR La Guardia (LGA)..... 1100-0300 SADIE LOZ V310 IIU Louisville (LOU)..... 1100-0300 Newark (EWR) RDU FAK DYLIN-STAR..... 1100-0300 or (GPS or DME/DME-IRU equipped) RDU FAK PHLBO (RNAV)-STAR 1100-0300 MERIL RDU TYI CVI V1 DRONE Norfolk (ORF)..... 1100-0300 Philadelphia (PHL) MERIL RDU248 J51 FAK DPNT-STAR 1100-0400 Richmond (RIC)..... MERIL RDU LVL.....

AML J227 J49 J70 LVZ LVZ-STAR Washington Dulles (IAD)..... MERIL RDU248 J51 FAK COATT-STAR..... Washington Natl (DCA)..... MERIL RDU J52 RIC IRONS-STAR..... (GPS or DME/DME-IRU equipped) MERIL RDU J52 OJAAY (RNAV)-STAR Windsor Locks (BDL) MERIL RDU J207 FKN J79 JFK DPK DPK-STAR.....

Teterboro (TEB).....

Chicago O'Hare (ORD)

CHATTANOOGA (CHA)

(non-advanced RNAV only) GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR CINCINNATI (CVG) (RNAV only) ROCKT (RNAV)-DP ROCKT CADRE Albany (ALB)

0000-2359 0000-2359

1100-0300

1100-0300

1100-0300

SE, 23 SEP 2010 to 18 NOV 2010

AHTIY PSB.....

HEVAN MZZ ROYKO (RNAV)-STAR

(Advanced Nav Only) MERIL RDU FAK JAIKE-STAR

(Non-Advanced Nav Only) MERIL RDU FAK BRV

(/E/G/R/J/L/Q only) GLAZR HOPAP VOSTK

	LKELEKKEN ILK KOOIE2	
	- · · ·	Effective Times
erminals Allentown (ABE)	Route . (RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	(UTC)
,	AHTIY JST HAR	
Atlanta (ATL)	(RNAV)-STAR	
Baltimore (BWI)	or (all others) BLUEGRASS-DP BWG ROME-STAR V128 YRK HVQ J8 CSN OTT-STAR	
Bultimore (BWI)	or (GPS or DME/DME-IRU equipped) V128 YRK HVQ	
	J8 CSN RAVNN (RNAV)-STAR	
Birmingham (BHM)		
	LATHY PRRIE (RNAV)-STARor	
	(GPS or DME/DME-IRU equiped) BLUEGRASS-DP HYK VXV J43 ATL J89 OTK PRRIE (RNAV)-STAR.	
Boston (BOS)	. (RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
Chicago O'Hare (ORD)		
	ROYKO (RNAV)-STARor	
	(Non-Advance Nav only) HAGOL (RNAV)-DP DQN FWA KNOX-STAR	
	or HAGOL (RNAV)-DP DQN FWA WATSN	
Dallas/Ft. Worth (DFW)	(RNAV)-STAR	
Fort Lauderdale (FLL)	. (GPS or DME/DME-IRU equipped) SILK (RNAV)-DP TRFWA NOTWO OTK JINGL	
	(RNAV)-STAR or (all others) BLUEGRASS-DP HYK VXV J43 ATL J89	
	HITTR J75 FORTL-STAR	
Fort Myers (FMY)	. (Turbojets, DME/DME-IRU or GPS) KENLN (RNAV)-DP HYK VXV J43 SZW TYNEE (RNAV)-STAR	
	or	
	(all others) BLUEGRASS-DP HKY VXV J43 SZW PIE JOSFF-STAR	
Fort Myers (RSW)	(RNAV)-DP HYK VXV J43 SZW TYNEE	
	(RNAV)-STARor	1100-0
	(all others) BLUEGRASS-DP HYK VXV J43 SZW PIE JOSFF-STAR	
Harrisburg (MDT)	. (RNAV only) ROCKT (RNAV)-DP AHTIY JST HAR	
	(RNAV)-DP BWG J6 LIT J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) BLUEGRASS-DP BWG	
Houston (IAH)	J6 LIT J180 SWB DAS-STAR	
	CHCLL (RNAV)-DP BWG J6 LIT J180 SWB TXMEX (RNAV)-STAR	
	or (all others) LIT J180 SWB BLUEGRASS-DP BWG J6 DAS-STAR	
Jackson (JAN)	. (all others) BLUEGRASS-DP TRFWA LVT SYI VUZ JAN	
	or (RNAV only) SILKS (RNAV)-DP TRFWA LVT SYI VUZ JAN	
La Guardia (LGA)	. (RNAV only) ROCKT (RNAV)-DP AHTIY PSB	40
	MILTON-STAR	1000–18

Effective Times

(UTC)

PREFERRED IFR ROUTES

Route

Terminals

Manchester (MHT)	(RNAV only) ROCKT (RNAV)-DP AHTIY PSB ALB EEN	(UTC)
Marco Island (MKY)		
	(all others) BLUEGRASS-DP HYK VXV J43 SZW PIKKR (RNAV)-STAR	
	or	
	(RNAV only) KENLN (RNAV)-DP HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Miami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped)	
	SILKS (RNAV)-DP TRFWA NOTWO SZW SSCOT	
	(RNAV)-STARor	
	or (all others) BLUEGRASS-DP HYK VXV J43 ATL SZW J43 PIE CYY-STAR	
Mobile (MOB)	(all others) BLUEGRASS-DP TRFWA LVT SYI VUZ SJIor	
	or (RNAV only) SILKS (RNAV)–DP TRFWA LVT SYI VUZ SJI	
Naples (APF)	HYK VXV J43 SZW PIKKR (RNAV)-STAR	
Newark (EWR)	ROD J29 J584 SLT FQM-STAR	
Newburgh (SWF)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE	
New Orleans (MSY)	AHTIY PSB J49 HNK DNY V483 FILPS(all others) BLUEGRASS-DP TRFWA LVT SYI VUZ	
	J22 MEI RYTHM-STAR	
	(RNAV only) SILKS (RNAV)-DP TRFWA LVT SYI VUZ J22 MEI RHYTHM-STAR	
Orlando Executive (ORL)	(all others) BLUEGRASS-DP HYK VXV J99 IRQ J85	
	AMG LEESE-STAR	1100-0300
	(GPS or DME/DME-IRU equipped) HYK VXV J99	
	IRQ J85 AMG SHEMP MTATA PIGLT	
2 1 - 4- 1-4 (MOO)	(RNAV)-STAR	1100-0400
Orlando Intl (MCO)	(all others) BLUEGRASS-DP HYK VXV J99 IRQ J85 AMG LEESE-STAR	1100-0300
	or (GPS or DME/DME-IRU equipped) KENLN	
	(RNAV)-DP HYK VXV J99 IRQ J85 AMG	
	BUGGZ (RNAV)-STAR	1100-0400
Philadelphia (PHL)	(RNAV only) ROCKT (RNAV)-DP AHTIY JST	
ST	BUNTS-STAR	
Phoenix (PHX)	BLUEGRASS-DP IIU PXV J78C IRW J74C CNX ZUN BUNTR	
	or	
	BLUEGRASS-DP IIU PXV J78C ZUN BUNTR or	
	CHCLL-DP IIU PXV J78C ZUN EAGUL	
	CHCLL-DP IIU PXV J78C IRW J74C CNX ZUN	
Portland (PWM)	(RNAV only) ROCKT (RNAV)-DP AHTIY PSB J49	
Providence (PVD)	ALB ENE(RNAV only) ROCKT (RNAV)-DP AHTIY PSB J49	
Sarasota/Bradenton (SRQ)	HNK TEDDY-STAR(all others) BLUEGRASS-DP HYK VXV J43 SZW	
Julian Company	CLAMP-STAR	
	(RNAV only) KENLN (RNAV)-DP HYK VXV J43 SZW	
Tampa (TPA)	CLAMP-STAR HYK VXV J43 SZW DARBS-STAR	
	or (GPS or DME/DME-IRU equipped) KENLN	
	(RNAV)-DP HYK VXV J43 SZW FOXXX	
	(RNAV)-STAR	

		Effective Times
'erminals Washington Dulles (IAD)	Route (all others) RHOMM-DP HVQ ROYIL-STAR	(UTC)
macinington Banco (m.b)	or	
	(RNAV only) GIPLE (RNAV)-DP HVQ SHANON (RNAV)-STAR	
Washington Natl (DCA)	V128 YRK HVQ WZRRD-STARor	
West Palm Beach (PBI)	V128 YRK HVQ ELDEE (RNAV)-STAR (GPS or DME/DME-IRU equipped) SILKS RNAV-DP TRFWA NOTWO OTK WLACE	
	(RNAV-STAR)	
	or (GPS or DME/DME-IRU equipped) KENLN	
	(RNAV)-DP HYK VXV J43 ATL J89 OTK WLACE (RNAV-STAR)	
Wilkes Barre/Scranton (AVP)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE ANTIY PSB LVZ	
Windsor Locks (BDL)	(RNAV only) ROCKT (RNAV)-DP ROCKT CADRE AHTIY PSB RKA SWEDE SWEDE-STAR	
AYTONA BEACH (DAB)		
Charlotte (CLT)	CRG J51 SAV J207 FLO CTF-STARor	
	(Turbojets-GPS or DME/DME-IRU equipped) CRG J51 SAV HUSTN (RNAV)-STAR	
ORT LAUDERDALE METRO AREA (FLL, FXE, PMP)	, , , , , , , , , , , , , , , , , , ,	
Albany (ALB)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
Atlanta (ATL)	V487 CANAN V130	1000-030
Atlanta (ATL)	ORL J81 CHESN SINCA-STARor	1000-030
	(RNAV only) ORL J81 CHESN CANUK (RNAV) -STAR	1000-030
Baltimore (BWI)	(at or below 310) ORL J53 CRG J51 SAV J55 CHS J165 RIC OTT-STAR	1000-030
	or (Water-Turbojets) ZAPPA PERMT AR16 ILM J40	
	RIC OTT-STAR	1000-030
	or (at or above 330) J113 CRG J51 SAV J55 CHS	
	J165 RIC OTT-STAR	1000-030
	(GPS or DME/DME-IRU equipped) (at or below 310) ORL J53 CRG J51 SAV J55 CHS J165 RIC	
	RAVNN (RNAV)-STAR	1000-030
	(GPS or DME/DME-IRU equipped) (at or above	
	330) J113 CRG J151 SAV J55 CHS J165 RIC RAVNN (RNAV)-STAR	1000-030
	or	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC	1000-030
Bedford (BED)	RAVNN (RNAV)-STAR	1000-030
	GRAYM-STARor (Water-Turbojets) (Alternate) ZAPPA WOLFO AR18	
	DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STARor	

Terminals	Route	Effective Times (UTC)
	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	(010)
Boston (BOS)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK ORW-STAR or	1000-0300
	(at or below 310) ORL J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS J79 JFK ORW-STAR	1000-0300
Bridgeport (BDR)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
Charlotte (CLT)	(at or below 310) ORL J53 CRG J51 SAV J207 FLO CTF-STARor	1000-0300
l	(at or above 330) J113 CRG J51 SAV J207 FL0 CTF-STAR	1000-0300
	(at or above 330-Turbojets-GPS or DME/DME-IRU equipped) J113 CRG J51 SAV HUSTN (RNAV)-STAR	1000-0300
	(at or below 310-Turbojets-GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV HUSTN (RNAV)-STAR	1000-0300
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1000-0300
Chicago O'Hare (ORD)	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT	1000-0300
	GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR or (non-advanced RNAV only) LAL CTY J91 ATL	1000-0300
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR (RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	1000-0300
Cincinnati (CVG)	(all others) CTY J91 VXV HARDU-STAR or	1000-0300
Cleveland (CLE)	(RNAV) only) CTY J91 VXV JAKIE (RNAV)-STAR J113 LRG J53 IRQ J85 HVQ J85 TVT040 KEATN KEATN-STAR	1000-0300
Columbus (CMH)	J20 ORL J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1000-0300
Cross City (CTY)	J85 LLAKE CTYor	1030-0300
Dallas/Fort Worth (DFW)	CTY LAL J73 SZW J2 CEW J50 AEX CQY or	1000-0300
Danbury (DXR)	SRQ Q100 REDFN Q105 HRV J58 AEX CQY	1000-0300
Daytona Beach (DAB) Denver (DEN)	J20 LLNCH MLB V3 LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE	1030-0300
	DANDD-STAR or SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA	1030-0300
Detroit/Wayne (DTW)	QUAIL-STAR	1030-0300
Detroit Satellites: Ann Arbor (ARB)	ORL J81 IRQ J99 VXV J43 FLM DQN CRUXX- STAR	

P	REFERRED IFR ROUTES	
erminals	Route	Effective Times (UTC)
Pontiac (PTK), Windsor (CYQG)	ORL J81 IRQ J85 DJB LLEEO-STAR	(010)
Willow Run (YIP)	ORL J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Young (DET)	ORL J81 IRQ J85 DJB LLEEO-STAR	1000-0300 1000-0300
East Hampton (HTO)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121	1000 0000
Farmingdale (FRG)	(Water) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Gainesville (GNV)	J85 LLAKE LAL GNV or LAL GNV	1030-0300
Groton/New London (GON)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 HTO	1000 000
Hartford (HFD)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
,	WOLDE (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI WOLDE (RNAV)-STAR	1000-0300
	Or (Non-advanced NAV entry) LAL 173 S7W 13 S1I	
	(Non-advanced NAV only) LAL J73 SZW J2 SJI GILCO-STAR	1000-0300
Houston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000-0300
,,	COLUMBIA (RNAV)-STAR	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI COLUMBIA (RNAV)-STAR	1000-030
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
ndianapolis (IND)	J50 AEX DAS-STAR CTY J91 ATL J89 IIU DECEE-STAR	1000-030
slip (ISP)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW	1000-0300
	WETRO CEBEE SWL J121 SARDI CCC	
acksonville (CRG)	ORL J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR	1000-0300
	or (at or below 310) ORL J53 CRG J51 SAV J55 CHS	
	J121 SIE CAMRN-STAR	1000-0300
	or	1000-0300
	(at or above 330) J113 CRG J51 SAV J55 CHS	
	J121 SIE CAMRN-STAR	1000-0300
_a Guardia (LGA)	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40	4000 055
	TYI HPW J191 PXT KORRY-STARor	1000-0300
	or (at or below 310) ORL J53 CRG J51 SAV J207	
	RDU J55 HPW J191 PXT KORRY-STAR	1000-0300
	or	
	(at or above 330) J113 CRG J51 SAV J207 RDU	
(I MAA)	J55 HPW J191 PXT KORRY-STAR	1000-030
Lawrence (LWM)	(Water-Turbojets) (Alternate) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
	or (Water–Turbojets) ZAPPA PERMT AR16 ILM	
	KEMPR SBY J79 JFK DPK MAD HFD	
	GRAYM-STAR	
Louisville (SDF)	CTY J91 ATL HCH DARBY-STAR	1000-0300
Manchester (MHT)	(Water-Turbojets) ZAPPA PERMT AR16 ILM	
Molhourno (MLP)	KEMPR SBY J79 JFK ALB EEN	1030-0300
Melbourne (MLB) Minneapolis (MSP)	J113 LLNCH MLB CTY J91 ATL J89 BAE EAU-STAR	1030-0300
Montreal (CYUL)	(Water-Turbojets) ZAPPA PERMT AR16 ILM	1000-0300
 	KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW	
· ·	WETRO CEBEE SWL J174 HTO V46	

PR	REFERRED IFR ROUTES	417
		Effective Times
Terminals	Route	(UTC)
Nashville (BNA)	CTY J91 ATL GQO VOLLS-STAR	1000-0300
Newark (EWR)	(Water-Turbojets) ZAPPA PERMT AR16 ILM J109 FAK DYLIN-STARor	1000-0300
	(at or below 310) ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1000-0300
	(at or above 330) J113 CRG J51 SAV J207 FL0 J55 J51 FAK DYLIN-STAR	1000-0300
	(GPS or DME/DME-IRU equipped-at or above 330) J113 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped-at or below	1000 0000
	310) ORL J53 CRG J51 SAV J207 FLO J55 J51	
	FAK PHLBO (RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	
New Haven (HVN)	(Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
New Orleans (MSY)	MAD193 KEYED SRQ Q100 REDFN Q105 HRVor	1000-0300
Ocala (OCF)	LAL J73 SZW J2 J85 LLAKE LAL	1000-0300 1030-0300
	LAL	1030-0300
Orlando (MCO)	J113 LLNCH GOOFY-STAR	1030-0300
Overwater Routes to the Northeast	(Water-Turbojets) ZAPPA WOLFO AR18 DIW	1030-0300
Overwater Routes to the Northwest	LBV J616or	1030-0300
Philadelphia (PHL)	LBV J616 SRQ Q100 REDFN Q105 HRV J58 J113 CRG J51 SAV J55 CHS J121 SWL SWL034 RADDS CEDAR LAKE-STAR	1030-0300 1000-0300
	or (Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL RADDS CEDAR LAKE-STAR	1000-0300
Pittsburgh (PIT)	(at or below 310) ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1000-0300
	or (at or above 330) J113 CRG J51 CAE PSK EKN	
Poughkeepsie (POU)	IHD NESTO-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM	1000-0300
Providence (PVD)	KEMPR SBY J79 JFK DPK HUDSON-STAR (Water-Turbojets) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDN	
Raleigh-Durham (RDU)	(RNAV)-STAR (at or below 310) ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300
	or (at or above 330) J113 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-0300
	or (Water–Turbojets) ZAPPA PERMT AR16 ILM BRADE–STAR	1000-0300
St Louis (STL)	THNDR CTY J151 VISQA QBALL-STAR or (/E, /G, /R, /J, /L, /Q) THNDR KPASA Q110	
	FEONA VUZ J151 VISQA QBALL-STAR	
Sarasota/Bradenton (SRQ)	LBV J43 ROGAN	1030-0300
	or	
	ROGAN	1030-0300

		Effective Times
erminals Springfield/Chicopee (CEF)	Route (Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	(UTC)
Tallahassee (TLH)	J85 LLAKE LAL SZW	1030-030
Tampa (TPA)	LAL	1030-030 1030-030
	or BRDGE BRDGE-STARor	1030-030
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR	1030-030
Toronto (CYYZ)	(GPS or DME/DME-IRU equipped) J85 THNDR LBV DEAKK (RNAV)-STAR(Water-Turbojets) ZAPPA PERMT AR16 ILM J109	1030-030
Vero Beach (VRB)	BUF YOUTH-STAR	1030-030
Washington Dulles (IAD)	(at or below 310) ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR	1000-030
	or (at or below 310–GPS or DME/DME–IRU equipped) ORL J53 CRG J51 SAV J207 RDU FAK BARIN–STAR	1000-030
	(at or above 330–GPS or DME/DME-IRU equipped) J113 CRG J51 SAV J207 RDU FAK BARIN–STAR	1000-030
	or (at or above 330) J113 CRG J51 SAV J207 RDU FAK COATT-STAR	1000-030
	(Water) ZAPPA PERMT AR16 ILM J109 FAK COATT-STAR	1000-030
Washington Natl (DCA)	(Water-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J109 FAK BARIN-STAR (at or below 310) ORL J53 CRG J51 SAV J55 CHS	1000-030
, , , , , , , , , , , , , , , , , , ,	J165 RIC IRONS-STAR	1000-030
	(at or above 330) J113 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR	1000-030
	(Water-Turbojets) ZAPPA PERMT AR16 ILM J40 RIC IRONS-STAR	1000-030
	or (GPS or DME/DME-IRU equipped-at or below 310) ORL J53 CRG J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1000-030
	or (GPS or DME/DME-IRU equipped-at or above	
	330) J113 CRG J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR or	1000-030
	(Water-Turbojets-GPS or DME/DME-IRU equipped) ZAPPA PERMT AR16 ILM J40 RIC OJAAY (RNAV)-STAR	1000-030
Westfield (BAF)	(Water-Turbojets) ZAPPA PERMIT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
Westhampton Beach (FOK) White Plains (HPN)	(Water-Turbojets) ZAPPA WOLFO AR18 WETRO CEBEE SWL J121 HTO (Water-Turbojets) ZAPPA WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) ZAPPA WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	

ELEKKEN ILK KONIE2	
	Effective Times
Route	(UTC)
(Water–Turbojets–Overwater Routes to the NE) ZAPPA PERMT AR16	
(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DEER PARK-STAR	
(Water-Turbojets) ZAPPA PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
ORL	1030-0300
LAL	1030-0300
(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STARor	1000-0300
(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR or	
(Non-advanced NAV only) LAL J73 SZW J2 CEW	
(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR	1000-0300
or	
(GPS or DME/DME-IRU equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
*	1000-0300
ORL J53	1030-0300
(all others) CYY CYY–STAR	1030-0300
(/E, /G, /R, /J, /L, /Q) CYY DEEDS	
(RNAV)-STAR	1030-0300
LAL MINEE-STAR	1030-0300 1030-0300
or DOWNN MINEE-STAR or	1030-0300
LALor	1030-0300
(Turbojets) ORLor	1030-0300
(Turbojets) DOWNN MINEE-STAR	1030-0300
LAL	1030-0300
or	1030-0300
or	1030-0300
(GPS or DME/DME-IRU equipped) DEAKK (RNAV)-STAR	1030-0300
SRQ Q100 LEV J86	
BAGGS Q102 LEV J86	
SRQ 100 REDFN Q105 HRV J58	
(RNAV only) LAL CTY J91 VXV JAKIE (RNAV)-STAR	
(all others) LAL CTY J91 ATL VXV HARDU-STAR LAL CTY J91 HNN TVT KEATN-STAR	
LAL CTY J91 HNN BREMN-STAR LAL CTY J91 VXV J43 FLM DQN MIZAR-STAR	
•	
•	
LAL J73 J119 TAY J85 DJB LLEEO-STAR ORL J53 CRG J51 SAV J207 J55 HPW J191 PXT	
	Route (Water-Turbojets-Overwater Routes to the NE) ZAPPA PERMT AR16

420

orminale	Po:-t-	Effective Times
erminals Miami (MIA)	Route (Turbojets-GPS or DME/DME-IRU equipped) CYY	(UTC)
(407)	SSCOT (RNAV)-STAR	
Newark (EWR)	ORL J53 CRG J51 FAK DYLIN-STAR	1100-040
	(GPS or DME/DME-IRU equipped) ORL J53 CRG J51 FAK PHLBO(RNAV)-STAR	1100-0400
Washington Natl (DCA)	ORL J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR	1000-0300
om SW FLORIDA INTL (RSW) only:		
Atlanta (ATL)	RSW LAL J73 SZW LGC-STARor	1000-030
	(RNAV only) RSW LAL J73 SZW HONIE	
Chicago Midway (MDW)	(RNAV)-STAR	1000-030
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) RSW LAL CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1000-030
	or (non-advanced RNAV only) RSW LAL CTY J91 ATL	
	J89 IIU OKK V285 CLEFT OXI CGT	1000-030
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STAR	1000-030
	Or	
	(non-advanced RNAV only) LAL CTY J91 ATL	
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 KNOX-STAR	1000-030
Cleveland (CLE)	RSW LAL J73 J119 TAY J85 IRQ J85 HVQ J85	1000-030
,	TVTO40 KEATN KEATN-STAR	
Columbus (CMH)	RSW LAL J73 J119 TAY J85 HVQ HNN	
	BREMN-STAR	1000-030
Dallas/Ft. Worth (DFW)	RSW SRQ Q100 REDFN Q105 HRV J58 AEX CQY or	
	RSW LAL J73 SZW J2 CEW J50 AEX CQY	1000-030
Denver (DEN)	RSW SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	
	Or DOWN ALL 172 S7W 144 MEM D7C DED CCK 1454	
	RSW LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW)	JOCKS ORL J53 SPA HNN WEEDA-STAR	
Detroit Satellites:		
Ann Arbor (ARB), Willow Run (YIP)	LAL CTY J91 VXV J43 FLM DQN CRUXX-STAR	
Pontiac (PTK), Windsor (CYQG), Young	LAL 170 1440 TAV 105 D 12 11 550 0710	
(DET)	LAL J73 J119 TAY J85 DJB LLEEO-STAR	
Indianapolis (IND) Louisville (SDF)	RSW LAL CTY J91 ATL J89 IIU DECEE-STAR RSW LAL CTY J91 ATL HCH DARBY-STAR	
Miami (MIA)	(Turbojets–GPS or DME/DME–IRU equipped) CYY	
. ,	SSCOT (RNAV)-STAR	
Minneapolis (MSP)	RSW LAL CTY J91 ATL J89 BAE EAU-STAR	1000-030
Nashville (BNA)	RSW LAL CTY J91 ATL GQO VOLLS-STAR	
Pittsburgh (PIT)	RSW ORL J53 CRG J51 CAE PSK EKN IHD	1000-030
Raleigh–Durham (RDU)	NESTO-STAR RSW ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR	1000-030
St Louis (STL)	LAL J73 SZW J41 VUZ STL	1100-030
Washington Dulles (IAD)	RSW ORL J53 CRG J51 SAV J207 RDU FAK	
	COATT-STARor	1000-030
	(GPS or DME/DME-IRU equipped) RSW ORL J53	
	CRG J51 SAV J207 RDU FAK BARIN-STAR	1000-030
Wahington Natl (DCA)	RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR	1000-030
Wallington Hati (2071)	or	
Wallington Nati (2001)	or (GPS or DME/DME-IRIJ equipped) RSW ORI 153	
Tulington tuti (504)	or (GPS or DME/DME-IRU equipped) RSW ORL J53 CRG J51 SAV J55 CHS J165 RIC OJAAY	

Route PSK HNN FWA GOSHEN-STAR OF PSK HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ ROYKO (RNAV)-STAR OF (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR PSK HVQ FLM BOTTM BKW GEMNI-STAR VXV J99 GHATS EWO IIU J14 J51 FAK DYLIN-STAR	Effective Times (UTC) 1100-0300 1100-0300 1100-0300 1100-0300 0700-2300
Or PSK HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ ROYKO (RNAV)-STAR Or (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR PSK HVQ FLM BOTTM BKW GEMNI-STAR J14 PXT KORRY-STAR VXV J99 GHATS EWO IIU	1100-0300 1100-0300 1100-0300
Or PSK HVQ APE J178 FWA GOSHEN-STAR (/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ ROYKO (RNAV)-STAR Or (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR PSK HVQ FLM BOTTM BKW GEMNI-STAR J14 PXT KORRY-STAR VXV J99 GHATS EWO IIU	1100-0300 1100-0300 1100-0300
(/E/G/R/J/L/Q only) BOTTM FLM HEVAN MZZ ROYKO (RNAV)—STAR or (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX—STAR	1100-0300 1100-0300
or (non-advanced RNAV only) BOTTM FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR PSK HVQ FLM BOTTM BKW GEMNI-STAR J14 PXT KORRY-STAR VXV J99 GHATS EWO IIU	1100-0300
MZZ MZZ344/33 OXI KNOX-STAR PSK HVQ FLM BOTTM BKW GEMNI-STAR J14 PXT KORRY-STAR. VXV J99 GHATS EWO IIU	
BOTTM BKW GEMNI-STAR	0700-2300
VXV J99 GHATS EWO IIU	
	0700 2200
or	0700–2300
(GPS or DME/DME-IRU equipped) J14 J51 FAK PHLBO (RNAV)-STAR	
SPA HMV HNN WEEDA-STAR	
MEM FTZ BDF BDF-STAR(RNAV only) BNA IMPEL VHP FWA MIZAR-STAR or	0000–2359
BNA CCT VHP FWA MIZAR-STAR	
J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR or (GBS or DME (DME IBH equipped) I51 SAV I55	1100-0400
(GPS or DME/DME-IRU equipped) J51 SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR J53 IRQ UNARM-STAR	1100-0400
or J51 SAV J207 FLO CTF–STARor	
(Turbojets-GPS or DME/DME-IRU equipped) J51 SAV HUSTN (RNAV)-STAR or	
(Turbojets-GPS or DME/DME-IRU equipped) J53 IRQ ADENA (RNAV)-STAR(/F/G/R/I/I/O only) SAV CAF HMV FLM HEVAN	
MZZ ROYKO (RNAV)-STARor	0000–2359
(Non-advanced RNAV only) SAV CAE HMV FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000–2359
NOWAY J53 SPA HNN WEEDA-STAR(GPS or DME/DME-IRU equipped) TAY J2 SJI COLUMBIA (RNAV)-STARor	
(Non-advanced NAV only) TAY J2 CEW J50 AEX DAS-STAR	
(GPS or DME/DME-IRU equipped) TAY J2 SJI WOLDE (RNAV)-STAR or	
(Non-advanced NAV only) TAY J2 SJI	
GILCO-STARJ51 SAV J207 RDU J55 HPW J191 PXT	1400 0400
CRG J51 FAK DYLIN-STAR	1100-0400
(GPS or DME/DME-IRU equipped) CRG J51 FAK PHLBO (RNAV)-STAR	1100-0400
	MEM FTZ BDF BDF-STAR

PREFERRED IFR ROUTES

Effective Times

Terminals	Route	(UTC)
Tampa (TPA)	Or (GPS or DME /DME IBIL equipped) TAY DADES	
	(GPS or DME/DME-IRU equipped) TAY DADES (RNAV)-STAR	
Washington Dulles (IAD)	SAV CHS J165 J109 FAK COATT-STAR or	1100-040
	(GPS or DME/DME-IRU equipped) SAV J207 RDU	
Washington Natl (DCA)	FAK BARIN-STAR	1100-040 1100-040
	(GPS or DME/DME-IRU euipped) J51 SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR	1100-040
KEY WEST METRO AREA (NQX)		
Daytona Beach (DAB)	RSW ORL	1030-030
Fort Lauderdale (FLL)	(all others) EYW DVALL-STAR or	1030-030
	(/E, /G, /R, /J, /L, /Q) EYW CURSO	4000 000
Fort Myore (DSW)	(RNAV)-STAR	1030-030
Fort Myers (RSW) Melbourne (MLB)	PHK	1030-030 1030-030
Miami (MIA)	(all others) EYW DVALL-STAR	1030-030
	(/E, G, /R, /J, /L, /Q) EYW CURSO (RNAV)-STAR.	1030-030
Orlando (MCO)	RSW MINEE-STAR	1030-030
Palm Beach (PBI)	PHK	1030-030
Sarasota/Bradenton (SRQ)	RSW V7 ROGAN	1030-030
Tallahassee (TLH)	RSW LALor	1030-030
Tampa (TPA)	(at or above FL360) RSW TEPEERSW BRDGE-STAR	1030-030 1030-030
	or (GPS or DME/DME-IRU equipped) RSW DEAKK (RNAV)-STAR	1000-030
Vero Beach (VRB)	PHK	1030-030
KNOXVILLE (TYS)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) VXV HEVAN MZZ ROYKO (RNAV)-STAR	0000–235
	or	
	(non-advanced RNAV only) VXV HEVAN MZZ	
Cleveland Metro (CLE)	MZZ344/33 OXI KNOX-STARVXV J91 BULEY J91 HNN TVT KEATN-STAR	0000–235
Detroit/Wayne (DTW) La Guardia (LGA)	VXV J91 HNN WEEDA-STAR BKW J42 GVE KORRY-STAR	
LAKELAND METRO AREA	BRW 342 GVE RORRI-STAR	
(LAL, GIF, BOW, BKV, X16) Fort Lauderdale (FLL)	(Jets only-all others) RSW FORTL-STAR	
Key West Intl (EYW)	RSW J41	1030-030
Miami (MIA)	(Turbojets–GPS or DME/DME–IRU equipped) CYY SSCOT (RNAV)–STAR	1030-030
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) WLACE (RANV)-STAR	1030-030
EXINGTON (LEX)		
Atlanta (ATL)	(RNAV only) AZQ SOT FLCON (RNAV)-STAR CVG ABERZ-STAR	
LOUISVILLE METRO AREA (LOU, SDF) From BOWMAN FIELD (LOU) only		
Dallas/Ft Worth (DFW)	PXV J131 LIT BYP	
Phoenix (PHX)	FAM J78 ABQ J18	
	or	

PREFERRED IFR ROUTES

Terminals	Route	Effective Times (UTC)
	nouto	10.0,
From LOUISVILLE INTL (SDF) only Atlanta (ATL)	MYS BWG ROME-STAR	
Cleveland Metro (CLE)	(RNAV only) MYS BWG RMG ERLIN (RNAV)-STAR CVG ZABER-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SWB ROKIT (RNAV)-STAR	
Houston (IAH)	or (Non-advanced NAV only) SWB DAS-STAR (Turbojets-GPS or DME/DME-IRU equipped) SWB TXMEX (RNAV)-STAR or	
	(Non-advanced NAV only) SWB DAS-STAR	
MEMPHIS (MEM) Baltimore (BWI)	J42 BKW J147 CSN OTT-STAR	
Datamore (S.1.)	or (GPS or DME/DME-IRU equipped) J42 BKW J147	
Boca Raton (BCT)	CSN RAVNN (RNAV)-STAR(GPS or DME/DME-IRU equipped) MGM SZW	
Boston (BOS)	PRRIE (RNAV)-STAR J42 BNA J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK ORW-STAR	
	or J118 SPA SPA100 J209 RDU J207 FKN J79 JFK	
Cincinnati (CVG)	ORW-STAR(RNAV only) J29 PXV SARGO (RNAV)-STAR or	
Cleveland (CLE)	(all others) J29 PXV MOSEY-STAR	
Denver (DEN)	RZC PER GCK J154 RYLIE DANDD-STAR J29 PXV VHP FWA MIZAR-STAR (DME/DME-IRU or GPS-equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
Houston (IAH)	(Non-advanced NAV only) LIT J180 SWB DAS-STAR (Turbojets-DME/DME-IRU or GPS-equipped) LIT J180 SWB TXMEX (RNAV)-STARor	
Kennedy (JFK)	(Non-advanced NAV only) LIT J180 SWB DAS-STAR J118 SPA SPA100 J209 ORF J121 SIE	
La Guardia (LGA)	CAMRN-STAR	
Louisville (SDF)	BNA BNAO37 BARRY EWOor	
Minneapolis (MSP)	Q29 SIDAE CHERI CHERI-STAR J35 STL IOW ALO KASPR-STAR J42 GVE DYLIN-STAR	1300-0300
	or (GPS or DME/DME-IRU equipped) J42 GVE PHLBO (RNAV)-STAR	
Orlando (ORL/MCO)	MGM SZW J43 PIE LALor	1100-0400
	GPS or DME/DME-IRU equipped) MGM SZW J43 PIE COSTR (RNAV)-STAR	1100-0400
Philadelphia (PHL)	J41 MGM S2W J43 PIE LAL J42 GVE DPNT-STAR J29 PXV IIU HNN WISKE-STAR MGM SZW CLAMP-STAR MGM SZW DARBS-STAR	1100-0400
Taliipa (Tr.A)	or (GPS or DME/DME-IRU equipped) MEM SZW	1100 5
	FOXX (RNAV)-STAR	1100-0400

	KELEKKEN ILK KOOIE2	
erminals	Route	Effective Times (UTC)
Washington Dulles (IAD)	J42 BKW ROYIL-STAR	1100-183
	or PXV IIU J8 HVQ SHNON (RNAV)-STAR	1830-223
	J42 BKW SHNON (RNAV)-STAR	2230-030
Washington Natl (DCA)	PXV IIU J8 HVQ ROYIL-STAR	1830-223
	(GPS or DME/DME-IRU equipped) J42 BKW ELDEE (RNAV)-STAR	
West Palm Beach (PBI)		
IIAMI METRO AREA		
(MIA, HWO, OPF, TMB, HST, X51) Albany (ALB)	KEMPR SBY J79 JOANI LGA LGA055 TRUDE	
Atlanta (ATL)		1000-0300
Baltimore (BWI)	or (RNAV only) J81 CHESN CANUK (RNAV)-STAR J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC	1000-0300
Datamore (DWI)	OTT-STARor	1000-0300
	(Water-Turbojets) VALLY PERMT AR16 ILM J40 RIC OTT-STAR	1000-030
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR	1000-030
Bedford (BED)	(GPS or DME/DME-IRU equipped) VALLEY PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR	1000-030
564644 (525)	KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)		
	or (Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW	
Boston (BOS)	GRAYM-STAR	1000-030
	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ORW-STAR	
Chicago Midway (MDW)		1000-030
0.1	(non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1000-030
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR	1000-030
	or (non-advanced RNAV only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ	
	MZZ344/33 OXI KNOX-STAR	1000-0300

Effective

'erminals	Route	Times (UTC)
Cincinnati (CVG)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR	(0.0)
ontoninati (ova)	or	1000 0200
Columbus (CMH)	(all others) CTY J91 VXV HARDU-STAR J81 IRQ J53 SPA J85 HVQ HNN BREMN-STAR	1000-0300
Cross City (CTY)	LAL CTY	1030-0300
Dallas/Fort Worth (DFW)	J616 SRQ Q100 REDFN Q105 HRV J58 AEX CQY .	1000-0300
Danbury (DXR)	LAL J73 SZW J2 CEW J50 AEX CQY (Water–Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	1000-0300
Deutene Beeck (DAB)	RICED-STAR	1030-0300
Daytona Beach (DAB) Denver (DEN)	J53 HEDLY MLB V3 or MLB V3LL LAL J73 SZW J41 MEM RZC PER GCK J154 RYLIE	1030-0300
	DANDD-STAR	
Detroit/Wayne (DTW) Detroit Satellites:	J53 SPA HNN WEEDA-STAR	
Ann Arbor (ARB),	J81 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Detroit (DET), Pontiac (PTK),		
Windsor (CYQG) Willow Run (YIP)		
Ann Arbor (ARB)	J81 IRQ J85 DJB LLEEO-STAR	
Fort Pierce (FPR)	J53 HEDLY or FPR	1030-0300
Farmingdale (FRG)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	
Gainesville (GNV)	Direct	1030-0300
Hampton (HTO)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121	
Hartford (HFD)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD V1	
Houston Intenti (IAH)	(DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
Houston Hobby (HOU)	or J616 SRQ Q100 LEV WOLDE (RNAV)-STAR (DME/DME-IRU or GPS-equipped) LAL J73 SZW J2 SJI COLUMBIA (RNAV)-STAR or (GPS or DME/DME-IRU equipped) J616 SRQ Q100 LEV COLUMBIA (RNAV)-STAR	1000-0300 1000-0300 1000-0300 1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	
	J50 AEX DAS-STAR	1000-0300
Indianapolis (IND)	LAL CTY J91 ATL J89 IIU DECEE-STAR (Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	1000-0300
Jacksonville (JAX)	J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR	1000-0300
	or J53 CRG J51 SAV J55 CHS J121 SIE	
La Guardia (LGA)	CAMRN-STAR(Water) VALLY PERMT AR16 ILM J40 TYI HPW	1000-0300
	J191 PXT KORRY–STAR	1000-0300
	J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT KORRY-STAR	1000-0300
Lawrence (LWM)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO ORW	

	REFERRED IFR ROUTES	
		Effective
erminals	Route	Times (UTC)
Louisville (SDF)	CTY J91 ATL HCH DARBY-STAR	1000-0300
Manchester (MHT)	(Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 JFK ALB EEN	
Melbourne (MLB)	J53 HEDLY or DRCT	1030-0300
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1000-0300
Montreal (CYUL)	VALLY PERMT AR16 ILM KEMPR SBY J79 JFK J37	
	ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water-Turbojets) VALLY WOLFO AR18 DIW	
Nechville (DNA)	WETRO CEBEE SWL J174 HTO V46	4000 0000
Nashville (BNA) Newark (EWR)	CTY J91 ATL GQO VOLLS-STAR (Water) VALLY PERMT AR16 ILM J109 FAK DYLIN-STAR	1000-0300
	or	
	J53 CRG J51 SAV J207 FLO J55 J51 FAK	
	DYLIN-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J207 FLO J55 J51 FAK PHLBO	4000 00
	(RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) VALLY PERMT	
	AR16 ILM J109 FAK PHLBO (RNAV)-STAR	1000-0300
Newburgh (SWF)	(Water–Turbojets) VALLY PERMT AR16 ILM	1000-0300
g (511)	KEMPR SBY J79 JFK DPK HUDSON–STAR	
New Haven (HVN)	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 SIE V139 RICED	
	MAD193 KEYED	
New London/Groton (GON)	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL J121 HTO	
New Orleans (MSY)	LAL J73 SZW J2or	1000-0300
	(Water) J616 SRQ Q100 REDFN Q105 HRV	1000-0300
Ocala (OCF)	J73 LAL or DRCT	1030-0300
Orlando (MCO)	J53 PHK GOOFY-STARor	1030-0300
Overvietes Deutee to the North cost	(PHK GOOFY-STAR	
Overwater Routes to the Northeast	(Water-Turbojets) VALLY PERMT AR16 ILM or	
Overwater Routes to the Northwest	(Water-Turbojets) VALLY WOLFO AR18 DIW J616 SRQ Q100 LEV J86	1030-0300
טיכוייים וכי וווער ווערנוווער אוווייים וייים וווער ווערנוווער אווייים וווער ווערנוווער אווייים וווער וווער אווייים וווער אוויים וווער איים וווער אוויים וווער אייים וווער אוויים וווער אוויים וווער אייים וווער אוויים וווער אוויים וווער אוויים וווער אוויים וווער אוויים וווער אוויים וווער אייים וווער אוויים וווער אוויים וווער אוויים וווער אוויים וווער אייים וווער אוויים וווער אייים וווער אייים וווער אייים וווער איי	or 1919 SKQ Q100 LEV 189	1030-0300
	J616 SRQ Q100 REDFN Q105 HRV J58	1030-0300
Philadelphia (PHL)	J53 CRG J51 SAV J55 CHS J121 SWL SWL034	
	RADDS VCN-STARor	1000-0300
	(Water-Turbojets) VALLY WOLFO AR18 DIW	
	WETRO CEBEE SWL RADDS VCN-STAR	1000-0300
Pittsburgh (PIT)	J53 CRG J51 CAE PSK EKN IHD NESTO-STAR BNA IIU GAIL (RNAV)-STAR	1000-0300
Poughkeepsie (POU)	(Water–Turbojets) VALLY PERMT AR16 ILM	
Dravidanas (DVD)	KEMPR SBY J79 JFK DPK HUDSON-STAR	
Providence (PVD)	(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J174 HTO JORDAN	
Palaidh Durham (PDII)	(RNAV)-STAR	
Raleigh–Durham (RDU)	(Water–Turbojets) VALLY PERMT AR16 ILM BRADE–STAR	1000-0300
	or	1000-0000
	J53 CRG J51 SAV J55 CHS J174 ILM	
	BRADE-STAR	1000-0300
St Louis (STL)	WINCO CTY J151 VISQA QBALL-STAR	1000-0300
	or	

SE. 23 SEP 2010 to 18 NOV 2010

Sarasota/Bradenton (SRQ)

(/E, /G, /R, /J, /L, /Q) WINCO KPASA Q110 FEONA VUZ J151 VISQA QBALL-STAR

1030-0300

Terminals	Route
Tallahassee (TLH)	J73
	or
	LAL
Tampa (TPA)	J43 BRDGE BRDGE-STAR

۸r

PREFERRED IFR ROUTES

(GPS or DME/DME-IRU equipped) J43 DEAKK DEAKK (RNAV)-STAR

(Water-Turboiets) VALLY PERMT AR16 ILM J109 BUF YOUTH-STAR

DRCT

I53 HEDLY

J53 CRG J51 SAV J207 RDU FAK COATT-STAR

(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 RDU FAK BARIN-STAR

(Water-GPS or DME/DME-IRU equipped) VALLY PERMT AR16 ILM J109 FAK BARIN-STAR

(Turboiets) J53 CRG J51 SAV J55 CHS J165 RIC IRONS-STAR

(Water-Turboiets) VALLY PERMT AR16 ILM J40

(Water-Turbojets-GPS or DME/DME-IRU equipped) VALLY PERMT ILM J40 RIC OJAAY (RNAV)-STAR.....

(Water-Turbojets) VALLY WOLFO AR18 DIW

(Water-Turboiets) VALLY WOLFO AR18 DIW

(Water-Turbojets) VALLY WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED

WETRO CEBEE SWL J121 HTO

RIC IRONS-STAR..... (GPS or DME/DME-IRU equipped) J53 CRG J51

(Water) VALLEY PERMT AR16 ILM J109 FAK COATT-STAR

Toronto (CYYZ) Vero Beach (VRB).....

Washington Dulles (IAD)

Washington Natl (DCA)

Westhampton (FOK) White Plains (HPN).....

Wilmington (ILM)..... Windsor Locks (BDL)

Worcester (ORH)

MOBILE (MOB)

Houston (IAH)

NASHVILLE

MYRTLE BEACH (MYR)

Detroit/ Wayne (DTW).....

Baltimore (BWI).....

Boca Raton (BCT).....

Houston (HOU).....

or

(RNAV)-STAR..... (Non-advanced NAV only) SJI J50 AEX DAS-STAR. (DME/DME-IRU or GPS-equipped) SJI WOLDE (RNAV)-STAR or

SE, 23 SEP 2010 to 18 NOV 2010

(Non-advanced NAV only) SJI GILCO-STAR

BKW GEMNI-STAR.....

J42 BKW J147 CSN OTT-STAR..... (GPS or DME/DME-IRU equipped) J42 BKW J147 CSN OTT-STAR

(GPS or DME/DME-IRU equipped) MGM SZW PRRIE (RNAV)-STAR

(DME/DME-IRU or GPS-equipped) SJI COLUMBIA

(Water-Turboiets) VALLY PERMT AR16 ILM KEMPR SYB J79 JFK DPK MAD HFD.....

RICED-STAR..... (Water-Turbojets) VALLY PERMT AR16..... (Water-Turbojets) VALLY PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR

WETRO CEBEE SWL J121 SIE BOUNO-STAR

SAV J55 CHS J165 RIC OJAAY (RNAV)-STAR..... 1000-0300

1000-0300

1000-0300 1000-0300 1000-0300 1000-0300

427

Effective Times

(UTC)

1030-0300 1030-0300

1030-0300

1030-0300

1000-0300

1000-0300

428

·····	Pauta	Effective Times
rminals Boston (BOS)	Route J46 VXV SPA SPA100 J209 RDU J207 FKN J79 JFK ORW-STAR	(UTC)
Chicago/Midway (MDW)	(/E/G/R/J/L/Q only) IIU OKK FISSK	
omougo, muruy (mb vi)	(RNAV)-STAR	0000-2359
	(non-advanced RNAV only) IIU OKK V285 CLEFT OXI CGT	0000 2350
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) IIU HEVAN MZZ ROYKO	0000-2359
	(RNAV)-STARor	0000–2359
	(non-advanced RNAV only) IIU HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
	Or	
Cincinnati (CVG)	IIU MZZ OXI KNOX–STAR BWG V49 ABB V47 CVG	
Cleveland (CLE)	IIU ZABER-STAR	
Columbus (CMH)	LVT V493 YRK YRK035 APE168 NIKLS	
Denver (DEN)	FAM J112 BUM J110 GCK J154 RYLIE	
	DANDD-STAR	
Detroit/Wayne (DTW)	(RNAV only) IMPEL VHP FWA MIZAR-STAR or	
	CCT VHP FWA MIZAR-STAR	
Fort Lauderdale (FLL)	(all others) J39 MGM SZW J41 PIE FORTL-STAR	
Fort Myers (FMY, RSW)	(Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM J41 SZW SSCOT (RNAV)-STAR	1100-030
Houston (HOU)	(GPS or DME/DME-IRU equipped) LIT J180 SWB ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) LIT J180 SWB	
	DAS-STAR	
Houston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) LIT	
	J180 SWB TXMEX (RNAV)-STAR or	
	(Non-advanced NAV only) LIT J180 SWB DAS-STAR	
Indianapolis (IND)	J39 IIU DECEE-STAR	
Kennedy (JFK)	J46 VXV SPA SPA100 J209 ORF J121 SIE CAMRN-STAR	
La Guardia (LGA)	J42 GVE KORRY-STAR	
Miami (MIA)	(all others) J39 MGM SZW J41 PIE CYY-STAR or	
	(Turbojets-GPS or DME/DME-IRU equipped) J39	
	MGM SZW SSCOT (RNAV)-STAR	
Minneapolis (MSP)	IIU J89 BAE EAU-STAR	4400 0:-
Newark (EWR)	SPA J14 J51 FAK DYLIN-STARor	1100-040
	(GPS or DME/DME-IRU equipped) SPA J14 J51	
	FAK PHLBO (RNAV)-STAR	1100-040
Orlando (MCO, ORL)	J39 MGM SZW J43 PIE LAL	1100-040
	(GPS or DME/DME-IRU equipped) J39 MGM SZW	
	J43 PIE COSTR (RNAV)–STAR	1100-040
Philadelphia (PHL)	J42 OTT DPNT-STAR	
Pittsburgh (PIT)	IIU HNN WISKE-STAR	
St. Louis (STL)	QBALL-STAR	
Toronto (CYYZ)	J39 ROD J43 CRL J586 YXU V98 YWT V216	
Washington Dulles (IAD)	J42 BKW ROYIL-STARor	
	J42 BKW SHNON (RNAV)-STAR	
Washington Natl (DCA)	J42 BKW WZRRD-STAR	
	or	
	(GPS or DME/DME-IRU equipped) J42 BKW	
Most Dalm Booch (DDI)	(Turboists, CRS or DME (DME IDLL aguipped)	
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) MGM SZW WLACE (RNAV)-STAR	

PI	KELEKKEN ILK KAAIF?	429
		Effective Times
Terminals Windsor Locks (BDL)	Route J46 VXV SPA SPA100 J209 RDU J207 FKN J79	(UTC)
	JFK DPK DPK-STAR	
ORLANDO METRO AREA (MCO, ORL, ISM, LEE, SFB)		
Baltimore (BWI)	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) MLB LENDS AR16 ILM J40 RIC	1100 0400
	RAVNN (RNAV)-STARor	1100-0400
	(GPS or DME/DME-IRU equipped) J53 CRG J51	
	SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)–STAR	1100-0400
Detroit/Wayne (DTW)	JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR	1020 0200
Fort Pierce (FPR)	VRB(GPS or DME/DME-IRU equipped) PIE REMIS	1030-0300
	Q100 LEV COLUMBIA (RNAV)-STAR	1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI	
	COLUMBIA (RNAV)-STAR	1000-0300
	or (Non-advanced NAV only) SZW J2 CEW J50 AEX	
	DAS-STAR	1000-0300
Houston (IAH)	(GPS or DME/DME-IRU equipped) PIE REMIS Q100 LEV WOLDE (RNAV)-STAR	1000-0300
	or	
	(DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	or	1000 0000
	(Non-advanced NAV only) SZW J2 CEW J50 AEX GILCO-STAR	1000-0300
Key West (EYW)	RSW J41	1030-0300
Overwater Routes to the Northeast	(Water-Turbojets) MLB LENDS AR16 ILM	
	(Water-Turbojets) MLB ETECK AR18 DIW	
Wilmington (ILM)	(Water-Turbojets) MLB LENDS AR16	
From ORLANDO EXECUTIVE (ORL) only Albany (ALB)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JOANI LGA LGA055 TRUDE V487	
Atlanta (ATL)	CANAN V130	
reality (regime)	or	
Baltimore (BWI)	(RNAV only) J53 CRG DBN CANUK RNAV-STAR (Water-Turbojets) MLB LENDS AR16 ILM J40 RIC	
	OTT-STAR	1100-0400
	or J53 CRG J51 SAV J55 CHS J79 TYI J40 RIC	
	OTT-STAR	1100-0400
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
Bridgeport (BDR)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193	
Charlotte (CLT)	KEYED J53 CRG J51 SAV J207 FLO CTF-STAR	
	Or (Turboioto CDS or DME (DME IDII oquipped) IE2	
	(Turbojets-GPS or DME/DME-IRU equipped) J53 CRG J51 SAV HUSTN (RNAV)-STAR	
Cincinnati (CVG)	(RNAV only) J53 CRG J45 ATL J43 VXV JAKIE	
	(RNAV)-STAR	
SE. 23 S	SEP 2010 to 18 NOV 2010	

• • • • • • • • • • • • • • • • • • • •		
erminals	Pouto	Effective Times
erminais	Or (all others) JE2 CRC I45 ATL I42 VVV	(UTC)
	(all others) J53 CRG J45 ATL J43 VXV HARDU-STAR	
Cleveland (CLE)	J53 SPA J85 TVT040 KEATN KEATN-STAR	
Columbus (CMH)	J53 SPA J85 HVQ HNN BREMN-STAR	
Dallas/Ft. Worth (DFW)	PIE REMIS Q100 REDFN Q105 HRV J58 AEX CQY.	
Danbury (DXR)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED–STAR	
Denver (DEN)	CTY SZW J41 MEM RZC PER GCK J154 RYLIE	
Detroit/Wayne (DTW)	DANDD-STAR VXV J91 HNN WEEDA-STAR	
Detroit (DET), Windsor (CYQG), Pontiac	ANA DAT UININ METOW-OLVIN	
(PTK), Willow Run (YIP), Ann Arbor	J53 CRG J45 ATL J91 VXV J43 FLM DQN	
(ARB)	CRUXX-STAR	1100-0400
	J53 IRQ J85 DJB LLEEO-STAR	
East Hampton (HTO)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Farmingdale (FRG)	CEBEE SWL J121 HTO(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
arminguale (i Nu)	CEBEE SWL J121 SIE CAMRN-STAR	
Hartford (HFD)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD V1	
ndianapolis (IND)	J53 CRG J45 ATL J89 IIU DECEE-STAR	
slip (ISP)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 SARDI CCC	
ennedy (JFK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
omica (2.1.)	CEBEE SWL J121 SIE CAMRN-STAR	0700-0000
	J53 CRG J51 SAV J55 CHS J121 SIE	
- 0	CAMRN-STAR	
a Guardia (LGA)	(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI HPW J191 PXT KORRY-STAR	1100-0300
	or J53 CRG J51 SAV J207 RDU J55 HPW J191 PXT	
- (134/84)	KORRY-STAR	1100-0300
awrence (LWM)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
aviavilla (SDE)	CEBEE SWL J174 HTO ORW GRAYM-STAR CTY J91 ATL HCH DARBY-STAR	
Louisville (SDF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
narionester ()	SBY J79 JFK ALB EEN	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0400
Montreal (CYUL)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Nantunion (ACI/)	SBY J79 JFK J37 ALB J6 PLB ABCOT-STAR	
Nantucket (ACK)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO V46	
Nashville (BNA)	CTY J91 ATL VOLLS-STAR	1100-0400
Newark (EWR)	(GPS or DME/DME-IRU equipped-WATER) MLB LENDS AR16 ILM J109 FAK PHLB0	
	(RNAV)-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO	1120 0400
Newburgh (SWF)	(RNAV)-STAR(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	1100-0400
New Haven (HVN)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J121 SIE V139 RICED MAD193 KEYED	
New London (GON)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J121 HTO	

orminale	Po:-t-	Effective Times
erminals Philadelphia (PHL)	Route (Water–Turbojets) J53 CRG J55 CHS J121 SWL	(UTC)
	SWL034 RADDS VCN-STAR	1100-0400
Pittsburgh (PIT)	CRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0400
Poughkeepsie (POU)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Providence (PVD)	SBY J79 JFK DPK HUDSON-STAR(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Tovidence (1 VD)	CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Springfield (CEF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
St. Louis (STL)	SBY J79 VILLS DPK DPK-STAR CTY SZW J41 VUZ J151 VISQA QBALL-STAR	1100-0400
Toronto (CYYZ)	(Water–Turbojets) MLB LENDS AR16 ILM J109 BUF YOUTH–STAR	
Washington Natl (DCA)	(Water-Turbojets-GPS or DME/DME-IRU	
0 ()	equipped) MLB LENDS AR16 ILM J40 RIC	
	OJAAY (RNAV)-STAR	
	or (Water-Turbojets) MLB LENDS AR16 ILM J40 RIC	
	IRONS-STAR	
Washington Dulles (IAD)	(Water–GPS or DME/DME–IRU equipped) MLB	
. , ,	LENDS AR16 ILM J109 FAK BARLIN -STAR	
	Or (Water) MLR LENDS AR16 II M I109 FAK	
	(Water) MLB LENDS AR16 ILM J109 FAK COATT-STAR	
Westfield (BAF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 VILLS DPK DPK-STAR	
Westhampton Beach (FOK)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
White Plains (HPN)	CEBEE SWL J121 HTO(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
Time Figure (iii iv)	CEBEE SWL J121 SIE BOUNO-STAR	
	or	
	(Water-Turboprops) MLB ETECK AR18 DIW	
	WETRO CEBEE SWL J121 SIE V139 RICED	
Windoor Looko (RDL)	RICED-STAR	
Windsor Locks (BDL)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 VILLS DPK DPK–STAR	
Worcester (ORH)	(Water–Turbojets) MLB LENDS AR16 ILM KEMPR	
,	SBY J79 JFK DPK MAD HFD	
om ORLANDO INTL (MCO) only		
Atlanta (ATL)	MCOY-DP AMG SINCA-STARor	1100-040
	(RNAV only) JAGUAR-DP DBN CANUK	
	(RNAV)-STAR	1100-040
Baltimore (BWI)	MCOY-DP SAV J55 CHS J79 TYI J40 RIC	
	OTT-STARor	1100-040
	(Water-Turbojets) MLB LENDS AR16 ILM J40 RIC	
	OTT-STAR	
Bedford (BED)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR or	
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Beverly (BVY)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or (Water-Turbojets) MLB ETECK AR18 DIW WETRO	
	CEBEE SWL J174 HTO ORW GRAYM-STAR	
Boston (BOS)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
	SBY J79 JFK ORW-STAR	1100-030
	OF	1100 020
Bridgeport (BDR)	MCOY-DP SAV J55 CHS J79 JFK ORW-STAR (Water-Turbojets) MLB ETECK AR18 DIW WETRO	1100-030
5550port (DDII)	CEBEE SWL J121 SIE V139 RICED MAD193	
	KEYED	

Pouto	Times (UTC)
MCOY-DP SAV J207 FLO CTF-STAR	(010)
or	
FISSK (RNAV)-STAR	1100-0
or	
· ·	1100-0
	1100-0
HOPAP VOSTK HEVAN MZZ ROYKO	
(RNAV)-STAR	1100-0
· ·	
OXI KNOX-STAR	1100-0
(RNAV only) MCCOY-DP AMG J45 ATL J43 VXV	
JAKIE (RNAV)-STAR	
HARDU-STAR	1100-0
MCOY-DP IRQ J53 SPA J85 HVQ HNN	
BREMN-STAR	1100-0
RICED-STAR	
JAGUAR-DP IRQ J53 SPA HNN WEEDA-STAR	
JAGUAR-DP IRQ J85 DJB LLEEO-STAR	
LBV	
* * * * * * * * * * * * * * * * * * * *	
	1100-0
(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
CEBEE SWL J121 SARDI CCC	
MCOY-DP SAV J55 CHS J121 SIE CAMRN-STAR	
MCOY-DP SAV J207 RDU J55 HPW J191 PXT	
	1100-0
(Water-Turbojets) MLB LENDS AR16 ILM J40 TYI	
HPW J191 PXT ENO-STAR	
(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
CEBEE SWL J174 HTO ORW GRAYM-STAR	
CTY J91 ATL HCH DARBY-STAR	1100-0
or	
(/E, /G, /R, /J, /L, /Q) WEBSS BRUTS Q110	
FEONA VUZ ALO KASPR-STAR	
(Water–Turbojets) MLB ETECK AR18 DIW WETRO	
CEBEE SWL J174 HTO V46	
CTY J91 ATL VOLLS-STAR	1100-0
	Or (Turbojets-GPS or DME/DME-IRU equipped) MCOY-DP SAV HUSTN (RNAV)-STAR

erminals	Route	Effective Times (UTC)
Newark (EWR)	(Water-Turbojets) MLB LENDS AR16 ILM J109	(010)
,	FAK DYLIN-STARor	
	MCOY-DP SAV J207 FLO J55 J51 FAK DYLIN-STAR	
	or	
	J53 CRG J51 SAV J207 FLO J55 J51 FAK DYLIN-STAR	1100-0400
	or	1100-0400
	(Turbojets-WATER) MLB LENDS AR16 ILM J109	
	FAK DYLIN-STAR	1100-0400
	(GPS or DME/DME-IRU equipped) MCCOY SAV	
	J207 FLO J55 J51 FAK PHLBO (RNAV)-STAR	1100-0400
	Or	
	(GPS or DME/DME-IRU equipped-WATER) MLB LENDS AR16 ILM J109 FAK PHLBO	
	(RNAV)-STAR	1100-0400
Newburgh (SWF)	(Water-Turbojets)-MLB LENDS AR16 ILM KEMPR	
New Haven (HVN)	SBY J79 JFK DPK HUDSON-STAR(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
New Haveli (HVN)	CEBEE SWL J121 SIE V139 RICED MAD193	
	KEYED	
New London (GON)	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
Philadelphia (PHL)	CEBEE SWL J121 HTO (Turbojets) MCOY-DP SAV J55 CHS J121 SWL	
· ····	SWL034 RADDS VCN-STAR	1100-0400
	(Water-Turbojets) MLB ETECK AR18 DIW WETRO	
D	CEBEE SWL RADDS VCN-STAR	
Pittsburgh (PIT)	MCOY-DP SAV J51 CAE PSK EKN IHD NESTO-STAR	1100-0400
Poughkeepsie (POU)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
Providence (PVD)	SBY J79 JFK DPK HUDSON-STAR	
Frovidence (FVD)	(Water–Turbojets) MLB ETECK AR18 DIW WETRO CEBEE SWL J174 HTO JORDN (RNAV)–STAR	
Springfield (CEF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
0. 1. 1. (071.)	SBY J79 VILLS DPK DPK-STAR	
St. Louis (STL)	CTY J151 VISQA QBALL-STAR	
	(/E, /G, /R, /J, /L, /Q) WEBBS BRUTS Q110	
	FEONA VUZ J151 VISQA QBALL-STAR	
Toronto (CYYZ)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR SBY J79 JFK CFB J95 BUF YOUTH-STAR	
Washington Dulles (IAD)	MCOY-DP SAV J55 CHS J165 J109 FAK	
,	COATT-STAR	1100-0300
Westfield (BAF)	(Water-Turbojets) MLB LENDS AR16 ILM KEMPR	
West Palm Beach (PBI)	SBY J79 VILLS DPK DPK-STAR (Turbojets-GPS or DME/DME-IRU equipped)	
Treet and Season (1 St) Thinning	DEARY VRB FRWAY (RNAV)-STAR	
	DEARY VRB TUXXI-STAR	
ALM BEACH METRO AREA		
(PBI, BCT, LNA, UTX, SUA) Albany (ALB)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JOANI LGA LGA055 TRUDE V487	
ANI-MAR (ATI)	CANAN V130	
Atlanta (ATL)	(RNAV only) ORL J81 CHESN CANUK (RNAV)-STAR	1100-0300
	or	1100-0300
	ORL J81 CHESN SINCA-STAR	1100-0300
Baltimore (BWI)	(Water-Turbojets) A699 PERMT AR16 ILM J40 RIC OTT-STAR	
	MO 011-31AN	

Į PR	REFERRED IFR ROUTES	
- - - -	Route	Effective Times (UTC)
Effiliais	ORL CRG J51 SAV J55 CHS J79 TYI J40 RIC OTT-STAR	1100-030
	Or (Water Turboiete GPS or DME /DME IRII	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC RAVNN (RNAV)-STAR	
	or (GPS or DME/DME-IRU equipped) ORL CRG J51	
	SAV J55 CHS J79 TYI J40 RIC RAVNN (RNAV)-STAR	1100-030
Bedford (BED)	(Water-ÁLT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
	or (Water–Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
Beverly (BVY)	(Water-ALT-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR	
	or	
Boston (BOS)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD GRAYM-STAR (Water-Turbojets) A699 PERMT AR16 KEMPR SBY	
B0St011 (B03)	J79 JFK ORW-STAR	1100-03
	or	== -
	ORL J53 CRG J51 SAV J55 CHS J79 JFK ORW-STAR	1100-04
Bridgeport (BDR)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED MAD193	1100-0
Charlotte (CLT)	KEYED ORL J53 CRG J51 SAV J207 FLO CTF-STAR or	
	(Turbojets-GPS or DME/DME IRU equipped) ORL J53 CRG J51 SAV HUSTN (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STAR	1100-03
	or (non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1100-04
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) LAL CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	
	(RNAV)-STAR	1100-03
	(non-advanced RNAV only) LAL CTY J91 ATL	
	CADIT GLAZR HOPAP VOSTK HEVAN MZZ	1100.00
Cincinnati (CVG)	MZZ344/33 OXI KNOX-STAR(All Others) CTY J91 VXV HARDU-STAR	1100-03 1100-03
Ollomida (5.5)	or	
Cleveland (CLE)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR ORL J53 SPA J85 TVTO40 KEATN KEATN-STAR	1100-03
Columbus (CMH)	ORL J83 SPA J85 191040 KEATN KEATN-STAR ORL J81 IRQ J53 SPA J85 HVQ HNN	1100 0
	BREMN-STAR	1100-03
Cross City (CTY) Dallas/Ft Worth (DFW)	LALSRO 0100 REDFN 0105 HRV J58 AEX COY	1030-03
Danbury (DXR)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED	
Daytona Beach (DAB)	RICED-STARMLB	1030-03
Denver (DEN)	SRQ Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STARor	
	CTY SZW J41 MEM RZC PER GCK J154 RYLIE DANDD-STAR	
Detroit/Wayne (DTW)	ORL J53 SPA HNN WEEDA-STAR	
Dixon (DIW)	(Water-Turbojets) WOLFO AR18	

SE. 23 SEP 2010 to 18 NOV 2010

Route

Terminals

Effective Times

(UTC)

East Hampton (HTO)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	(0.0)
Farmingdale (FRG)	CEBEE SWL J121 HTO(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE SWL J121 SIE CAMRN-STAR	
Fort Myers (RSW)	(Water Turboiets) A600 PAMIT AP19 DIW WETPO	1030-0300
Groton (GON)	(Water–Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 HTO	
Hartford (HFD)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	
	SBY J79 JFK DPK MAD V1	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	
	COLUMBIA (RNAV)-STARor	1000-0300
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI COLUMBIA (RNAV)-STAR	1000-0300
	or	
	(Non-advanced NAV only) LAL J73 SZW J2 CEW	1000-0300
Houston (IAH)	J50 AEX DAS-STAR(GPS or DME/DME-IRU equipped) SRQ Q100 LEV	1000-0300
	WOLDE (RNAV)-STAR	1000-0300
	or	
	(GPS or DME/DME-IRU equipped) LAL J73 SZW	
	J2 SJI WOLDE (RNAV)-STAR	1000-0300
	(Non-advanced NAV only) LAL J73 SZW J2 SJI	
	GILCO-STAR	1000-0300
ndianapolis (IND)	CTY J91 ATL J89 IIU DECEE-STAR	1100-0300
Islip (ISP)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
Jacksonville (JAX)	CEBEE SWL J121 SARDI CCC ORL J53	1030-0300
Kennedy (JFK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	1000 0000
	CEBEE J121 SIE CAMRN-STAR	1100-0300
	or	
	ORL J53 CRG J51 SAV J55 CHS J121 SIE	1000 0200
La Guardia (LGA)	CAMRN-STAR(Water-Turbojets) A699 PERMT AR16 ILM J40 TYI	1000-0300
24 444 444	HPW J191 PXT KORRY-STAR	
	or	
	ORL J53 CRG J51 SAV J207 RDU J55 HPW J191	1100 0100
Lawrence (LWM)	PXT KORRY-STAR(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	1100-0400
Lawrence (Lww)	SBY J79 JFK DPK MAD HFD GRAYM-STAR	
	or	
	(Water-ALT-Turbojets) A699 RAMJT AR18 DIW	
	WETRO CEBEE SWL J174 HTO ORW	
ouisville (LOU)	GRAYM-STARCTY J91 ATL HCH DARBY-STAR	1100-0300
Manchester (MHT)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR	1100 0000
	SBY J79 JFK ALB EEN	
Minneapolis (MSP)	CTY J91 ATL J89 BAE EAU-STAR	1100-0300
Montreal (CYUL)	(Water–Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK J37 ALB J6 PLB ABCOT–STAR	
Nashville (BNA)	CTY J91 ATL GQO VOLLS-STAR	1100-0300
Nantucket (ACK)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO	
	CEBEE SWL J174 HTO V46	
Newark (EWR)	(Water-GPS or DME/DME-IRU equipped) A699	
	PERMT AR16 ILM J109 FAK PHLBO (RNAV)-STAR	
	or	
	ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK	
	DYLIN-STAR	1100-0300
	OF	
	(WATER) A699 PERMT AR16 ILM J109 FAK	
	DYLIN-STARor	
	•	

)	SKELEKKEN ILK KOOTE?	
		Effective Times
erminals	Route (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 FLO J55 J51 FAK PHLBO	(UTC)
Newburgh (SWF)	(RNAV)-STAR (Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK HUDSON-STAR	1100-03
New Haven (HVN)		
Ocala (OCF)		1030-03
Orlando (MCO) Overwater Routes to the Northea		1030-03 1030-03
Philadelphia (PHL)		
	ORL J53 CRG J51 SAV J55 CHS J121 SWL	4400 0
Pittsburgh (PIT)	SWL034 RADDS VCN-STAR ORL J53 CRG J51 CAE PSK EKN IHD NESTO-STAR	1100-0
Poughkeepsie (POU)		
Providence (PVD)	CEBEE SWL J174 HTO JORDN (RNAV)-STAR	
Raleigh/Durham (RDU)	BRADE-STAR	
St. Louis (STL)	ORL J53 CRG J51 SAV J55 CHS J174 ILM BRADE-STAR TBIRD CTY J151 VISOA OBALL-STAR	1100-0
3t. Louis (31L)	or (/E,/G,/R,/J,/L,/O) TBIRD KPASA Q110 FEONA VUZ J151 VISQA QBALL-STAR	
Springfield (CEF)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	
Tallahassee (TLH) Tampa (TPA)		1030-0 1030-0
	BRDGE BRDGE-STARor	1030-0
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR or	1000-0
	(GPS or DME/DME-IRU equipped) DEAKK DEAKK (RNAV)-STAR	1030-0
Toronto (CYYZ)	(Water–Turbojets) A699 PERMT AR16 ILM J109 BUF YOUTH–STAR	
Washington Dulles (IAD)		
	or (Water) A699 PERMT AR16 ILM J109 FAK COATT-STAR	
	or (GPS or DME/DME-IRU equipped) ORL J53 CRG J51 SAV J207 RDU FAK BARIN-STAR	
	or ORL J53 CRG J51 SAV J207 RDU FAK COATT-STAR	
Washington Natl (DCA)	(Water) A699 PERMT AR16 ILM J40 RIC IRONS-STAR	
	(Water-Turbojets-GPS or DME/DME-IRU equipped) A699 PERMT AR16 ILM J40 RIC	
Westfield (BAF)	OJAAY (RNAV)-STAR (Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 VILLS DPK DPK-STAR	

• • •	EFERRED IFR ROUTES	437
		Effective Times
Terminals Westhampton Beach (EOK)	Route (Water-Turbojets) A699 RAMJT AR18 DIW WETRO	(UTC)
Westhampton Beach (FOK)	CEBEE SWL J121 HTO	
White Plains (HPN)	(Water-Turbojets) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE BOUNO-STAR or	
	(Water-Turboprops) A699 RAMJT AR18 DIW WETRO CEBEE SWL J121 SIE V139 RICED RICED-STAR	
Wilmington (ILM)	(Water-Turbojets) A699 PERMT AR16 (Water-Turbojets) PERMT A699 AR16 ILM KEMPR SBY J179 VILLS DPK DPK-STAR	
Worcester (ORH)	(Water-Turbojets) A699 PERMT AR16 ILM KEMPR SBY J79 JFK DPK MAD HFD	
PENSACOLA (PNS)		
Chicago O'Hare (ORD)	(/E/G/R/J/L/Q only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ ROYKO (RNAV)-STAR or	0000-2359
	(non-advanced RNAV only) MGM RESPE GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI	0000 0
Houston (HOU)	KNOX-STAR(GPS or DME/DME-IRU equipped) ROMMY HRV	0000–2359
(, ()	COLUMBIA (RNAV)-STAR	1000-0300
	or	
Houston (IAH)	(Non-advanced NAV only) SJI AEX DAS-STAR (GPS or DME/DME-IRU equipped) ROMMY HRV	1000-0300
(****)	WOLDE (RNAV)-STARor	1000-0300
	(Non-advanced NAV only) SJI GILCO AEX DAS-STAR	1000-0300
PORT AU PRINCE (MTPP)		2000
Atlanta (ATL)	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL ORL CRG SINCA-STAR	
	ALBBE A636 ZIN FLL ORL CRG CANUK (RNAV)-STAR	
	(if unable FL370 by CVIKK) ALBBE A636 ZIN FLL ORL CRG SINCA-STAR or	
	(if unable FL370 by CVIKK) JOSES A315 ZIN FLL	
Kennedy (JFK)	ORL CRG CANUK (RNAV)-STAR BOTES G444 GTK M594 CERDA LUCTI L454 OWENZ CAMRN	
	or BOTES G444 GTK M594 CERDA L453 AZEZU BERGH L454 OWENZ CAMRN	
	BOTES G444 GTK L452 OXANA AR8 ECG ORF J121 SIE CAMRN-STAR	
	JOSES A315 ZIN A756 DUKKY A555 ZQA AR3 PANAL DIW WETRO CEBEE SWL J121 SIE	
Newark (EWR)	CAMRN-STAR ALBBE M594 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO	
	or ALBBE M594 GTK L452 OXANA AR8 ECG FAK DYLIN-STAR	
	or ALBBE M594 GTK L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR	
RALEIGH-DURHAM (RDU)		
· · · · · · · · · · · · · · · · · · ·	TYI J79 SBY J79 JOANI LGA LGA055 V487 V130	1100-0400
Albany (ALB) Atlanta (ATL)	PACKK-DP AZELL CAE J4 IRQ SINCA-STAR	1100-0400

Effective

		Times
erminals	Route	(UTC)
	(RNAV only) PACKK-DP AZELL CAE J4 IRQ CANUK	
N (BOC)	RNAV-STAR	1100-0400
oston (BOS)hicago Midway (MDW)	TYI J79 JFK ORW-STAR PACKK-DP AZELL PSK HVQ FWA GOSHEN-STAR	1100-0400
hicago O'Hare (ORD)	(/E/G/R/J/L/Q only) PACKK–DP AZELL HMV FLM	1100 0400
	HEVAN MZZ ROYKO (RNAV)-STARor	1100-0400
	(non-advanced RNAV only) PACKK-DP AZELL HMV	
	FLM HEVAN MZZ MZZ344/33 OXI KNOX-STAR .	1100-0400
Cincinnati (CVG)	(RNAV only) HMV JAKIE (RNAV)-STAR	
	(all others) HMV HARDU-STAR	
columbia (CAE)	FAY-DP FAY FLO	1100-0400
Pallas/Ft Worth (DFW)	PACKK-DP AZELL SPA J14 VUZ J52 SQS CQY	1100-0400
vetroit/Wayne (DTW)ort Lauderdale (FLL)	AZELL PSK BKW GEMNI-STAR(Turbojets-GPS or DME/DME-IRU equipped)	
ort Lauderdale (FLL)	TARL-DP CHS J79 OMN FISEL (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) TARL-DP CLB BAHAA AR21 CRANS	
	FISEL (RNAV)-STAR	
	(Turbojets) TARL-DP CHS J79 OMN GISSH-STAR .	
	(Water-Turbojets) TARL-DP CLB BAHAA AR21	
	CRANS HIILL FATHR GISSH-STAR	
	(Turboprops) TARL-DP CHS J79 OMN MLB	
	BLUFI-STAR	
	(Water-Turboprops-GPS or DME/DME-IRU equipped) TARL-DP CLB BAHAA AR21 CRANS	
	FISEL (RNAV)-STAR	
	or (Water-Turboprops) TARL-DP CLB BAHAA AR21	
	CRANS HILL FATHR GISSH-STAR	
ouston (HOU)	(GPS or DME/DME-IRU equipped) VUZ JAN AEX ROKIT (RNAV)-STAR	
	or (Non-advanced NAV only) VUZ JAN AEX	
	DAS-STAR	
louston (IAH)	(Turbojets-GPS or DME/DME-IRU equipped) VUZ JAN AEX TXMEX (RNAV)-STAR	
	or	
	(Non-advanced NAV only) VUZ JAN AEX	
ennedy (JFK)	DAS-STAR TYI ORF J121 SIE CAMRN-STAR	1100-0400
a Guardia (LGA)	LVL HPW J191 PXT KORRY-STAR	
fiami (MIA)	(Turbojets-GPS or DME/DME-IRU equipped) TARL-DP CHS J79 OMN HILEY (RNAV)-STAR	
	or (Water-Turbojets-GPS or DME/DME-IRU	
	equipped) TARL-DP CLB SEELO AR22 JORAY	
	HILEY (RNAV)-STARor	
	(Turbojets) TARL-DP CHS J79 OMN ANNEY-STAR.	
	(Water-Turbojets) TARL-DP CLB SEELO AR22	
	JORAY OSOGY ENVOY YOSSI MILSY BOYUR HILEY KAINS	
	Or (Turboprope) TARL DR CHS 170 OMN	
	(Turboprops) TARL-DP CHS J79 OMN ANNEY-STAR	
Newark (EWR)	LVL FAK DYLIN-STAR	1100-0300
	or	

Effective Times

T	D . 1	Times
Terminals	Route (GPS or DME/DME-IRU equipped) LVL FAK PHLBO	(UTC)
	(RNAV)-STAR	1100-0300
Newburgh (SWF)	TYI J79 JFK BDR V91 STUBY	1100-0300
Orlando (MCO)	(Turbojets) TARL-DP CHS J79 OMN BITHO-STAR or	1100-0400
	(GPS or DME/DME-IRU equipped) TARHEEL-DP	
Orlando (ORL)	CHS J79 OMN CWRLD (RNAV)-STAR(Turbojets) TARL-DP CHS J79 OMN CORLL-STAR.	1100-0400 1100-0400
Palm Beach (PBI)	(Turbojets–GPS or DME/DME–IRU equipped)	1100-0400
, ,	TARL-DP CHS J79 OMN FRWAY (RNAV)-STAR	
	or (Turbojets) TARL-DP CHS J79 OMN TUXXI-STAR or	
	(Water-Turbojets-GPS or DME/DME-IRU	
	equipped) TARL-DP CLB SEELO AR19 AYBID	
	CAYSL (RNAV)-STAR	
	or (Water-Turbojets) TARL-DP CLB SEELO AR19	
	AYBID MIMMI NEUBE SWOMP SANZZ CAYSL	1100-0400
Philadelphia (PHL)	V3 FAK DPNT-STAR	1100-0400
Pittsburgh (PIT)	PACK-DP ROA EKN IHD NESTO-STAR	1100-0400
Sarasota (SRQ) Savannah (SAV)	FAY-DP FAY CAE J75 TAY J85 GNV LAL TARL-DP CHS	1100-0400 1100-0400
Tampa (TPA)	FAY-DP FAY CAE J75 TAY LZARD-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) FAY-DP FAY	4400 0400
Windsor Locks (BDL)	CAE J75 TAY DADES (RNAV)-STAR TYI J79 SBY J79 JFK DPK-STAR	1100-0400 1100-0400
SAN JUAN (TJSJ)	111 773 3B1 773 31K BI K-STAK	1100-0400
Atlanta (ATL)	HARDE A555 ZQA FLL ORL CRG CANUK (RNAV)-STAR	
	or HARDE A555 ZQA FLL ORL CRG SINCA-STAR	
	or	
	CONCH R507	
Atlantic City (ACY)	ELMUC L451 LETON L451 OLDEY AR3 PANAL DIW	
Baltimore (BWI)	WETRO CEBEE SWL J121 SIE ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG RIC NOTTINGHAM-STAR	
	Or	
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR	
	or	
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC	
	NOTTINGHAM-STAR	
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC RAVNN	
	(RNAV)-STAR	
Bedford (BED)	ELMUC L454 LUCTI OWENZ HTO ORW	
	GRAYM-STAR	
	ELMUC L451 CERDA L453 AZEZU BERGH OWENZ	
	HTO ORW GRAYM-STAR	
	or	
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW	
	GRAYM-STAR	
	or	
	ELMUC L451 LETON L451 OLDEY AR3 CLB DIW	
	WETRO CEBEE SWL J174 HTO ORW	
Charlotte (CLT)	GRAYM-STAR ELMUC L451 OLDEY CHS CHESTERFIELD-STAR	
5(021)	or	
	ELMUC L451 OLDEY CHS HUSTN (RNAV)-STAR	
1		

Terminals

Cincinnati (CVG)..... ELMUC L451 CERDA LNHOM L452 OXANA AR8

Route

ECG VXV JAKIE (RNAV)-STAR

(UTC)

Effective Times

	or
	ELMUC L451 OLDEY METTA CHS SPA CAE VXV
Claveland (CLE)	JAKIE (RNAV)-STAR
Cleveland (CLE)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HVQ TVT KEATN-STAR
	ELMUC L451 OLDEY METTA CHS CAE HVQ TVT
	KEATN-STAR
Dayton (DAY)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG VXV J43 FLM KEKEE-STAR
	or ELMUC L451 OLDEY METTA CHS CAE VXV J43
Detroit (DTW)	FLM KEKEE-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8
Settote (BTW)	ECG HNN WEEDA-STAR
	ELMUC L451 OLDEY METTA CHS SPA HNN
	WEEDA-STAR
ndianapolis (IND)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG IIU V51 DECEE DECEE-STAR
	or
	ELMUC L451 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR
Kennedy (JFK)	ELMUC L454 LUCTI L454 OWENZ CAMRN
	ELMUC L453 LAMER L453 AZEZU BERGH L454
	OWENZ CAMRN
	or ELMUC L451 OLDEY AR3 PANAL DIW WETRO
	CEBEE SWL J121 SIE CAMRN-STAR
ouisville (SDF)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
	or
	ELMUC L451 OLDEY METTA CHS SPA HCH
Newark (EWR)	DARBY-STARELMUC L451 OLDEY AR3 CLB ILM J109 FAK
	DYLIN-STAR
	Or FLMUC LASA OLDEV ADS OLD ILM 1400 FAK
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK PHLBO (RNAV)-STAR
	or
	ELMUC L454 LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO
	or
	ELMUC L451 CERDA L453 AZEZU BERGH L454 OWENZ CYN GXU RBV V249 METRO
Ottawa (CYOW)	ELMUC L454 LUCTI L454 JFK SYR J599
	or
	ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK SYR J599
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG SYR J599
	ELMUC L451 OLDEY AR3 CLB ILM SYR J599
Providence (PVD)	ELMUC L454 LUCTI L454 BERGH OWENZ HTO JORDN
	or
	ELMUC L451 CERDA L453 AZEZU BERGH OWEN
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8
	ECG SWL J174 HTO JORDN

PF	REFERRED IFR ROUTES	44
		Effective Times
Terminals	Route ELMUC L451 OLDEY AR3 PANAL DIW SWL J174	(UTC)
	HTO JORDN	
Quebec (CYQB)	ELMUC L454 LUCTI L454 JFK PLB J560 or	
	ELMUC L451 CERDA L453 AZEZU BERGH L454 JFK PLB J560	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG ORF SBY J209 VILLS SAX J6 PLB J560	
	ELMUC L451 OLDEY AR3 PANAL DIW J174 ORF SBY J209 VILLS SAX J6 PLB J560	
Raleigh-Durham (RDU) Teterboro (TEB)	ELMUC L451 OLDEY ILM BRADE-STAR ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ecg fak jaike (RNAV)–STARor or ELMUC L451 CERDA L453 AZEZU BERGH L454	
	OWENZ	
	ELMUC L454 LUCTI L454 OWENZ	
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR	
Washington (DCA)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG RIC IRONS-STAR	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8	
	ECG RIC OJAAY (RNAV)-STAR	
	ELMUC L451 OLDEY AR3 CLB ILM J40 RIC IRONS-STAR	
	or ELMUC L451 OLDEY AR3 CLB ILM J40 RIC OJAAY (RNAV)-STAR	
Washington (IAD)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK BARIN (RNAV)-STAR	
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG FAK COATT-STAR	
	or ELMUC L451 OLDEY AR3 CLB ILM J109 FAK	
	BARIN (RNAV)-STAR	
	ELMUC L451 OLDEY AR3 CLB ILM J109 FAK COATT-STAR	
White Plains (HPN)	ELMUC L454 LUCTI L454 OWENZor	
	ELMUC L451 CERDA L453 AZEZU BERGH L454 OWENZ	
	or ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR	
	or ELMUC L451 OLDEY ECG ORF J121 SIE	
Winsor Locks (BDL)	BOUNO-STAR ELMUC L454 LUCTI L454 JFK DBK DEER PARK-STAR	
	or ELMUC L451 LETON L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK DPK DEER PARK–STAR or	
	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK DPK DEER PARK-STAR	
Winnipeg (CYWG)	ELMUC L451 CERDA LNHOM L452 OXANA AR8 ECG IIU J99 BAE MSP	
	or	
SE, 23 S	SEP 2010 to 18 NOV 2010	

Terminals

SANTO DOMINGO SPECIAL AREA

Times (UTC)

Route ELMUC L451 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP.....

[ATTENTION: Routes over JUELE fix are for aircraft

Effective

MDSD, MDPC, MDLR, MDST, MDPP, IDJB, MDCT)	that are not HF equipped, not deep over water equipped or do not want to file deep oceanic routes. Also, for aircraft with destinations to Florida airports please see Special High Altitude Directional Routes.]
Altantic City (ACY)	BESAS L464 CERDA L451 OLDEY AR3 CLB DIW WETRO CEBEE SWL J121 SIE
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SWL J121 SIE
	or (Non-HF equipped) JUELE L463 NUCAR AR3 CLE DIW WETRO CEBEE SWL J121 SIE
Baltimore (BWI)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC NOTTINGHAM-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG RIC RAVNN (RNAV)-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC NOTTINGHAM-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CBL ILM J40 RIC RAVNN (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC NOTTINGHAM-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 RIC RAVN
Bangor (BGR)	(RNAV)-STAR BESAS L464 CERDA LUCTI L454 BERGH HTO LF J79
	or BESAS L464 LAMER L453 AZEZU BERGH OWEN HTO LFV J79
	BESAS L464 CERDA LNHOM L452 OXANA AR8
Bedford (BED)	ECG SBY J79 JFK HTO LFV
	GRAYM-STARor
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG DIW WETRO CEBEE SWL J174 HTO ORW GRAYM-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH OWEN HTO ORW GRAYM-STAR
	or BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO ORW GRAYM-STAR
	or JUELE L463 NUCAR AR3 CLB DIW WETRO CEBEI SWL J174 HTO ORW GRAYM-STAR
Boston (BOS)	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STARor
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM KEMPR SBY J49 JFK INNDY (RNAV)-STAR or
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK INNDY (RNAV)-STAR

PREFERRED IFR ROUTES 443 **Effective** Times Terminals (UTC) Route BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK NORWICH-STAR BESAS L464 LAMER L453 AZEZU BERGH L454 JFK NORWICH-STAR BESAS L464 LAMER L453 AZEZU BERGH L454 JFK INNDY (RNAV)-STAR JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK NORWICH-STAR Charlotte (CLT) BESAS L464 CERDA L451 OLDEY CHS CHESTERFIELD-STAR BESAS L464 CERDA L451 OLDEY CHS HUSTN (RNAV)-STAR..... JUELE L463 NUCAR AR3 OLDEY CHS CHESTERFIELD-STAR JUELE L463 NUCAR AR3 OLDEY CHS HUSTN (RNAV)-STAR..... Chicago O'Hare (ORD) JUELE L463 NUCAR AR3 OLDEY AR4 CH SPA HMV FLM J24 BIGXX ROYKO (RNAV)-STAR..... Cincinnati (CVG)..... BESAS L464 CERDA L451 OLDEY METTA CHS SPA HMV JAKIE (RNAV)-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK J24 HVQ HNN JAVIT-STAR..... JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA HMV JAKIE (RNAV)-STAR..... Cleveland (CLE) BESAS L464 CERDA L451 OLDEY METTA CHS CAE HVQ TVT KEATN-STAR..... BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HVQ TVT KEATN-STAR JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE HVQ TVT KEATN-STAR Dayton (DAY) BESAS L464 CERDA L451 OLDEY METTA CHS CAE SPA HMV FLM KEKEE-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK J24 HVQ HNN JUELE L463 NUCAR AR3 OLDEY METTA CHS CAE SPA HMV FLM KEKEE-STAR..... Detroit (DTW)..... BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HNN WEEDA-STAR BESAS L464 CERDA L451 OLDEY METTA CHS SPA HNN WEEDA-STAR..... JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA

BESAS L464 CERDA L451 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR. JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA CAE VXV J89 IIU V51 DECEE DECEE-STAR Kennedy (JFK)..... BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CAMRN.....

Indianapolis (IND)

HNN WEEDA-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8

ECG IIU V51 DECEE DECEE-STAR.....

> Effective Times (UTC)

Terminals	Route
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE CAMRN-STAR
	BESAS L464 CERDA LUCTI L454 OWENZ CAMRN.
	or BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR or
	JUELE L463 NUCAR AR3 PANAL DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR
La Guardia (LGA)	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CAMRN
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HPW J191 PXT KORRY-STAR
	or BESAS L464 CERDA LUCTI L454 OWENZ CAMRN . or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 TYI HPW J191 PXT KORRY-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J40 TYI HPW
Louisville (SDF)	J191 PXT KORRY-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG HCH DARBY-STAR
	or
	BESAS L464 CERDA L451 OLDEY METTA CHS SPA HCH DARBY-STAR
	or JUELE L463 NUCAR AR3 OLDEY METTA CHS SPA
Montreal (CYMX), (CYUL)	HCH DARBY-STAR BESAS L464 LAMER L453 AZEZU BERGH L454 JFK J37 ALB J6 PLB PLATTSBURGH-STAR
Morristown (MMU)	or JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY J79 JFK J37 ALB J6 PLB PLATTSBURGH-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8
	ecg fak jaike (RNAV)–STARor
	BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ
	or BESAS L464 CERDA LUCTI L454 OWENZ
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK JAIKE (RNAV)-STAR
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIKE
Newark (EWR)	(RNAV)-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK DYLIN-STAR
	or BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG FAK PHLBO (RNAV)-STAR
	or BESAS L464 LAMER L453 AZEZU BERGH L454 OWENZ CYN GXU RBV V249 METRO
	OF BESAS L464 CERDA LUCTI L454 BERGH L454 OWENZ CYN GXU RBV V249 METRO
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J109 FAK DYLIN-STAR

erminals	Route	Time (UTC
errimais	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	(01
	J109 FAK PHLBO (RNAV)-STAR	
	or JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
	DYLIN-STAR	
	or	
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK	
Ottawa (CYOW)	PHLBO (RNAV)-STAR BESAS L464 CERDA LUCTI L454 JFK SYR J599	
,	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	JFK SYR J599or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG SYR J599	
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM	
	SYR J599	
	Or	
Philadelphia (PHL)	JUELE L463 NUCAR AR3 CLB ILM SYR J599 BESAS L464 CERDA LNHOM L452 OXANA AR8	
,	ECG SWL RADDS CEDAR LAKE-STAR	
	or BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW	
	WETRO CEBEE SWL RADDS CEDAR LAKE-STAR	
	or	
Deviction of (DVD)	BESAS L464 LAMER L453 AZEZU B24 SIE	
Providence (PVD)	BESAS L464 CERDA LUCTI L454 BERGH OWENZ HTO JORDN	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH OWENZ	
	HTO JORDN	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG SWL J174 HTO JORDN	
	or BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW	
	SWL J174 HTO JORDN	
	Or	
	JUELE L463 NUCAR AR3 PANAL DIW SWL J174 HTO JORDN	
Quebec (CYQB)	BESAS L464 CERDA LUCTI L454 JFK PLB J560	
	or	
	BESAS L464 LAMER L453 AZEZU BERGH L454 JFK PLB J560	
	or	
	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG ORF SBY J209 VILLS SAX J6 PLB J560 or	
	BESAS L464 CERDA L451 OLDEY AR3 PANAL DIW	
	J174 ORF SBY J209 VILLS SAX J6 PLB J560	
	or JUELE L463 NUCAR AR3 PANAL DIW J174 ORF	
	SBY J209 VILLS SAX J6 PLB J560	
Raleigh/Durham (RDU)	BESAS L464 CERDA L451 OLDEY ILM	
	BRADE-STARor	
	JUELE L463 NUCAR ILM BRADE-STAR	
Teterboro (TEB)	BESAS L464 CERDA LNHOM L452 OXANA AR8	
	ECG FAK JAIKE (RNAV)-STAR	
	BESAS L464 LAMER L453 AZEZU BERGH L454	
	OWENZ	
	or BESAS L464 CERDA LUCTI L454 OWENZ	
	or	

Terminals

Route
BESAS L464 CERDA L451 OLDEY AR3 CLB ILM

Effective Times (UTC)

	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J109 FAK JAIKE (RNAV)-STAR
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK JAIK
	(RNAV)-STAR
Toronto (CYYZ)	BESAS L464 LAMER L453 AZEZU BERGH L454
	JFK J63 HUO CFB J95 BUF YOUTH
	(RNAV)-STAR
	or BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J109 BUF YOUTH (RNAV)-STAR
	or
	JUELE L463 NUCAR AR3 CLB ILM J109 BUF
Washington (DCA)	YOUTH (RNAV)-STARBESAS L464 CERDA LNHOM L452 OXANA AR8
washington (DOA)	ECG RIC IRONS-STAR
	or
	BESAS L464 CERDA LNHOM L452 OXANA AR8
	ECG RIC OJAAY (RNAV)-STAR
	Or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM J40 RIC IRONS-STAR
	or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J40 RIC OJAAY (RNAV)-STAR
	OF
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC IRONS-STAR
	or
	JUELE L463 NUCAR AR3 CLB ILM J40 RIC OJAAY
	(RNAV)-STAR
Washington (IAD)	BESAS L464 CERDA LNHOM L452 OXANA ECG
	FAK BARIN (RNAV)-STAR
	BESAS L464 CERDA LNHOM L452 OXANA ECG
	FAK COATT-STAR
	or
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J109 FAK BARIN (RNAV)-STAR
	BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
	J109 FAK COATT-STAR
	or
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK
	BARIN (RNAV)-STARor
	JUELE L463 NUCAR AR3 CLB ILM J109 FAK
	COATT-STAR
White Plains (HPN)	BESAS L464 CERDA L451 OLDEY ECG ORF J121
	SIE BOUNO-STAR
	JUELE L463 NUCAR AR3 PANAL DIW WETRO
	CEBEE SWL J121 SIE BOUNO-STAR
	or
	BESAS L464 CERDA LUCTI L454 OWENZ
	or BESAS L464 LAMER L453 AZEZU BERGH L454
	OWENZ
	or
	UI .
	BESAS L464 CERDA LNHOM L452 OXANA AR8
NVF developed (PDI)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR
Windsor Locks (BDL)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR BESAS L464 CERDA L451 OLDEY AR3 CLB ILM
Windsor Locks (BDL)	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG ORF J121 SIE BOUNO-STAR

	_	Effective Times
Terminals	Route	(UTC)
	BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG SBY J79 JFK DPK DPK-STAR	
	JUELE L463 NUCAR AR3 CLB ILM KEMPR SBY	
Winnipeg (CYWG)	J79 JFK DPK DPK-STAR BESAS L464 CERDA LNHOM L452 OXANA AR8 ECG IIU J99 BAE MSP	
	BESAS L464 CERDA L451 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP or	
	JUELE L463 NUCAR AR3 OLDEY METTA CHS VXV J89 IIU J99 BAE MSP	
SARASOTA-BRADENTON AREA (SRQ)		
Baltimore (BWI)	TAY J75 CAE J52 RIC OTT-STAR	1100-0300
Charlotte (CLT)	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR TAY J85 IRQ UNARM-STAR or	1100-0300
Objecto Midway (MDM)	(Turbojets-GPS or DME/DME IRU equipped) TAY J85 IRQ ADENA (RNAV)-STAR	
Chicago Midway (MDW)	(/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)–STARor	1100-0300
	(non-advanced RNAV only) CTY J91 ATL J89 IIU	
Chicago O'Hare (ORD)	OKK V285 CLEFT OXI CGT (/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ ROYKO	1100-0300
	(RNAV)-STAR	0000-2359
	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33 OXI KNOX-STAR	0000-2359
Cincinnati (CVG)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR or	0000 2000
Cleveland (CLE)	(all others) CTY J91 VXV HARDU-STAR PIE J119 TAY J85 TVT040 KEATN KEATN-STAR PIE J119 TAY J85 HVQ HNN BREMN-STAR	
Dallas/Ft. Worth (DFW)	(Water) SRQ Q100 REDFN Q105 HRV J58 AEX CQY	
Denver (DEN)	(Water) Q100 REDFN Q105 HRV J58 SPS J168 LAA QUAIL-STAR	
Detroit/Wayne (DTW) Detroit Satellites:	PIE TAY J85 SPA HNN WEEDA-STAR	
Ann Arbor (ARB), Pontiac (PTK), Willow Run (YIP)	PIE J119 TAY J85 IRQ J99 VXV J43 FLM DQN CRUXX-STAR	
Young (DET) Fort Lauderdale (FLL)	PIE J119 TAY J85 DJB LLEEO-STAR	1030-0300
	(GPS or DME/DME-IRU equipped) RSW FORTL JINGL (RNAV)-STAR	
Houston (HOU)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV COLUMBIA (RNAV)-STARor	
	(GPS or DME/DME-IRU equipped) SZW J2 SJI COLUMBIA (RNAV)-STAR or	
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	
Houston (IAH)	(GPS or DME/DME-IRU equipped) SRQ Q100 LEV WOLDE (RNAV)-STAR	

148	LKELEKKEN ILK KOOIF?	
Terminals	Pouto	Effective Times
Terminais	Route (GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	(UTC)
	(Non-advanced NAV only) SZW J2 SJI GILCO-STAR	1000-0300
Indianapolis (IND) La Guardia (LGA)	. CTY J91 ATL J89 IIU DECEE-STAR	
Louisville (LOU, SDF)	. CTY J91 ATL HCH DARBY-STAR	1100-0300
Newark (EWR)		1100-0300
Philadelphia (PHL) Pittsburgh (PIT)	J51 FAK PHLBO (RNAV)-STAR TAY J75 CAE J51 FAK DPNT-STAR	1100-0300
Windsor Locks (BDL)		0700-0000
SAVANNAH (SAV) Baltimore (BWI)	. CHS J79 TYI J40 RIC OTT-STAR	1100-0400
Philadelphia (PHL)	. CHS J121 SWL SWL SWL034 RADDS VCN-STAR	1100-0400
	(GPS or DME/DME-IRU equipped J207 RDU FAK BARIN-STAR	
TAMPA/ST PETERSBURG METRO AREA (TPA, SPG, PIE, TPF)		
Atlanta (ATL)	or	
Baltimore (BWI)	or	1100-0400
Boston (BOS)	(GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC RAVNN (RNAV)-STAR TAY J75 DUNKN J210 J79 JFK ORW-STAR	1100-0400 1100-0400
Charlotte (CLT)		
Chicago Midway (MDW)	. (/E/G/R/J/L/Q only) CTY J91 ATL J89 IIU OKK FISSK (RNAV)-STARor	1100-030
(222)	(non-advanced RNAV only) CTY J91 ATL J89 IIU OKK V285 CLEFT OXI CGT	1100-030
Chicago O'Hare (ORD)	. (/E/G/R/J/L/Q only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK MZZ ROYKO (RNAV)—STAR or	0000-235
	(non-advanced RNAV only) CTY J91 ATL CADIT GLAZR HOPAP VOSTK HEVAN MZZ MZZ344/33	0000 235
Cincinnati (CVG)	OXI KNOX-STAR	0000–235
Cleveland Metro (CLE)	(RNAV only) CTY J91 VXV JAKIE (RNAV)-STAR PIE J119 TAY J85 TVT040 KEATN KEATN-STAR or	
Columbus (CMH)	or	
Denver (DEN)		
Detroit/Wayne (DTW) Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK), Young	DANDD-STAR . TAY J85 SPA HNN WEEDA-STAR	
(DET)	. CTY J91 VXV J43 FLM DQN CRUXX-STAR	

SE. 23 SEP 2010 to 18 NOV 2010

Effective Times

Terminals Windsor (CYQG)	Route PIE J119 TAY J85 DJB LLEEO-STAR	(UTC)
Fort Lauderdale: Hollywood Intl (FLL), Executive (FXE), Pompano Beach (PMP), North Perry		
(HWO), Opa Locka (OPF)	(all others) RSW FORTL-STAR	1030-0300
	(GPS OR DME/DME-IRU equipped) SABEE RXXAN JINGL (RNAV)-STAR	
Fort Myers (RSW), (FMY)	(Turbojets-GPS or DME/DME-IRU equipped) SRQ TYNEE (RNAV)-STAR	
Fort Pierce (FPR)	VRB(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV COLUMBIA (RNAV)-STAR	1030-0300 1000-0300
	or (GPS or DME/DME-IRU equipped) SZW J2 SJI	1000-0300
	COLUMBIA (RNAV)-STARor	1000-0300
	(Non-advanced NAV only) SZW J2 CEW J50 AEX DAS-STAR	1000-0300
Houston (IAH)	(GPS or DME/DME-IRU equipped) SIMMR REMIS Q100 LEV WOLDE (RNAV)-STAR or	1000-0300
	(GPS or DME/DME-IRU equipped) SZW J2 SJI WOLDE (RNAV)-STAR	1000-0300
	or (Non-advanced NAV only) SZW J2 SJI	
Indianapolis (IND)	GILCO-STARCTY J91 ATL J89 IIU DECEE-STAR	1000-0300
Kennedy (JFK)	TAY J75 J210 J121 SIE CAMRN-STARRSW J41TAY J75 DUNKN J210 VAN FLO J207 RDU J55	1030-0300
Louisville (SDF)	HPW J191 PXT KORRY-STARCTY J91 ATL HCH DARBY-STAR	1100-0400
Miami (MIA)	(all others) RSW CYY CYY-STARor	1030-0300
Missanalia (MCD)	(Turbojets-GPS or DME/DME-IRU equipped) RSW CYY SSCOT (RNAV)-STAR CTY J91 ATL J89 BAE EAU-STAR	
Minneapolis (MSP) Nashville (BNA) Newark (EWR)	CTY J91 ATL J99 BAE EAU-STARCTY J91 ATL GQO VOLLS-STARTAY J75 CAE J51 FAK DYLIN-STAR	1100-0400
Towark (ETH)	or (GPS or DME/DME-IRU equipped) TAY J75 CAE	1100 0400
B	J51 FAK PHLBO (RNAV)-STAR	1100-0400
Philadelphia (PHL) Pittsburgh (PIT) Raleigh-Durham (RDU)	TAY J75 CAE J51 FAK DPNT-STAR TAY J75 CAE PSK EKN IHD NESTO-STAR TAY J75 CAE BUZZY-STAR	1100-0400
Washington Dulles (IAD)	TAY J75 CAE J51 FAK COATT-STAR TAY J75 CAE J52 RIC IRONS-STAR	1100-0400 1100-0400
	or GPS or DME/DME-IRU equipped) TAY J75 CAE J52 RIC OJAAY (RNAV)-STAR	1100-0400
West Palm Beach (PBI)	(Turbojets-GPS or DME/DME-IRU equipped) SABEE JOOOE WLACE (RNAV)-STAR	1100 0400
Windsor Locks (BDL) From St Petersburg (PIE) only:	TAY J75 DUNKN J210 J79 JFK DPK DPK-STAR	0700-0000
Detroit/Wayne (DTW) Detroit Satellites: Ann Arbor (ARB), Pontiac (PTK) Willow	TAY J85 SPA HNN WEEDA-STAR	
Run (YIP) Windsor (CYQG), Young (DET)	CTY J91 VXV J43 FLM DQN CRUXX-STAR	
	PIE J119 TAY J85 DJB LLEEO-STAR	

NORTHEAST

SOUTHWEST

NORTHWEST

Traffic originating North and East of J186 to North of a line from ATL to RDU file:

MOL WHINZ-STAR or

> DBN SINCA-STAR..... DBN CANUK (RNAV)-STAR

> MEI LGC-STAR..... MEI HONIE (RNAV)-STAR..... SZW LGC-STAR..... SZW HONIE (RNAV)-STAR..... MGM LGC-STAR..... MGM HONIE (RNAV)-STAR.....

BWG RMG-STAR BWG ERLIN (RNAV)-STAR BNA RMG-STAR BNA ERLIN (RNAV)-STAR..... MEM RMG-STAR MEM ERLIN (RNAV-STAR).....

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA HARTSFIELD INTL ARPT (JETS AND TURBOPROPS)

MOL FLCON (RNAV)-STAR J145 ODF WHINZ-STAR

J145 ODF FLCON (RNAV)-STAR VXV WHINZ-STAR VXV FLCON (RNAV)-STAR

J186 ODF WHINZ-STAR

J186 ODF FLCON (RNAV)-STAR.....

SOUTHEAST

SPA ODF WHINZ-STAR SPA ODF FLCON (RNAV)-STAR

Traffic originating South of a line from ATL to RDU, to East of J89 file:

IRO CANUK (RNAV)-STAR

Traffic originating West of J89 to South and West of J14 file:

Traffic originating West and North of J43 to North of J14 file:

IRQ SINCA-STAR.....

SE, 23 SEP 2010 to 18 NOV 2010

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES FOR ATLANTA TERMINAL AREA AIRPORTS (SATELLITE AIRPORTS ONLY JETS AND TURBOPROPS)

(SATELLITE AINFOR	(13 ONL) JEIS AND TONDOFNOFS
NORTHEAST	
Traffic originating North and East of a line from	ATL to VXV to North of a line from ATL to RDU file:
	J48 ODF AWSON-STAR
	J145 ODF AWSON-STAR
	VXV AWSON-STAR
	J186 ODF AWSON-STAR
	SPA ODF AWSON-STAR
SOUTHEAST	SFA ODI AWSON-STAR
Traffic originating South of a line from ATL to R	
	IRQ TRBOW-STAR
	DBN TRBOW-STAR
SOUTHWEST	
Traffic originating West of J89 to South and We	st of J14 file:
	MEI LGC DIFFI-STAR
	SZW LGC DIFFI-STAR
	MGM LGC DIFFI-STAR
NORTHWEST	
Traffic originating West and North of a line from	ATL to VXV to North of J14 file:
	GOO BUNNI-STAR
	ROZ BUNNI-STAR
ODEOLAL LUO	LALTITUDE ADDIVAL DOLLTES
	H ALTITUDE ARRIVAL ROUTES
FOR CHA	RLOTTE TERMINAL AREA
NORTHEAST	
Traffic originating North and East of J53 to Nort	th of a line from CLT to RDU file:
	LYH MAJIC-STAR
	RDU SUDSY (RNAV)-STAR
	ROA MAJIC-STAR
SOUTHEAST	
Traffic originating South of a line from CLT to R	DU to South and East of J51 file:
	FLO CTF-STAR
	FLO HUSTN (RNAV)-STAR
SOUTHWEST	TEO HOOTIN (MINNY) OTHER MINISTER MINIS
Traffic originating West of J51 to South of J118	file:
Traine originating west of 331 to 300th of 3116	ATL ADENA (RNAV)-STAR
	ATL UNARM-STAR
	IRQ ADENA (RNAV)-STAR
	. ,
	IRQ UNARM-STAR

......VXV SHINE-STAR

HMV SHINE-STAR

NORTHWEST

Traffic originating West of J53 to North of J118 file:

SPECIAL HIGH ALTITUDE ARRIVAL ROUTES

	FOR MEMPHIS TERMINAL AREA
NORTHEAST	
Traffic entering Memphis ARTCC nort	th of J118:

	BNA WILDER-STAR	
NORTHWEST		
Traffic entering Memphis ARTCC on or west of		
	FAM GQE-STAR	
	ARG GQE-STAR	
	SGF ARG GQE-STAR	
	RZC GQE-STARFSM GQE-STAR	
SOUTHEAST	FSW GQE-STAR	. 1100-0200
Traffic entering Memphis ARTCC south of J118	3:	
	VUZ HLI-STAR (MONDAY-FRIDAY)	
	GQO HLI-STAR	. 1100-0200
SOUTHWEST		
Traffic entering Memphis ARTCC on or south of	f J6:	
	LIT MARVELL-STAR	
	TXK MARVELL-STAR	
	ELD MARVELL-STAR	
	SQS MARVELL-STAR	. 1100–0200
SPECIAL HIGH I	ALTITUDE DIRECTIONAL ROUTES	Effective Times
Terminals	Route	(UTC)
Traffic entering Miami Center (ZMA) for northboun FLL	d Caribbean flights originating from Santo Domingo (Advanced RNAV equipped) JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL WAVUN (RNAV)-STARor JUELE L463 BTLER A555 ZQA 054V CAREY DEKAL DEKAL-STARor	O UIR (MDCS) to:
(Advanced RNAV equipped) RETAK A636 ZIN		
A315 HODGY ZQA 054V CAREY DEKAL		
WAVUN(RNAV)-STAR		
	or	
	RETAK A636 ZIN A315 HODGY ZQA 054V	
	CAREY DEKAL DEKAL-STAR	
MIA	(Advanced RNAV equipped) JUELE L463	
	BTLER A555 ZQA FLIPR (RNAV)-STAR	
	or	
	JUELE L463 BTLER A555 ZQA FOWEE -STAR	
	or	
	(Advanced RNAV equipped) RETAK A636 ZIN	
	A315 HODGY FLIPR(RNAV)- STAR or	
	OI .	
PBI	RETAK A636 7IN A315 HODGY FOWEF-STAR	
	RETAK A636 ZIN A315 HODGY FOWEE-STAR	
rdi	RETAK A636 ZIN A315 HODGY FOWEE-STAR JUELE L463 BTLER A555 ZQA 054V PBI or	

Effective Times

(UTC)

PREFERRED IFR ROUTES

Route

Traffic overflying Atlanta Center originating north a	nd east of a line from TYS to LAL (except DAY and PSK CAE SAV OMN BITHO-STAR	CVG) for ZTL to MCO: 1100-0400
	J83 SPA CAE SAV OMN BITHO-STAR	1100-0400
	or	
	(GPS or DME/DME-equipped) PSK CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
	or	
	(GPS or DME/DME-IRU equipped) J83 SPA CAE SAV OMN CWRLD (RNAV)-STAR	1100-0400
Traffic overflying Atlanta Center Eastbound original		
	DPK-STAR	
BOS	(Turbojet only) GRD J209 RDU J207 FKN J79	
	JFK ORW-STAR	
	or (Turboprop only) SIE J121 HTO V308 ORW	
	V16 W00NS	
BWI	SPA J14 RIC OTT-STAR	
DVVI	or	
	(GPS or DME/DME.IRU equipped) SPA J14	
	RIC RAVNN (RNAV)-STAR	
DCA	SPA J14 RIC IRONS-STAR	
DCA	or	
	(GPS or DME/DME-IRU equipped) SPA J14	
	RIC OJAAY (RNAV)-STAR	
EWD	SPA J14 J15 FAK DYLIN-STAR	
EWR	or	
	(GPS or DME/DME.IRU equipped) SPA J14	
	J51 FAK PHLBO (RNAV)–STAR	
IAD	SPA J14 J51 FAK COATT-STARR	
JFK	GRD J209 ORF J121 SIE CAMRN-STAR	
LGA	AHN J208 HPW J191 PXT KORRY-STAR	
PHL	SPA J14 J51 FAK DPNT-STAR	
Northbound from over VXV with destination of CMH		
	VXV J91 HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from o		
	SPA J85 HVQ HNN BREMN-STAR	
Traffic overflying Atlanta Center Northbound from o	•	
	PSK HVO HNN BREMN-STAR	
	•	
Traffic overflying Atlanta Center Southbound origin		
(except DAY and CVG) with destinations of FLL, FM		4400 0000
	PSK CAE	1100-0300
	or	1100 0000
	J83 SPA J85 AMG	1100-0300
Traffic overflying Atlanta Center Southbound origin (with DAY and CVG) with destinations of FLL, FMY,		
	VXV J91 ATL OTK	1100-0300
	or	4400 0000
	BNA J73 SZW	1100-0300
	Or MCM 100 C7W	1100 0200
	MGM J20 SZW	1100-0300
	BNA J73 SZW	1100-0300
	or	1100-0300
	MGM J20 SZW	1100-0300

SE, 23 SEP 2010 to 18 NOV 2010

SI EGIAL HIGH ALTHODE DINECTIONAL NOO

Route //): ILM J109 FAK DYLIN-STAR or (GPS or DME/DME.IRU equipped) ILM J109 FAK PHLBO (RNAV)-STAR (Water-Turbojets) WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR (Water-Turbojets) WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR ILM TYI HPW J191 PXT KORRY-STAR	(UTC) 1100-0300 1100-0300
ILM J109 FAK DYLIN-STAR or (GPS or DME/DME.IRU equipped) ILM J109 FAK PHLBO (RNAV)-STAR (Water-Turbojets) WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR (Water-Turbojets) WOLFO AR18 DIW WETRO CEBEE SWL J121 SIE CAMRN-STAR ILM TYI HPW J191 PXT KORRY-STAR	1100-0300
FAK PHLBO (RNAV)-STAR	
CEBEE SWL J121 SIE CAMRN-STARILM TYI HPW J191 PXT KORRY-STAR	1100 0200
	1100-0300
stilled WIA.	
OMN J79 VRB HEATT-STAR	
d Caribbean flights on L452/L453/L454 to La Ror	mana (MDLR) and
or	
LNHOM L452 GTK ASIVOor	
LAMER L464 CERDA L453 ASIVOor	
or	
NUCAR L463 RNDLY ASIVO	
I Caribbean flights on L452/L453/L454 to Puerto LETON L450 SEKAR A554 PTAor or LNHOM L452 GTK A554 PTA	Plata (MDPP):
or LAMER L453 MACKI B891 PTA	
LUCTI L454 MNDEZ M594 CERDA L453	
or	
PTA	
NUCAR L463 RNDLY SEKAR A554 PTA	
WATRS M596 PTA	
LETON L450 SEKAR A554 CDO	Domingo (MDSD
or LAMER L453 ASIVO CDO	
or LUCTI L454 MNDEZ M594 CERDA L453	
or MLLER M594 CERDA L453 ASIVO CDO	
or NUCAR L463 RNDLY SEKAR A554 CDO	
	or LNHOM L452 GTK ASIVO

LNHOM L452 GTK G444 OBN LAMER L464 CERDA M594 GTK G444 OBN .

LETON L451 ELMUC L451 ANU

LETON L451 ELMUC L451 PJM LNHOM L452 JORGG L451 ELMUC L451 PJM

LAMER L453 CERDA L451 FLMUC L451 PIM

LUCTI L454 ELMUC L451 PJM

LETON L451 ELMUC L454 LEEOO MODUX

Effective Times

(UTC)

455

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Port au Prince (MTPP): ZMA LETON L450 GTK G444 OBN

Route

or

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Johns Island (TAPA):

ZMA or LNHOM L452 JORGG L451 ELMUC L451 ANU..... LAMER L453 CERDA L451 ELMUC L451 ANU or LUCTI L454 ELMUC L451 ANU Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Bridgetown (TBPB): LETON L451 ELMUC L454 ILURI A555 BGI ... or LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 BGI..... LAMER L453 CERDA L451 FLMUC L454 ILURI A555 BGI..... LUCTI L454 ELMUC L454 ILURI A555 BGI Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Fort de France (TFFF): LETON L451 ELMUC L454 ILURI A555 FOF... ZMA LNHOM L452 JORGG L451 ELMUC L454 ILURI A555 FOF LAMER L453 CERDA L451 ELMUC L454 ILURI A555 FOF LUCTI L454 ELMUC L454 ILURI A555 FOF Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Grand Case (TFFG) and Saint

PREFERRED IFR ROUTES

R888 PPR LNHOM L452 JORGG L451 ELMUC L454 LEEOO MODUX R888 PPR LAMER L453 CERDA L451 ELMUC L454 LEEOO MODUX R888 PPR LUCTI L454 ELMUC L454 LEEOO MODUX R888 PPR

Barthelemy (TFFJ) and Oraniestad-Roosevelt (TNCE) and Sanit Maarten (TNCM) and The Valley (TOPF):

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Point a Pitre (TFFR):

ZMA

ZMA

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

Route

456

(TIST)

ZMA

PREFERRED IFR ROUTES

LETON L451 ELMUC L454 PANMO JETSS.....

LNHOM L452 JORGG L451 ELMUC L454
PANMO JETSS

Or
LAMER L453 CERDA L451 ELMUC L454
PANMO JETSS

Or
LUCTI L454 FLMUC L454 PANMO JETSS

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Thomas Virg

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Saint Croix Virgin

Effective Times

(UTC)

(TISX): LETON L451 ELMUC L454 PANMO COY...... LNHOM L452 JORGG L451 ELMUC L454 PANMO COY LAMER L453 CERDA L451 ELMUC L454 PANMO COY LUCTI L454 ELMUC L454 PANMO COY...... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Aguadilla (TJBO): ZMA LETON L451 ELMUC BQN LNHOM L452 JORGG L451 ELMUC BQN LAMER L453 CERDA L451 ELMUC BON LUCTI L454 ELMUC BON Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to San Juan (TJIG): LETON L451 ELMUC IDAHO BEANO $\cap r$ LNHOM L452 JORGG L451 ELMUC IDAHO BEANO LAMER L453 CERDA L451 ELMUC IDAHO BEANO or LUCTI L454 ELMUC IDAHO BEANO..... Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Mayaguez (TJMZ): LETON L451 ELMUC MAZ ZMA LNHOM L452 JORGG L451 ELMUC MAZ LAMER L453 CERDA L451 ELMUC MAZ LUCTI L454 ELMUC MAZ

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Crown Point (TTCP) and Port

or

PREFERRED IFR ROUTES

SPECIAL HIGH ALTITUDE DIRECTIONAL ROUTES

LETON L451 ELMUC PSE.....

LNHOM L452 JORGG L451 ELMUC PSE

LEEOO DANDE G633 SKBor
Or
UCTI L454 ELMUC L454 LEEOO DANDE
G633 SKB

LETON L451 ELMUC G431 DDP G449 POS...
or
LNHOM L452 JORGG L451 ELMUC G431
DDP G449 POS
or
LAMER L453 CERDA L451 ELMUC G431 DDP
G449 POS
or
LUCTI L454 ELMUC G431 DDP G449 POS.....

GTK L452 ANADA G449 POS

Route

Traffic entering Miami Center (ZMA) for southbound Caribbean flights on L452/L453/L454 to Ponce (TJPS):

or

or

ZMA

of Spain (TTPP):

ZMA

457

Effective Times

(UTC)

Direction

Effective Times

1100-0300

HIGH ALTITUDE—SINGLE DIRECTION ROUTES

		Direction	1111100
Airway	Segment Fixes	Effective	(UTC)
J14	Greensboro, NC to Richmond, VA	Northeast	1100-0300
J37	Coyle, NJ to Spartanburg, SC	Southwest	1100-0300
J40	Wilmington, NC to Richmond, VA	North	1100-0300
J48	Pottstown, PA to Foothills, GA	Southwest	1100-0300
J51	Columbia, SC to Yardley, NJ	Northeast	1100-0300
J52	Columbia, SC to Richmond, VA	Northeast	1100-0300
J55	Florence, SC to HUBBS Int., VA	Northeast	1100-0300
J75	Modena, PA to Greensboro, NC	Southwest	1100-0300
J89	Atlanta, GA to HITTR Int, FL	South	1100-0300
J91	Cross City, FL to Atlanta, GA	North	1100-0300
J109	Wilmington, NC to Buffalo, NY	North	1100-0300
J165	Charleston, SC to Richmond, VA	North	1100-0300
J191	Wilmington, NC to Robbinsville, NJ	North	1100-0300
J193	HUBBS Int., VA to Wilmington, NC	South	1100-0300
J207	Florence, SC to Franklin, VA	Northeast	1100-0300
J208	Athens, GA to Hopewell, VA	Northeast	1100-0300

J209 Greenwood, SC to Norfolk, VA..... Northeast

459

Q-ROUTES **GULF OF MEXICO "O ROUTES"**

These area navigation routes extend more than 12 miles off shore in airspace controlled by the Federal Aviation Administration (FAA). Additional regulatory information for these routes can be found in the Notices to Airmen Publication, Part 3. International Notices to Airmen.

N28°52.98'/W088°42.11'

N28°18.87'/W086°42.31'

N27°53.04'/W085°15.47'

N28°22.94'/W088°02.05'

N28°00.58'/W086°45.76'

N27°35.51'/W085°20.66'

N27°29.61'/W084°46.99' N27°08.06' /W082°50.45'

N29°41.40'/W089°47.08'

N28°52.98'/W088°42.11'

N28°22.94'/W088°02.05'

These routes have a Minimum Obstruction Clearance Altitude (MOCA) of 1500 feet (MSL). The Minimum Enroute Altitude (MEA) for these routes is 6000 feet (MSL).

0100 LEV VORTAC

O-ROUTES REGULATORY

BTG OLM HOM HUH UBG

LIN, ECA, RBL, ENI, SAC, OAK

TFD, GBN, BLH, PXR, TUS, CIE, SSO

EWM, TFD, PXR, CIE, SSO, TUS, TCS

OED, EUG, RBL, LMT, ENI, CVO, FJS

EED, BLH, BZA, GBN, TRM, IPL, TFD

EED, BLH, BZA, GBN, TRM, IPL, TFD

EED, IPL, BZA, GBN, TFD, PXR, BLH

LIN, ECA, PYE, RBL, SAC, ENI

CVO, DSD, OED, BTG, UBG, ONP, EUG, LMT

OED, PYE, OAK, LIN, ECA, LMT, RBL, ENI, SAC, FJS

OLM, TOU, HOM, CVO, BTG, DSD, LTJ, UBG, ONP, EUG BTG, DSD, OED, CVO, EUG, ONP, UBG, RBL, LMT

OED, PYE, ECA, LIN, OAK, ENI, RBL, LMT, SAC, FJS

PXR, BLH, BZA, GBN, TFD, TUS, SSO, CIE, SVC, TCS EWM, CUS, SVC, TCS, SSO, CIE, ELP, DMN, CME

BZA, GBN, BLH, EED, PXR, IPL, TFD, DRK, TUS

CVO, OED, EUG, LMT, RBL, ENI, ONP, FJS

BTG, OLM, HQM, HUH, LTJ, CVO, DSD, OED, UBG, ONP, EUG

HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR

HEC, PDZ, OCN, PMD, LAX, RZS, IPL, TRM, PKE, BLH, EED, BZA, GBN, PXR

REDEN R0771

REMIS

SRQ VORTAC

LEZ VORTAC

0102 **BLVNS** BUNNZ

BACCA CIGAR BAGGS CYY VORTAC

0105 HRV VORTAC

FATSO REDEN **BLVNS**

01, 03, 05, 07, 09 and 011 are preferred single direction (Southbound) O routes; flight planning Northbound not

authorized. O routes are RNAV routes that require the use of GNSS or DME/DME/IRU RNAV, unless otherwise indicated. Please note that this section does not apply to Q routes in the Gulf of Mexico. Gulf of Mexico Q routes are explained in the Southeast

and South Central A/FD volumes. Q routes listed in this AF/D volume have at least part of one of their leg segments within this volume's area of coverage. GNSS and DME/DME/IRU RNAV operations are authorized along Q routes at FL 180 and above. GNSS and DME/DME/IRU RNAV MEAs will only be published if above FL 180.

DME facilities that have been assessed for RNAV operations are listed below. Q routes with no DME facilities listed are limited to GNSS RNAV operations only. Those routes will have an enroute chart note "GNSS REQUIRED". Route

Q1

Segment

FI MAA-FRAVE

ERAVE-EASON

FASON-FRINY

EBINY-ENVIE

ENVIE-ETCHY ETCHY-POINT REYES

BOILE-HEDVI

HEDVI-HOBOL

HOBOL-ITUCO

FEPOT-FAMUK

FAMUK-FRFLY

FRFLY-FINER FINER-FOWND

BOILE-HEDVI

HEDVI-SCOLE SCOLE-SPTFR

SPTFR-ZEBOL

ZEBOL-SKTTR

SKTTR-EL PASO

ITUCO-NEWMAN

FOWND-POINT REYES

02

03

Q4

SE, 23 SEP 2010 to 18 NOV 2010

EPH. MWH

OED, SEA

None; GNSS required

None: GNSS required

CNX, INK, CME, TXO, TCC

ONP. CVO. EUG. LTJ. DSD. UBG. BTG. RBL. OED. LMT. FJS. LKV

LTJ, IMB, UBG, EUG, CVO, RBL, LMT, FMG, DSD, LKV, OED, BTG RBL, LMT, FMG, LIN, SAC, ECA, ENI, MOD, SWR, OAK, LKV, CZQ, AVE, SNS

EUG, FMG, SAC, IMB, LKV, OED, DSD, RBL, LMT, CVO, REO

FMG, SAC, LIN, SWR, MOD, OAL, RBL, LKV, LMT, MVA, CZQ

CVO, HQM, LTJ, UBG, BTG, ONP, IMB, EUG, OLM, DSD, YKM, PDT, SEA

IMB, UBG, EUG, IMB, RBL, LMT, FMG, SAC, OED, CVO, LKV, DSD, BTG

OLM, UBG, SEA, YKM, BTG, ONP, IMB, HQM, PDT, EUG, LTJ, CVO, DSD, OED,

RBL, LMT, FMG, SAC, ECA, MVA, CZO, OAK, EHF, PMD, LKV, LIN, MOD, AVE, OED

EPH, UBG, CVO, EUG, HQM, YKM, OLM, PDT, BTG, ONP, IMB, LTJ, DSD, LKV,

SAC, ECA, FMG, LIN, OAL, MOD, EHF, LAX, PMD, PDZ, HEC, OCN, CZQ, AVE, RZS

CVO, EUG, OED, RBL, LMT, ENI, FJS, LKV

OAK, MOD, ECA, EHF, PRB, AVE, SNS, CZQ

CZQ, PMD, EHF, LAX, RZS, AVE, MOD, ECA

ENL. GOO. PXV. BNA. IIU. FAM. BWG. CSX

FST, ACH, INK, CME, SJT, TXO, TCC

BYP, EOS, TUL, TXK, ADM, RZC, OKM

CNX, ABQ, ACH, ONM, TXO, LVS, TCC, CME

ABI, CWK, CSI, INK, LZZ, JCT, SJT, STV, FST

OAK, ECA, PYE, LIN, SAC, ENI, RBL

SAC, PYE, LIN, OAK, ECA, LMT, RBL, ENI, OED, FJS

05

Q7

09

011

Q13

015

019

020

021

Q22

023 024

025

Q26

Q27 Q28

029

030 031

Q34

Q35

HISKU-HARPR

HARPR-HOMEG HOMEG-HUPTU

HUPTU-STIKM

IINMO-IOGEN JOGEN-JUNEJ

JUNEJ-JAGWA

JAGWA-AVENAL

SUMMA-SMIGE

SMIGE-SUNBE

SUNBE-REBRG

RERRG-DERRR

PAAGE-PAWLI

PAWLI-PITVE

PITVE-PUSHH

All segments

All segments

PUSHH-LOS ANGELES

PLESS-NASHVILLE

CORONA-HONDS

HONDS-UNNOS

UNNOS-FUSCO

FUSCO-JUNCTION

JONEZ-RAZORBACK

!	GUSTI-OYSTY	AEX, DAS, MCB, LLA, BTR, LCH, HRV, LFT, LEV
	OYSTY-ACMES	RQR, GCV, MCB, BTR, PCU, GPT, HRV, LEV, SJI
	ACMES-CATLN	SJI, MGM, MCB, BFM, GPT, GCV, HRV, CEW, MVC, PCU, MEI
;	FORT SMITH-RAZORBACK	OKM, RZC, EOS, TUL
	LAKE CHARLES-BATON	AEX, DAS, LCH, MCB, LFT, BTR
	ROUGE	
	BATON ROUGE-IRUBE	AEX, LEV, MCB, LCH, RQR, HRV, BTR, GCV, MCB, PCU, SJI, LBY
	IRUBE-PAYTN	GCV, MCB, JYU, PCU, MEI, HRV, CEW, SJI
i	MEEOW-WALNUT RIDGE	ELD, MEM, LIT, FAM, RZC
	WALNUT RIDGE-WLSUN	MEM, STL, BWG, PXV, ENL, FAM, ARG, BNA, CSX, TTH
	WLSUN-POCKET CITY	BWG, PXV, ENL, BNA, TTH
i	WALNUT RIDGE-DEVAC	LIT, JKS,GQO, MEM, BNA, FAM, ARG, DYR, VUZ, RMG
'	FORT SMITH-ZALDA	OKM, SGF, RZC, EOS, TUL
:	GRAZN-PYRMD	EIC, LIT, ELD, OKM, TXK
	PYRMD-HAKAT	ARG, LIT, FAM, ELD, SGF, RZC, MEM, TXK
	HAKAT-ESTEE	ARG, LIT, FAM, SGF, MEM
	ESTEE-POCKET CITY	ARG, CSX, FAM, PXV, ENL, MEM, STL, BWG, TTH, BNA
1	HARES-MEMPHIS	MEM, ARG, LIT, JAN, ELD, SQS
	MEMPHIS-SIDAE	MEM, PXV, BNA, BWG, ARG, ENL
	SIDAE-POCKET CITY	PXV, TTH, BWG, ENL
)	SIDON-VULCAN	GLH, MEM, VUZ, JAN, JYU, MEI, MGM, SQS, RMG
	DHART-JODOX	SQS, LIT, TXK
	JODOX-MARVELL	SQS, LIT, ELD, MEM, ARG
	MARVELL-TIIDE	ARG, BWG, PXV, FAM, LIT, MEM, ENL, TTH
	TIIDE-POCKET CITY	BWG, PXV, ENL, TTH
!	EL DORADO-GAGLE	AEX, JAN, MEM, SQS, SWB, ELD, LIT, TXK
	GAGLE-CRAMM	JAN, SQS, MEM, ARG, VUZ, BNA, LIT
	CRAMM-NASHVILLE	BWG, MEM, VUZ, BNA, GQO
	NASHVILLE-SWAPP	BWG, IIU, PXV, VXV, BNA, GQO
;	DHART-LITTLE ROCK	AEX, ELD, LIT, TXK, SWB, ARG, MEM, SQS
	LITTLE ROCK-PROWL	ELD, SGF, FAM, LIT, ARG, MEM, RZC, CSX, STL
	TEXARKANA-MATIE	LIT, SWB, TXK, BYP, EIC, ELD, SQS
	MATIE-MEMPHIS	LIT, ARG, MEM, ELD, SQS
	MEMPHIS-SWAPP	BWG, ARG, MEM, MKL, SQS,PXV, BNA, GQO, IIU, VXV
•	KIMBERLY-NEERO	LTJ, PDT, DSD, IMB, LKV, BOI, REO, BAM, SDO
	NEERO-WINEN	BQU, SDO, BAM, REO, BVL, ILC, DTA, ELY, CDC, MLF, BCE
	WINEN-CORKR	CDC, BCE, BLD, ILC, MLF, TBC, PGS, INW, DRK
	CORKR-DRAKE	TBC, BCE, BLD, DRK, PGS, FLG, GCN, INW, TFD
	SE. 2	23 SEP 2010 to 18 NOV 2010

032

Q33

VXV. BWG. BNA. GOO. PXV. IIU

AEX, SWB, LCH, JAN, HEZ, MCB JAN, SQS, MEI, MCB

DAS, LCH, SWB, IAH, LFK, HUB, AEX

GOO, BWG, BNA, PXV, IIU

OBK, GIJ, FWA, GSH, IRK

JAN, MCB, SWB, AEX JAN, JYU, MEI, SQS, VUZ

MEI. VUZ. JYU

Q-ROUTES

GIJ. SPI. BDF. OBK. OKK, VHP. BVT. DEC. GSH. FWA. JOT. TTH. OXI. ROD. FLM MUNCIE-HIDON HIDON-BUBAA

DANVILLE-MUNCIE

Route

036

Q38

Q40

042

Q104

Q106

0108

Q110

Q112

Q116

Q118

Q501

Q502

Q504

Q505

Segment

TWITS-DEPEC

ROKIT-INCIN

INCIN-LAREY

LAREY-BESOM

DOOMS-WINAP WINAP-MISLE

ALEXANDRIA-DOOMS

KIRKSVILLE-STRUK

STRUK-DANVILLE

DEPEC-NASHVILLE NASHVILLE-SWAPP

EAST TEXAS-ELIOT DEFUN-HEVVN

HEVVN-PLYER PLYER-SWABE

ST PETERSBURG-**CYPRESS** SMELZ-BULZI

BUI 7I-DRABK

JAYMC-RVERO

RVFRO-KPASA

KPASA-BRUTS

BRUTS-GULFR GULFR-FEONA

DEFUN-HEVVN

HEVVN-INPIN

KPASA-BRUTS

BRUTS-GULFR

GULFR-CEEYA

KPASA-BRUTS

BRUTS-LENIE

VIXIS-GOPHER

GOPHER-SORME

KENPA-GOPHER

GOPHER-SOBME

NOTAP-CESNA

CESNA-HEMDI

OMAGA-RIMBE RIMBE-CESNA

CESNA-HEMDI

DRABK-GADAY

GADAY-HKUNA THNOR-JAYMC

SWABE-ST PETERSBURG LAL, ORL, OMN, SRQ, PHK, PIE

FLM, VHP, GSH, TTH, GIJ, OKK, FWA, ROD, OXI, CRL, GSH, APE, DJB, DXO, HNN, AIR, HVO, CXR, EWC AIR, APE, HNN, CXR, HVQ, EWC, DJB

HUO, RBV, EMI, CYN, SAX, JFK, PSB, HNK PIE, PZD, CRG, SZW, TAY, JYU, CEW, MGM, OTK, CRG PIE, ORL, OMN, SRQ, TAY, LAL, CRG, SZW, PZD PIE, ORL, OMN, SRQ, TAY

CID, IOW, UIN, LMN, IRK, BDF, STL, DEC, ENL, CSX

MGM, PZD, OTK, JYU, SZW, CEW, SJI

OMN, PIE, PBI, SRO, ORL, LAL OMN, AMG, CRG, SZW, PIE, TAY, PZD, OTK TAY, MCN, PZD, CRG, OTK, SZW, AMG, MCN, ATL, MGM

PIE, OTK, CRG, OMN, LAL, SZW, SRQ, ORL, VRB JYU, PZD, CEW, SZW, MGM, OTK, TAY, AMG, PIE, CRG

SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG

SRO, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG

FGT, DLH, ODI, MCW, ABR, FAR, MSP, GEP, RWF, FSD, BRD

ODI, GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, DLL, BRD

SSM, RHI, DLL, DLH, GEP, FGT, TVC, SAW, GRB, BRD, ODI

GEP, DLH, FGT, RWF, FAR, AXN, FSD, ABR, BRD, ODI, GRB

ECK, FNT, APN, SSM, GRR, MBL, SAW, BAE, MNM, DLL, AUW, ODI, STE, FGT, EAU

SSM, FNT, ECK, APN, SAW, GRB, BAE, DLL, AUW, ODI, FGT, DLH, EAU, MCW,

SSM, ECK, APN, GLR, PLN, ISQ, MNM, DLL, RHI, DLH, GEP, FGT, ODI, ASP, TVC,

OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK

MSP, MNM, ASP, TVC, GEP, RWF, BRD

SE, 23 SEP 2010 to 18 NOV 2010

SAW, GRB, BRD

SSM, TVC, ASP, SAW, GRB

OMN, AMG, CRG, TAY, LAL, PZD, SZW, OTK, MCN

DLH, GEP, BRD, MCW, MSP, ASP, TVC, GRB, RWF FGT, BRD, MCW, GEP, ABR, FAR, DLH, ODI, RWF, FSD

MCN, AMG, PZD, OTK, SZW, TAY

PHK, PBI, SRQ, PIE, VRB, ORL, FLL, LAL, OMN CEW, JYU, MGM, SZW, RRS, PZD, MAI, OTK, GEF, MGR, TAY, AMG, CRG SRO, VRB, PHK, PIE, LAL, VKZ, ORL, PBI VKZ, VRB, PHK, PIE, LAL, SRQ, ORL, OMN, PBI, DHP SRQ, VRB, ORL, PHK, TAY, PIE, OMN, OTK, LAL, CRG, SZW, AMG

ENL, IOW, UIN, BDF, DEC, STL, CSX, SPI, TTH, BVT, JOT, VHP, OXI, ENL, OKK,

LAL, ORL, OMN, PHK, PIE, CRG, VRB, TAY, OTK, PZD, AMG, SZW AMG, PZD, TAY, CRG, SZW, MGM, OTK, JYU, CEW, SJI

461

preferred IFR routes.

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

RNAV Routing Pitch and Catch Points

The purpose of this section of the Special High Altitude Routes is to present user routing options for flight within the initial HAR Phase I expansion airspace. Users are able to fly user-preferred routes, referred to as non-restrictive routing (NRR), between specific fixes described by pitch (entry into) and catch (exit out of) fixes in the HAR airspace. Pitch points indicate an end of departure procedures, preferred IFR routings, or other established routing programs where a flight can begin a

segment of NRR. The catch point indicates where a flight ends a segment of NRR and joins published arrival procedures, preferred IFR routing, or other established routing programs.

The HAR Phase I expansion airspace is defined as that airspace at and above FL 350 in fourteen of the western and southern Air Route Traffic Control Centers (ARTCCs). The airspace includes Minneapolis (ZMP), Chicago (ZAU), Kansas City (ZKC), Denver (ZDV), Salt Lake City (ZLC), Oakland (ZOA), Seattle Centers (ZSE), Los Angeles (ZLA), Albuquerque (ZAB), Fort Worth (ZFW), Memphis (ZME), and Houston (ZHU), Jacksonville (ZJX) and Miami (ZMA) are included for east-west routes

To develop a flight plan, select pitch and catch points based upon your desired route across the Phase I airspace. Filing requirements to pitch points, and from catch points, remain unchanged from current procedures. For the portion of the route between the pitch and catch points, non-restrictive routing is permitted. Where pitch points for a specific airport are not identified, aircraft should file an appropriate departure procedure (DP), or any other user preferred routing prior to the NRR portion of their routing. Where catch points for a specific airport are not


identified aircraft should file, after the NRR portion of their routing, an appropriate arrival procedure or other user preferred routing to their destination.

Additionally, information concerning the location and schedule of Special Use Airspace (SUA) and Air Traffic Control Assigned Airspace (ATCAA) can be found on the Web Site: http://sua.faa.gov/sua/Welcome.do. ATCAA refers to airspace in the high altitude structure supporting military and other special operations. Users are encouraged to file around these

In conjunction with the HAR program RNAV routes have been established to provide for a systematic flow of air traffic in specific portions of the enroute flight environment. The designator for these RNAV routes begin with the letter Q, for example, Q-501. Where those routes aid in the efficient orderly management of air traffic they will be published as

areas when they are scheduled to be active, thereby avoiding unplanned reroutes around them.

SE, 23 SEP 2010 to 18 NOV 2010



HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING HAR Special High Altitude Pitch (entry) Points for Nonrestrictive Routing for Airports **Located Outside HAR Phase I Expansion Airspace**

464

the associated graphic.

over any of the following pitch points (listed from north to south): DLH, CESNA, GEP, BAE, MKG, GRR, PMM, GSH, CADIZ, FWA, VHP, FLM, IIU, PXV, SGF, RZC, BNA, SALMS, VUZ, BOYDD, MIE. Traffic originating outside of HAR airspace may also begin Nonrestrictive Routing upon crossing the pitch line depicted on

HAR Special High Altitude Pitch Points for Airports Located Within (below)

Westbound traffic originating outside of HAR airspace entering ZMP, ZAU, ZKC and ZME can begin non-restrictive routing

HAR Phase I Expansion Airspace This section lists pitch points for airports within the HAR Phase I expansion airspace.

ABQ, GUP, HANOS or ZUN Albuquerque ABI, FUZ, JCT, MQP, NAVYS, SJT or TNV Austin

Boca Raton. FL TBIRD KPASA Q118 LENIE TBIRD KPASA Q116 CEEYA TBIRD KPASA Q110 FEONA

TBIRD SMELZ Q106 BULZI TBIRD SMELZ Q106 GADAY

Burbank includes GMN. MARKS Santa Monica and Van Nuys DAG LAS or

HEC EED or PMD BLH IOW, PLL275065, MZV or BAE

Chicago Terminal Area Dallas/Fort Worth Terminal Area ABI, LBB, GTH, CDS, MRMAC, IRW, TUL, MLC, TXK ELD, SWB or Aircraft destined the Chicago terminal area

Except MDW EAKER MIDEE BDF BRADFORD-STAR MLC J105 SGF BDF BRADFORD-STAR

Denver Terminal Area CABET, WEEDS, OR BINKE THNDR KPASA 0118 LENIE

Fort Lauderdale (or) Fort Lauderdale Executive THNDR KPASA Q116 CEEYA THNDR KPASA Q110 FEONA

THNDR SMELZ Q106 GADAY

THNDR SMELZ 0106 BULZI LIT, ELD, MLC, JCT Houston Bush Aircraft destined Atlanta Terminal Area LCH 024 PAYTN HONIE-RNAV STAR

SE, 23 SEP 2010 to 18 NOV 2010

PUB, DVC, DBL, RLG, EKR, LAR, MBW, CYS, BFF, HANKI, NATTI, ASHBY, BELKE,

Aircraft joining J37 to the northeast, GUSTI SID GUSTI Q22 CATLN

Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42

Aircraft joining J42 to the northeast, EL DORADO SID ELD Q32 J42

	HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING
Houston Hobby	LIT, ELD, MLC, JCT,

TIFTO, CATTS or KENTN

GMN SNS, EHF, LANDO

BNA, HAAWK, SALMS or SQS WINCO KPASA Q118 LENIE

WINCO KPASA Q116 CEEYA

WINCO KPASA Q110 FEONA

WINCO SMELZ Q106 GADAY WINCO SMELZ Q106 BULZI

ONL, ABR, FAR, OBH, OVR, FOD

AEX, MEI, SQS, KAPLN

WEBBS FEONA or WEBBS BULZI

WEBBS BRUTS Q118 LENIE WEBBS GULFR Q116 CEEYA WEBBS BULZI Q106 GADAY

TBIRD KPASA Q118 LENIE

TBIRD KPASA Q116 CEEYA TBIRD KPASA Q110 FEONA

DOBNE, MOSBI, NICLE, TRALR or ZELOT

TAY

or DAG LAS or TRM EED or TRM PKE

or TRM PKE TRM EED

or

or

GREAS

GMN, RZS

Jacksonville, FL

Ontario

Las Vegas

Memphis

Milwaukee

Minneapolis Terminal Area*

New Orleans Terminal Area

Orlando Terminal Area

Palm Beach, FL

Kansas City Terminal Area

Los Angeles, includes

Long Beach includes

Miami Terminal Area

Orange County

	TBIRD SMELZ Q106 BULZI or TBIRD SMELZ Q106 GADAY
Palm Springs	TRM JOTNU BLD or TRM EED or TRM PKE
Phoenix	CHILY, CIE, CULTS, RSK, DOVEE, GCN, MESSI, SJN, DRYHT or MOHAK
Portland, OR	PDT, TIMEE
	SE, 23 SEP 2010 to 18 NOV 2010

٥r

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING Salt Lake City HVE, DTA, MLF, BCE, OAL, MTU, BVL, OCS, TWF, DBS, BPI TCH J56 CHE ٥r TCH J173 EKR Saint Louis VIH, MAP, MYERZ, MCM HLV MCI San Antonio Terminal Area FUZ. SJT. MOP. ABI Aircraft North of LFK, LFK Aircraft South of HUB, ELA

> TRM FFD or TRM PKE or

TRM JOTNU BLD

Aircraft South of LFK and North of HUB LCH

San Francisco Bay Area

466

San Diego

Oakland San Jose

Seattle

(RSW/FMY)

Atlanta Terminal Area

GALLI, INSLO, HAROL JSICA GALLI, INSLO, HAROL JSICA GALLI or INSLO BI UIT JOCKS KPASA Q118 LENIE JOCKS KPASA Q116 CEEYA

Southwest Florida Airports JOCKS KPASA Q110 FEONA JOCKS SMELZ Q106 GADAY JOCKS SMELZ Q106 BULZI

Tampa Terminal Area

FEONA, BULZI

*MSP area departures with destinations east of 93 degrees west longitude via preferred IFR routing.

BRUTS Q118 LENIE GULFR Q116 CEEYA BULZI Q106 GADAY

MFM

BWG, BWG

Catch Points for Airports Located Outside HAR Phase I Expansion Airspace

This section lists exit points for aircraft destined to specific destinations which are outside the HAR Phase I airspace.

Aircraft through ZME airspace from ZKC airspace west of FAM, ARG Q26 DEVA

Aircraft through ZME airspace from ZKC airspace east of FAM, Pless Q19 BNA

MEI HONIE (RNAV)-STAR PATYN HONIE (RNAV)-STAR

SE, 23 SEP 2010 to 18 NOV 2010

Aircraft through ZME airspace from ZFW airspace, MEM

Aircraft through ZME airspace from ZID airspace west of a line from VHP to

Aircraft through ZME airspace from ZID airspace east of a line from VHP to

GIJ. GEP. FLM. IIU. BAE. VHP. WHETT. BNA or VUZ Baltimore-Washington* Boston* GEP, CRL, ECK, IIU, BNA or VUZ

GEP, CRL

GEP, CRL

BNA. VUZ

GIJ. VHP. GEP

Cincinnati Terminal Area BNA. PXV or

> Aircraft north of SLC, JOT Aircraft over or south of SLC, ENL

SLC or SFO departures, ENL, JOT OBK

Cleveland Terminal Area* **Detroit Terminal Area** BAE MKG POLAR-STAR

Buffalo*

Charlotte

Hartford Bradley*

Canton-Akron*

Detroit Young

Louisville

Newark*

Pontiac Providence

Raleigh-Durham

Teterboro*

White Plains*

Willow Run*

Toronto Terminal Area

Washington Dulles/National*

Q505, Q504, Q502, Q501

New York Kennedy*

New York LaGuardia*

Philadelphia Terminal Area*

Pittsburgh Terminal Area*

VHP FWA MIZAR-STAR VHP FWA or

LAN SPRTN-STAR Indianapolis Terminal Area

BIB, SPI, JOT ENL, MEM

GEP, VHP, FLM, IIU, BNA, VUZ

IOW GIJ J554 CRL J584 SLT FQM GEP, VHP, FLM, IIU, BNA, VUZ

DBQ J94 PMM J70 LVZ LENDY-STAR

GIJ, GEP, VHP, BAE, FLM, IIU, BNA, VUZ GIJ, GEP, VHP, BAE, WHETT, BNA, VUZ VHP. GIJ. BAE. GEP

LFD, LAN, VHP, FWA, GEP

JHW, HEMDI, CESNA, GEP, GRB, TVC, ASP, VHP, IIU, BNA, VUZ FLM, IIU, BNA, VUZ

ECK, SVM, SSM, GEP GEP, VHP, CRL, BNA, VUZ GIJ. GEP. FLM. IIU. BAE. VHP. WHETT. BNA. VUZ GEP. VHP. CRL. FLM. IIU. BNA. VUZ LAN, LFD, VHP, FWA, GEP

*Eastbound aircraft over flying ZMP center airspace entering Toronto center airspace, file direct SSM or via J63, J522 Entering ZAU or ZOB airspace from north of DPR J16 MCW, GEP

Entering ZAU or ZOB airspace from or south of DPR J16 MCW, CRL.

SE, 23 SEP 2010 to 18 NOV 2010

468

Boca Raton, FL

Chicago Midway

Chicago O'Hare Terminal Area

Dallas/Fort Worth Terminal Area

Albuquerque Terminal Area CURLY CURLY-STAR

HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING

ESPAN FRIHO-STAR

LAVAN LAVAN-STAR FTI FRIHO-STAR

or

MIERA MIERA-STAR

Aircraft west of a north-south line at LFK, BLEWE

Austin Terminal Area Aircraft east of a north-south line at LFK.IDU

CEW DEFUN Q112 INPIN SHDAY (RNAV)-STAR

DEFUN Q112 INPIN SHDAY (RNAV)-STAR

SZW INPIN SHDAY (RNAV)-STAR

GEP DLL MSN JVL JANESVILLE-STAR

FOD DBQ JVL JANESVILLE-STAR MCW JANESVILLE-STAR GCK IRK BRADFORD-STAR

SE, 23 SEP 2010 to 18 NOV 2010

CVA MOTIF-STAR

PIA MOTIF-STAR DBO CVA MOTIF-STAR LMN MOTIF-STAR

TVC PULLMAN-STAR

or

Aircraft through ZHU remain south of ZME and ZTL airspace

Aircraft through ZHU remain south of ZME and ZTL airspace

IRW, LOSZY, FSM, LIT, SQS, MLU, AEX, JUMBO, TQA, TURKI, HEATR

Aircraft through ZME airspace from J52 and south of J52, SQS

Aircraft through ZME airspace from north and west of PXV, RZC, O23 FSM Aircraft through ZME airspace from east of PXV, PXV Q25 MEEOW

Aircraft through ZME airspace from J6 down to, but not including J52, LIT, SQS

HIGH A	LTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING
Denver Terminal Area	OATHE DANDD-STAR
	or HGO QUAIL-STAR
	or LOPEC-STAR
	or ALS LARKS-STAR
	or
	HBU POWDR-STAR or
	EKR TOMSN-STAR or
	CHE TOMSN-STAR
	or BFF LANDR-STAR
	or LBF SAYGE-STAR
	or HCT SAYGE-STAR
	or
	RSK LARKS-STAR or
	LAA QUAIL-STAR or
	GCK J154 RYLIE DANDD-STAR
	OCS J154 ALPOE RAMMS-STAR
	or YANKI J114 SNY LANDR-STAR
	or Aircraft filed BIL or east, MBW RAMMS-STAR
Ft Lauderdale or	CEW DEFUN Q104 PIE SWAGS (RNAV)-STAR
Ft Lauderdale Executive	Aircraft through ZHU airspace remain south ZME and ZTL airspace
	or SZW HEVVN Q104 PIE SWAGS (RNAV)–STAR
Houston Bush	CRP, CVE, LLO, LUKIY, SAT
	or Aircraft south and east of LLA, JEPEG
	or
	MISLE Q40 AEX or
	Aircraft north and east of SJI, SJI or
	Aircraft east of PXV, PXV Q31 DHART SWB
	Aircraft north and west of PXV, PROWL Q33 DHART SWB
Houston Hobby	CRP, ELLVR, SAT, SWB
	or Aircraft south and east of GIRLY, KCEEE
	or Aircraft north and east of SJI, SJI
	or BESOM Q38 ROKIT ROKIT-STAR
	or
	Aircraft east of PXV, PXV Q29 HARES SWB or
Jackson illa	Aircraft north and west of PXV, PROWL Q33 DHART SWB
Jacksonville	GADAY ZOOSS TAY Aircraft through ZHU airspace remain south of ZME and ZTL
	airspace or
	ZOOSS TAY
	SE. 23 SEP 2010 to 18 NOV 2010

470	HIGH ALT	FITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING
John Wayne-Orang	ge County	HEC, PGS, BLD or
		Aircraft south of TBC from ZAB airspace, HIPPI
Kansas City Termi	nal Area	LMN BRAYMER-STAR
		or PWE ROBINSON-STAR
		or EMP JHAWK-STAR
Las Vegas		DILCO, LIDAT, IGM
		or Aircraft over PGA or north of PGA KSINO or
		Aircraft south of PGA PGS LYNSY
Los Angeles Termi	nal Area	Aircraft North of TBC, HEC, PGS
		or Aircraft South of TBC from ZAB airspace, HIPPI, MESSI
Miami Terminal Ar	ea	CEW DEFUN Q104 CYY DEEDS (RNAV)-STAR
		Aircraft through ZHU airspace remain south ZME and ZTL a or
		SZW HEVVN Q104 CYY DEEDS (RNAV)-STAR
Minneapolis Termi	inal Area	Aircraft from north, west, south, FAR GOPHER-STAR or
		RWF SKETR-STAR
		or ALO KASPR-STAR
		or BRD GOPHER-STAR
		or
		BAE EAU CLAIRE-STAR or
		FOD TWOLF-STAR
Memphis Terminal	Area	ARG, BWG, FSM, PXV, LIT, RZC, SQS, VUZ, BNA, GQO, ELD
Naples, FL		CEW DEFUN Q104 PLYER PIKKR (RNAV)—STAR Aircraft through ZHU AIRSPACE remain south of ZME and Z airspace or
Marsh 201		SZW HEVVN Q104 PLYER PIKKR (RNAV)-STAR
Nashville New Orleans Term	inal Aroa	CCT, GHM, GUITR, TINGS, VOLLS BLUEZ, GPT, LCH, MCB, TBD, FATSO
Oakland	IIIdi Alea	ILA
ounana		or
		KATTS PAMMY or
		Aircraft over or south of a line ILC J16 DVC REANA KATTS PAMMY
		or Aircraft from north of ILC, JOPER PAMMY
		or KATTS PAMMY
		or
		Aircraft over or south of ILC, REANA KATTS PAMMY
Odenda Tourinal		GADAY Q108 CLAWZ LEESE-STAR
Orlando Terminal <i>i</i>	Area	Aircraft through ZHU airspace remain south of ZME/ZTL airspace or

SE, 23 SEP 2010 to 18 NOV 2010

CEW DEFUN Q112 INPIN GULLO (RNAV)-STAR

airspace

Aircraft through ZHU airspace remain south of ZME and ZTL

Palm Beach, FL

	or SZW INPIN GULLO (RNAV)–STAR
Phoenix	CORKR DRK
	or Aircraft from ZDV airspace, GUP
	or Aircraft from ZAB airspace, ZUN, MOHAK, SSO
	or VYLLA TUS
Phoenix Satellites	FLG, SSO, MOHAK or VYLLA, TUS
Portland, OR Terminal Area	ARNIT BONVL-STAR
	or LARNO BONVL-STAR or
	MOXEE MOXEE-STAR
St. Louis Terminal Area	SGF TRAKE-STAR or
	BUM TRAKE-STAR
	or ANX TRAKE-STAR or
	LMN IRK RIVRS-STAR
	or RBS VANDALIA-STAR
Salt Lake City Terminal Area	JNC J12 HELPR SPANE-STAR
	or EKR MTU SPANE-STAR
	or BCE DTA-TCH
	or
	MLF DTA-TCH or
	BVL BONNEVILLE-STAR
	BYI BEARR-STAR
	or PIH BEARR-STAR
	or DBS BRIGHAM CITY-STAR or
	JAC BRIGHAM CITY-STAR
	or BPI BRIGHAM CITY-STAR
	or OCS BRIGHAM CITY-STAR
San Diego Terminal Area	EED, LAX, GBN
Santa Ana	HEC, PGS, BLD, HIPPI
San Antonio Terminal Area	IDU, CSI, JCT, LLO, CRP, LRD
	or West of a north–south line at LFK, BLEWE
	or East of a north–south line at LFK, IDU
	CE 00 CED 0040 to 40 NOV 0040
	SE, 23 SEP 2010 to 18 NOV 2010

472	HIGH ALTITUDE REDESIGN (HAR) PHASE 1 RNAV ROUTING
San Francisco	FMG GOLDEN GATE-STAR or MVA MODESTO-STAR or ENI GOLDEN GATE-STAR or OAL MODESTO-STAR or South of a line ILC to DVC, REANA KATTS OAL MODESTO-STAR
San Jose	FMG HYP EL NIDO-STAR or OAL HYP EL NIDO-STAR or ENI GOLDEN GATE-STAR or South of a line ILC to DVC, REANA KATTS KICHI CANDA EL NIDO-STAR
Seattle Terminal Area	Aircraft From northeast, southeast, south, TEMPL GLASR-STAR or SUNED CHINS-STAR or BTG OLMYPIA-STAR
Southwest Florida Airpo RSW and FMY	orts CEW DEFUN Q104 SWABE JOSFF-STAR Aircraft through ZHU airspace remain south of ZME and Z airspace or SZW HEVVN Q104 SWABE JOSFF-STAR
Tampa Terminal Area	CEW DEFUN Q104 HEVVN DARBS—STAR Aircraft through ZHU airspace remain south of ZME and Z airspace or SZW DARBS—STAR
Tucson	DRK PXR or MOHAK GBN

SE. 23 SEP 2010 to 18 NOV 2010

INCATION

N42°12.10′/W071°04.78′

N42°12.60'/W070°59.83'

N42°24.20'/W071°09.47'

N42°31.42′/W070°59.82′

N42°36.88'/W071°19.45'

N42°13.58'/W070°48.94'

N41°25.50'/W070°55.03'

N42°18.16'/W071°23.65'

N41°31.06'/W070°40.60'

N42°18.20′/W070°55.30′

N41°23.41'/W070°02.78'

N42°18.51'/W071°14.64'

N42°32.52'/W070°56.69'

N42°46.29'/W071°13.57' N42°11.89'/W070°43.69'

N41°18.51'/W070°03.37' N41°18.31'/W070°15.43'

N42°30.72'/W071°05.24'

N42°36.88'/W071°19.45'

N34°37.37'/W076°31.47'

N34°57.00′/W077°16.50′

N32°16.38'/W080°47.50'

N36°13.75'/W076°08.08'

N36°03.90'/W076°36.42'

N35°15.30'/W075°31.25'

N35°32.50'/W076°37.33'

N35°26.58'/W076°10.22'

N34°55.43'/W077°46.42'

N34°42.20'/W077°03.50' N32°47.78′/W079°46.45′

N35°06.53'/W075°59.17'

N32°33.98'/W080°21.82'

N33°25.45'/W079°07.60'

N35°35.63'/W075°28.08'

N36°00.87'/W075°40.07'

N32°01.62'/W080°53.42'

VISUAL FLIGHT RULES (VFR) WAYPOINTS VFR Waypoint names consist of five letters beginning with "VP". Stand-alone VFR Waypoints are portrayed on VFR Charts

using the same four-point star symbol currently used for Instrument Flight Rules (IFR) Waypoints.

VFR Waypoints collocated with Visual Checkpoints (Visual Reporting Points) are portrayed with a Visual Check Point flag The VFR Waypoint name is shown in parentheses adjacent to the Visual Check Point name. VFR Waypoint names are not intended to be pronounceable and shall not be used in ATC communications.

> CAUTION: GPS accuracy necessitates extra vigilance for other aircraft when navigating near any fix retrieved from a GPS database.

BALTIMORE-WASHINGTON TERMINAL AREA CHART/FLYWAY CHART

VPAXI	 N38°34.57′/W076°20.38′
VPONX	 N39°06.65′/W076°55.92′
VPOOP	 N38°56.32′/W076°36.90′

COLLOCATED VER CHECKPOINT

BOSTON HELICOPTER CHART

N42°16.17'/W070°49.48'

VPBAY VPRI T N42°19.67'/W070°53.40'

VPCGS N42°22.08'/W071°03.13'

N42°23.52'/W071°04.10'

VPFVS VPFFN N42°12.58'/W071°08.88' VPFRF

N42°25.03'/W071°12.32'

VPGVI N42°21.88'/W070°52.18'

VPHAN/ N42°30.13′/W071°07.15′ N42°20.37'/W071°15.93'

VPPIK VPQUA

WAYPOINT IDENT

VPCUT

VPFRA

VPHOL

VPHIII

VPLPT

VPNFD

V/DDFA

VPROC

VPSCI

VPTPT

VPTUC

VPWΔK

VPWAN

VPATO

VPAVA

VPRFF

VPRRA

VPGCE

VPGHI

VPGIO

VPK III

VPLMN

VPMAR

VPNP∩

VPOKY

VPREP

VPRRS

VPUMO

VPW70

VP7IF

VPQUB VPSPF VPTOR

CLITTYHLINK HARROR

NANTUCKET GREAT POINT

PEABODY SHOPPING CENTER

CHARLOTTE SECTIONAL CHART

SE, 23 SEP 2010 to 18 NOV 2010

ROCKINGHAM RACE TRACK

NANTUCKET THIRD POINT

NEEDHAM TOWERS

FRAMINGHAM SHOPPING CENTER

VPWAN

BOSTON TERMINAL AREA CHART VPCOH COHASSET

WOODS HOLE

HIIII

SCITUATE

TUCKERNUCK

WANG TOWERS

ISLE OF DALMS

WAKEFIELD

474 VFR WAYPOINTS DENVER TERMINAL AREA CHART/FLYWAY CHART

VPBEN

VPFTG

VPNIC

VPDTN

VPGI A

VPBEC

VPCJA VPCKY

VPCNY

VPDAD

VPDAR

VPDFI

VPDIJT

VPEAR

VPEGV

VPFFU

VPHAA

VPHUC

VPIWA

VPJMY

VPKER

VPLEV

VPLJA

VPMAI

VPTLH

VPXZY

VPYIW

VPZIE

VPAGO

VPDEN

VPENE

VPESS

VPFMF

VPGXY

VPMRF

VPMKF **VPROV**

VPUTT

WAYPOINT IDENT VPRWY

N39°44.28'/W104°26.00 N39°44.35'/W104°32.75

NORTH INTERCHANGE N39°58.90′/W104°59.27

HOUSTON TERMINAL AREA CHART/FLYWAY CHART

COLLOCATED VFR CHECKPOINT

N29°46 25'/W095°09 24

N29°46.59'/W095°22.01 N30°08.32'/W095°06.62

N30°07.80'/W094°55.70

VPGLB VPKTY N29°47.05'/W095°44.92

VPPI N N30°08.80'/W095°50.42

N29°30.00′/W095°41.00

VPRSN VPSND N29°23.13'/W095°28.86

N29°49.29'/W094°53.94 VPSNT

N29°47.48′/W095°03.34

VPTNE

VPTNW

JACKSONVILLE SECTIONAL CHART

DADE CITY

CLEARWATER BEACH

ST PETE BEACH

LAKE PARKER

MIDWAY

VPAFI

KANSAS CITY SECTIONAL CHART

N28°46.50'/W082°34.00 N28°30.00′/W080°45.00 N28°22.57'/W082°11.25 N31°22.38'/W081°24.13 N29°00.17'/W081°20.85 N27°37.70′/W082°09.10 N27°58.67'/W082°49.83 N29°39.97'/W081°24.87

N28°57.08'/W081°00.33 N27°43.50′/W082°44.67 N30°04.02′/W083°40.02 N28°19.87'/W082°43.77 N31°48.33′/W081°25.85 N29°26.92'/W081°18.27 N28°04.00'/W081°56.00 N28°48.00'/W080°52.00

N29°47.06′/W095°33.81 N29°24.06′/W095°10.44

N31°49.35'/W081°51.07 N30°07.00′/W081°21.33

N29°46.25'/W081°15.10 N29°30.00′/W081°06.00

N29°00.00'/W080°51.00 N30°50.02'/W084°56.63 N30°32.70′/W083°52.22 N29°35.00′/W083°10.00 N30°42.28'/W081°27.25 N32°01.62'/W080°53.42

N37°50.33'/W090°29.03 N37°15.07'/W092°30.67 N37°46.75′/W092°19.20 N37°44.75′/W091°55.78 N36°59.48'/W091°00.88

N37°41.00′/W092°38.33 N37°15.50′/W091°40.17 N37°11.08′/W090°27.92 N37°24.47'/W092°40.00 N38°01.72′/W091°12.81 N37°52.05′/W092°01.20

SE, 23 SEP 2010 to 18 NOV 2010

WAYPOINT IDENT

VFR WAYPOINTS

INCATION

475

VPWOC		N37°18.03′/W092°18.63′
VPWRO		N37°39.12′/W091°45.68′
VPXIZ		N37°26.60′/W092°05.42′
	KANSAS CITY TERMINAL AR	REA CHART
VPATN	ATCHISON	N39°33.62′/W095°07.65′
VPBGS	BLUE SPRINGS	N39°01.82′/W094°16.32′
VPBSP	BONNER SPRINGS	N39°03.78′/W094°53.10′
VPCHB	CHOUTEAU BRIDGE	N39°08.77′/W094°32.03′
VPDS0	DE SOTO	N38°58.68′/W094°58.48′
VPESG	EXCELSIOR SPRINGS	N39°20.68′/W094°13.77′
VPGTB	GARRETSBURG	N39°40.92′/W094°41.45′
VPLAT	LATHROP WATER TANK	N39°32.87′/W094°20.00′
VPLEN	LENEXA	N38°57.77′/W094°43.68′
VPLVL	LONGVIEW LAKE	N38°54.63′/W094°28.28′
VPMCL	MC LOUTH	N39°11.65′/W095°12.50′
VPNHA	NASHUA	N39°17.83′/W094°34.80′
VPSCX	SPORTS COMPLEX	N39°03.00′/W094°29.02′
VPSKR	SUGAR CREEK REFINERY	N39°07.00′/W094°27.02′
VPSPK	SWOPE PARK	N39°00.47′/W094°31.93′
VPTSK	TWIN STACKS	N39°09.05′/W094°38.22′
VPWOF	WORLDS OF FUN	N39°10.42′/W094°29.12′
	KLAMATH FALLS SECTIONA	AL CHART
VPORO		N43°57.38′/W123°02.22′
	LOS ANGELES HELICOPTE	R CHART
VPANA		N33°44.43′/W117°50.03′
VPART	MAGNOLIA	N33°51.45′/W117°58.92′
	100000000000000000000000000000000000000	1100050 001 1111 4 7040 571

VPAUT HWY 91 & 55 N33°50.63'/W117°49.57' VPROR N33°59.60'/W117°21.45' **VPCAR** N33°49.90'/W118°17.23' CONEJO GRADE US HWY 101 **VPCNG** N34°12.54′/W118°59.61′ **VPCOR** N33°52.90'/W117°32.95' **VPCRX** N34°01.40′/W117°44.88′ VPCSU CSU CHANNEL ISLANDS N34°09.76'/W119°02.53' VPDOW N33°56.47'/W118°05.80' VPELA N34°00.98'/W118°10.35' **VPETY** N33°38.70'/W117°44.12' **VPFCB** N34°02.03'/W118°01.63' VPFPL OXNARD FINANCIAL PLAZA N34°13.71′/W119°10.39′ **VPGOL** N34°09.33'/W118°17.37' VPIMP N33°55.85'/W118°16.85' VPKAT N33°48.23'/W117°54.22' **VPKEL** N34°03.92'/W117°48.40' **VPLAC** N34°03.75'/W118°14.93' **VPLLU** N34°03.85'/W117°17.82'

VPLOM OUEEN MARY N33°45.17'/W118°11.37' **VPLRT** SANTA ANITA RACE TRACK N34°08.45'/W118°02.65' VPLVT VINCENT THOMAS BRIDGE N33°44.97'/W118°16.32' **VPMDR** N33°59.27'/W118°23.97' **VPNEW** NEWHALL PASS N34°20.18'/W118°30.72' **VPNUY** N34°09.63'/W118°28.18' **VPPCH** N33°28.07'/W117°40.32' VPPKC N34°03.32'/W118°12.83' **VPPOR** N34°00.10'/W117°50.12' **VPRRT** N33°59.37'/W118°16.83' **VPSEP** N34°05.80'/W118°28.63' **VPSFR** N34°17.45′/W118°28.07′ **VPSTC** SATICOY BRIDGE N34°16.62'/W119°08.34' **VPSTK** N34°13.97'/W118°24.60'

SE, 23 SEP 2010 to 18 NOV 2010

COLLOCATED VFR CHECKPOINT WAYPOINT IDENT CONEJO GRADE US HWY 101 VPCNG **VPCSU** CSU CHANNEL ISLANDS VPFPL OXNARD FINANCIAL PLAZA VPSTC SATICOY BRIDGE LOS ANGELES TERMINAL AREA CHART/FLYWAY CHART VPCNG CONEJO GRADE US HWY 101

CSU CHANNEL ISLANDS

VFR WAYPOINTS

LOS ANGELES SECTIONAL CHART

INCATION

N34°12.54′/W118°59.61

N34°09.76'/W119°02.53

N34°13.71′/W119°10.39

N34°16.62′/W119°08.34

N34°12.54′/W118°59.61

N34°09.76'/W119°02.53 N34°04.84'/W118°28.66

N33°56.05'/W116°59.63

N34°08.87'/W117°34.33 N34°18.07'/W117°27.68

N33°48.72'/W117°55.13

N33°27.62'/W117°42.87 N34°04.42′/W118°14.42

N33°52.38'/W118°06.08

N34°07.10′/W118°18.02

N33°51.42′/W118°17.10

N33°39.32'/W118°00.25 N33°50.75'/W118°23.88

N34°00.83'/W118°17.27

N33°50.58'/W117°26.85

N34°26.20′/W118°36.28

N33°43.40′/W117°56.77

N33°53.40′/W117°38.48 N34°02.13'/W118°32.15

N33°45.17'/W118°11.37

N34°09.67'/W118°10.05

N34°08.45'/W118°02.65

N33°52.03'/W117°42.68

N34°07.72′/W117°57.30

N33°52.97'/W117°53.13 N34°17.87′/W118°29.00

N33°36.33'/W117°48.63

N33°53.07'/W118°21.13

N34°16.00′/W118°38.43

N34°16.40′/W118°20.30

N33°44.97'/W118°16.32

N34°10.82'/W118°46.27

N34°20.18'/W118°30.72

N34°16.62′/W119°08.34

N26°00.92'/W080°06.93

N27°57.00′/W080°46.75 N26°27.07'/W082°00.88

N26°09.28'/W081°20.70

N28°22.57'/W082°11.25

N27°37.70′/W082°09.10

N27°19.00'/W080°44.17

N27°58.67'/W082°49.83 N26°08.78'/W080°28.00

N26°25.40′/W081°29.67

N27°43.50'/W082°44.67

N27°05.97'/W082°12.20 N28°19.87'/W082°43.77

N27°12.47′/W081°40.22

N28°04.00'/W081°56.00

N24°40.08'/W081°20.55

N24°49.07'/W080°49.17

N25°58.57'/W080°08.17

N26°28.30'/W080°26.75

N25°50.67'/W080°55.18

N25°22.92'/W080°36.58

N27°03.00'/W080°35.00

GETTY CENTER BANNING PASS

VPGTY VPI RP **VPLCC** CHAFFEY COLLEGE CA ION PASS DISNEYLAND

VPLDL DANA POINT DODGER STADIUM

VPLDP VPI DS VPI FX 91/605 INTERCHANGE **VPLGP** GRIFFITH PARK OBSERVATORY

VPI HF 110/405 FWYS **VPLHP HUNTINGTON PIER** KING HARROR

VPI KH

476

VPCSII

L.A. COLISEUM LAKE MATHEWS MAGIC MOUNTAIN MILE SOUARE PARK PRADO DAM PACIFIC PALISADES

VPLLC VPI I M VPLMM OUEEN MARY

ROSE BOWL

VPI MS VPI PD VPI PP **VPLOM** VPLRB **VPLRT**

SANTA ANITA RACE TRACK SANTA ANA CANYON SANTA FE FLOOD BASIN

STATE COLLEGE

VPI SA VPLSB VPI SC VPI SF

SAN FERNANDO RESERVOIR VPLSP SIGNAL PEAK **VPLSR** HAWTHORNE & 405 FREEWAY SANTA SUSANA PASS

TUJUNGA WASH & FOOTHILL VINCENT THOMAS BRIDGE

VPLTW

VPI VT **VPLWT** WATER TANK

VPNEW NEWHALL PASS **VPSTC** SATICOY BRIDGE VPACH

HOLLYWOOD BEACH VPBOV

VPCLE DADE CITY

VPCTF **VPDAD VPDUT** VPD7F

CLEARWATER BEACH

VPEAR

ANDYTOWN TOLLGATE

VPGPE VPHRO VPHUC VPIBR

VPKER

VPKOE

VPLYY

VPMRO

VPOBA

VPRBI

VPRNL

VPWMO

LAKE PARKER

GULFSTREAM PARK

PUMPING STATION

RANGER STATION

ST PETE BEACH

SE, 23 SEP 2010 to 18 NOV 2010

MIAMI SECTIONAL CHART

MIAMI TERMINAL AREA CHART/FLYWAY CHART

LOCATION

N38°47.17′/W090°39.25′

COLLOCATED VFR CHECKPOINT

WAYPOINT IDENT

VPEOX

WATFORKTIDENT	COLLOCATED VI & CHECKFOINT	LUCATION
VPACH	HOLLYWOOD BEACH	N26°00.92′/W080°06.93′
VPEDY	ANDYTOWN TOLLGATE	N26°08.78′/W080°28.00′
VPMB0	GULFSTREAM PARK	N25°58.57′W080°08.17′
VPOBA	PUMPING STATION	N26°28.30′/W080°26.75′
VPRBI		N25°50.67′/W080°55.18′
VPRNL	RANGER STATION	N25°22.92′/W080°36.58′
	NEW ORLEANS SECTIONAL	L CHART
VPGPT		N30°25.95′/W089°05.62′
VPLIP	PHILLIPS INLET	N30°16.23′/W085°59.25′
VPMAI		N30°50.02′/W084°56.63′
VPMOB		N30°23.00′/W088°31.72′
VPRAM		N30°18.95′/W089°35.88′
VPRER		N30°13.87′/W085°20.67′
VPRIV		N30°54.85′/W087°57.82′
VPSAW		N30°49.65′/W089°07.42′
VPTHR		N30°19.93′/W087°08.50′
	NEW YORK HELICOPTER	CHART
VPJAY		N40°59.00′/W073°07.00′
VPLYD		N40°57.37′/W073°29.59′
VPROK		N40°52.70′/W073°44.24′
	PHOENIX TERMINAL AREA CHART	/FLYWAY CHART
VPALL	ALLENVILLE	N33°20.97′/W112°35.20′
VPAQU	AQUEDUCT PUMPING STATION	N33°40.05′/W112°41.38′
VPARM	ARROWHEAD MALL	N33°38.52′/W112°13.48′
VPAWG	AHWATUKEE GOLF COURSE	N33°19.98′/W111°59.08′
VPAZM	ARIZONA MILLS	N33°23.43′/W111°57.88′
VPBAR	BARTLETT DAM	N33°49.10′/W111°37.92′
VPCCC	COUNTRY CLUB & CANAL	N33°30.73′/W111°50.37′
VPCNL	CANAL	N33°33.23′/W111°46.89°
VPFRB	FIREBIRD LAKE	N33°16.35′/W111°58.10′
VPFTN	FOUNTAIN HILLS	N33°36.12′/W111°42.72′
VPGLX	GILA CROSSING	N33°16.55′/W112°10.08′
VPGPP	GLENDALE POWER PLANT	N33°33.27′/W112°13.00′
VPMAR	MARICOPA	N33°03.42′/W112°02.88′
VPMHS VPNRV	MESQUITE HIGH SCHOOL NEW RIVER	N33°20.53′/W111°49.58′ N33°55.08′/W112°08.45′
VPNTT	NORTH TEST TRACK	N33°03.50′/W111°55.83′
VPPIR	PIR	N33°22.52′/W112°18.90′
VPQTR	QUINTERO GOLF COURSE	N33°49.53′/W112°23.58′
VPRVC	RIO VERDE COMMUNITY	N33°44.37′/W111°39.62′
VPSMC	SOUTH MOUNTAIN COLLEGE	N33°23.02′/W112°02.12′
VPSQP	SQUAW PEAK	N33°32.83′/W112°01.27′
VPSSS	SUPERSTITION SPRINGS MALL	N33°23.50′/W111°41.37′
VPSTN	SANTAN MOUNTAINS	N33°09.23′/W111°40.92′
VPSTT	SOUTH TEST TRACK	N32°56.25′/W111°59.67′
VPZZZ		N33°20.18′/W111°26.53′
	ST LOUIS TERMINAL AREA CHART	/FLYWAY CHART
VPAGN	TV ANTENNA	N38°32.08′/W090°22.42′
VPBPE		N38°23.80′/W090°20.38′
VPCJY	HOLIDAY SHORES	N38°55.00′/W089°56.00′
VPCOJ	WINFIELD DAM	N39°00.28′/W090°41.23′
VPDFA	JEFFERSON BARRACKS BRIDGE	N38°29.18′/W090°16.47′
VPEAZ	BUSCH STADIUM	N38°37.43′/W090°11.55′
VPEDZ	WATER TANKS	N38°45.30′/W090°34.87′
VPEGR	GAS TANKS	N38°35.80′/W090°19.32′
VDEOV	OT DETERM	NOO047 47/ (NOO0000 OF/

ST PETERS

VFR WAYPOINTS 478 WAYPOINT IDENT COLLOCATED VER CHECKPOINT VPFAI HOWELL ISLAND VPFFY **VPGPF** VPGVI

WATERLOO

HORSESHOE LAKE

PACIFIC ST CHARLES SIX FLAGS GATEWAY ARCH

VPHRO

VPIRO

VP IMII

VPKNY

VPLES

VPNSY

VPN7Y

VPRA7

VPRMO

VPWKO

VPXXI

VPYID

VPAIR

VPBEE

VPRRN

VPCAP

VPCHS

VPCOP

VPFPK

VPGFS

VPHVF

VPJRT

VPKSL

VPLGN

VPMDH

VPMMT

VPMSH

VPNTP

VPOGE

VPOPS

VPPFN

VPPPT

VPPTM

VPPVO

VPRWY

VPSLC

VPTIP

VPWBR

VPAIR

VPRFF

VPBRN

VPCAP

VPCHS

VPCOP

VPCVI

VPCYN

VPFPC

VPFPK

VPGFS

WOOD RIVER REFINERIES WENTZVILLE **IFRSFYVILLE**

FOREST PARK COLLIMBIA MILLSTADT

SALTAIR

BARN

CAUSEWAY

STATE CAPITOL

PARLEYS CANYON

FRANCIS PEAK

KSI ANTENNA

GARFIELD STACK

SPAGHETTI BOWL

JORDAN RIVER TEMPLE

MCKAY DEE HOSPITAL

MICROWAVE TOWERS

GRAIN FLEVATOR

POWER STATION

PROMONTORY POINT

POINT OF THE MOUNTAIN

I-15/I-80 INTERCHANGE

SOUTH INTERCHANGE

BINGHAM COPPER MINE

CENTERVILLE INTERCHANGE

SE, 23 SEP 2010 to 18 NOV 2010

STATE CAPITOL

CAUSEWAY

PARLEYS CANYON

FRANCIS PEAK

GARFIELD STACK

FREE PORT CENTER

SALT LAKE CITY TERMINAL AREA CHART/FLYWAY CHART

STATE PRISON

PROVO CANYON

WEBER CANYON

SOUTH TIP

BARN

LAGOON AMUSEMENT PARK

FREE PORT CENTER

SOUTH INTERCHANGE BINGHAM COPPER MINE

MOSENTHEIN ISLAND SALT LAKE CITY HELICOPTER CHART

CHAIN OF ROCKS BRIDGE

N38°27.00′/W090°12.00 N38°27.50′/W090°05.68

N38°43.00′/W090°12.25 N40°44.85'/W112°11.22

LOCATION

N38°40.00′/W090°43.00 N38°55.37′/W090°17.30

N38°35.60′/W090°26.92

N38°32.30′/W090°27.80

N38°45.88'/W090°10.42

N38°20.00′/W090°09.00

N38°41.00′/W090°05.00 N38°29.00′/W090°44.00

N38°47.00′/W090°30.00 N38°30.67'/W090°40.47

N38°37.50′/W090°11.00

N38°50.00′/W090°05.00

N38°48.83'/W090°50.98

N39°07.00′/W090°20.00

N38°38.00′/W090°17.00

N40°38.18'/W111°54.23 N40°54.28'/W112°10.15 N40°46.67'/W111°53.25

N40°42.28'/W112°05.92 N40°31.38'/W112°09.00 N41°05.37'/W112°07.17 N40°42.67'/W111°48.10 N41°05.92′/W112°02.27 N41°01.98'/W111°50.30 N40°43.28'/W112°11.88

N40°43.50′/W111°54.22 N40°35.02'/W111°55.58 N40°46.80'/W112°05.80 N40°59.08'/W111°53.57 N41°11.50′/W111°57.08

N40°48.50′/W111°53.37 N41°01.67'/W112°02.47 N40°50.15'/W111°54.90 N41°03.57'/W112°14.23 N41°13.13'/W112°00.45 N41°20.38'/W112°02.78 N40°29.88'/W111°53.62 N41°12.28′/W112°25.73

N40°27.42′/W111°54.83

N40°18.77'/W111°39.45 N40°48.48′/W112°00.33

N40°44.85'/W112°11.22

N40°38.18'/W111°54.23

N40°54.28'/W112°10.15 N40°46.67'/W111°53.25

N40°42.28'/W112°05.92

N40°31.38′/W112°09.00

N40°55.30′/W111°53.43

N41°05.37'/W112°07.17

N40°42.67'/W111°48.10

N41°05.92′/W112°02.27

N41°01.98'/W111°50.30

N40°43.28'/W112°11.88

N40°45.83'/W111°54.85 N40°50.93'/W112°10.92 N41°08.17'/W111°54.83 N40°38.00′/W112°03.33 LAGOON AMUSEMENT PARK

JORDAN RIVER TEMPLE

MCKAY DEE HOSPITAL

MICROWAVE TOWERS

KSL ANTENNA

N40°35.02'/W111°55.58' N40°46.80'/W112°05.80' N40°59.08'/W111°53.57'

N41°11.50′/W111°57.08′

N40°48.50′/W111°53.37′

N41°01.67'/W112°02.47'

N40°50.15'/W111°54.90'

479

N41°03.57'/W112°14.23' GRAIN ELEVATOR N41°13.13'/W112°00.45' POWER STATION N41°20.38'/W112°02.78' STATE PRISON N40°29.88'/W111°53.62' PROMONTORY POINT N41°12.28'/W112°25.73' N40°27.42'/W111°54.83'

POINT OF THE MOUNTAIN N40°18.77'/W111°39.45' PROVO CANYON N40°48.48'/W112°00.33' I-15/I-80 INTERCHANGE N40°45.83'/W111°54.85' SOUTH TIP U OF U EVENTS CENTER WEBER CANYON

N40°50.93'/W112°10.92' N40°45.73'/W111°50.28' N41°08.17'/W111°54.83' N40°38.00'/W112°03.33' HOGLE ZOO N40°45.00'/W111°48.95'

VPHVE

VPIRT

VPKSL

VPLGN

VPMDH

VPMMT

VPMSH

VPNSI

VPNTP

VPOGE

VPPFN V/PPPT

VPPTM

VPPV0

VPRWY VPSLC

VPTIP

VPHOH

VPWRR

VPWBT

VP700

VPLDP

VPLSP

VPOCN

VPSBC

VPSRI

VPSRM

VPSCF

VPSCM

VPSCR

VPSFR

VPSLI

VPSMB

VPSMP

VPSMS

VPSMV

VPSMW

VPSOP

VPSOT

VPSPL

VPSPP

VPSOS

VPSRT

VPSSM

VPSSV

VPSTP

VPSVA

VPKBG

VPALT **VPANT**

VPRRR

VPCAL

DANA POINT

SIGNAL PEAK

CRYSTAL PIER

IRON MOUNTAIN

LAKE JENNINGS

MOUNT SOLEDAD

MOUNT WOODSON

OTAY MESA PRISON LOWER OTAY LAKE

SOUTH POINT LOMA

OUALCOMM STADIUM

DEL MAR RACE TRACK

SAN VICENTE ISLAND

KINGSBURY GRADE

ALTAMONT PASS

SAN MIGUEL MOUNTAIN

TORREY PINES GOLF COURSE

SAN FRANCISCO SECTIONAL CHART

POWER PLANT

BARONA CASINO BLACK MOUNTAIN

COWLES MOUNTAIN

SAN DIEGO TERMINAL AREA CHART/FLYWAY CHART

N33°27.62'/W117°42.87' N33°36.33'/W117°48.63' N33°14.15'/W117°26.63' N32°56.25'/W116°52.60' N33°05.18'/W117°18.55' N32°58.87'/W117°07.00' N32°48.55'/W117°09.17' N32°48.72'/W117°01.97'

N32°47.77'/W117°15.42' N32°39.37'/W117°07.30' N32°58.25'/W116°57.33'

N32°51.53'/W116°53.28' N32°45.57'/W117°12.22' N33°22.70'/W117°36.75'

N32°50.40'/W117°15.10' N32°45.75'/W117°09.80' N33°00.52'/W116°58.23'

N32°35.82'/W116°55.28' N32°37.73'/W116°55.38' N32°39.90'/W117°14.55' N33°08.25'/W117°20.23' N32°46.98'/W117°07.23' N32°58.58'/W117°15.95' N32°41.78'/W116°56.18' N32°55.53'/W116°55.00'

N32°54.17'/W117°14.68' N33°11.48'/W117°16.38'

N38°58.75'/W119°53.20' SAN FRANCISCO TERMINAL AREA CHART/FLYWAY CHART

N37°28.16'/W121°48.93'

N37°43.68'/W122°06.94'

N37°32.50'/W122°05.06'

N38°03.66'/W122°13.52'

N37°11.00′/W121°41.06′

N37°30.56'/W122°21.10'

N37°44.35'/W121°35.42' N38°01.45'/W121°45.02' N38°02.50'/W122°07.45'

SE, 23 SEP 2010 to 18 NOV 2010

ANTIOCH BRIDGE BENICIA BRIDGE CALAVERAS RESERVOIR LAKE CHAROT COYOTE HILLS CAROUINEZ BRIDGE

VPCRT VPCOY **VPCOZ VPCRL** CRYSTAL SPRINGS CAUSEWAY VPCRY

480	VFR WAYPOINTS				
WAYPOINT IDENT	COLLOCATED VFR CHECKPOINT	LOCATION			
VPCSH	CAL STATE UNIVERSITY	N37°39.52′/W122°03.52			
VPDAM	DEL VALLE DAM	N37°36.91′/W121°44.78			
VPDLR		N37°07.00′/W121°47.06			
VPDUB	DUBLIN	N37°42.06′/W121°55.36			
VPEMB	EMBASSY SUITES	N37°26.05′/W121°53.83			
VPGGF	GOLDEN GATE FIELDS	N37°53.07′/W122°18.71			
VPGIL	GILROY	N37°01.37′/W121°33.99			
VPHHH	HAMILTON	N38°03.58′/W122°30.66			
VPKG0	KGO	N37°31.58′/W122°06.10			
VPLEX	LEXINGTON RESERVOIR	N37°11.66′/W121°59.18			
VPMID	MID-SPAN SAN MATEO BRIDGE	N37°36.28′/W122°11.81			
VPMOR	MORMON TEMPLE	N37°48.46′/W122°11.95			
VPNUM	NUMMI PLANT	N37°29.56′/W121°56.58			
VPPAC		N37°38.00′/W122°32.07			
VPPRU	PRUNEYARD	N37°17.33′/W121°56.01			
VPSAR	SARATOGA	N37°15.26′/W122°02.33			
VPSLA	SLAC/LINEAR ACCELERATOR	N37°24.75′/W122°14.35			
VPSTB	STINSON BEACH	N37°54.45′/W122°40.41			
VPSUN	SUNOL GOLF COURSE	N37°34.85′/W121°53.23			
VPUTC	U.T.C.	N37°13.93′/W121°41.35			
VPWAL	WALNUT CREEK	N37°53.78′/W122°04.30			
VPWAM		N37°30.28′/W122°10.00			
VPWFR	CEMENT PLANT	N37°30.88′/W122°12.26			
	TAMPA/ORLANDO TERMINAL AREA CHAR	T/FLYWAY CHART			
VPBOV		N27°57.00′/W080°46.75			
VPCNY		N28°30.00′/W080°45.00			
VPDAD	DADE CITY	N28°22.57′/W082°11.25			
VPDFI		N29°00.17′/W081°20.85			
VPDUT		N27°37.70′/W082°09.10			
VPEAR	CLEARWATER BEACH	N27°58.67′/W082°49.83			
VPFFU		N28°57.08′/W081°00.33			
VPGPE	ST PETE BEACH	N27°43.50′/W082°44.67			

WASHINGTON SECTIONAL CHART

N28°19.87'/W082°43.77 N28°04.00'/W081°56.00

N28°48.00′/W080°52.00

N29°00.00'/W080°51.00

 VPACE
 N38°07.82′/W076°48.75

 VPAXI
 N38°34.57′/W076°20.38

 VPBRA
 N36°13.75′/W076°08.08

 VPGCE
 N36°03.90′/W076°36.42

 VPWZO
 N36°00.87′/W075°40.07

LAKE PARKER

VPHUC

VPKER

VPLEV

VPLJA

VOR grand receiver checkpoint OTS indef.

On Twy C north of Twy A.

Over center of segmented

Remarks

Checkpoint Description

On runup area Rwy 32.

Over rotating bcn.

On Twy A-1.

and D

E9.

On NE end of Twy C.

SW corner of arpt at intersection of Twy C

On taxiway E adjacent to

On Twy E near AER 13.

On Twy H near AER 13.

Over radio twr at intersection of 2 canals.

Main terminal ramp.

On E ramp near Twy A-3.

On centerline of Twy midway between ramp

On runup pad Twy F.

Red/white twr.

Rwy 03 runup area/turnaround pad.

and rwv.

1.0

7.4

0.6

62

9 0

4.2

Dist.

from

Fac.

N.M.

0.6

8.6

0.5

1.1

0.6

1.0

.5

.5

6

13

0.5

Azimuth

from

Fac.

Mag

121

106

038

283

184

167

324

311

45

022

190

VOR RECEIVER CHECKPOINTS AND **VOR TEST FACILITIES (VOT)**

The use of VOR airborne and ground checkpoints is explained in Aeronautical Information Manual, Basic Flight Information and ATC Procedures. NOTE: Under columns headed "Type of Checkpoint" & "Type of VOT Facility" G stands for ground, A/ stands for airborne

followed by figures (2300 or 1000-3000) indicating the altitudes above mean sea level at which the check should be conducted. Facilities are listed in alphabetical order, in the state where the checkpoints or VOTs are located. ALABAMA

VOI	R RECEIVER	CHECK	POINTS		
		Type Check Pt.	Azimuth from	Dist. from	
Facility Name (Arpt Name)	Freq/Ident	Gnd. AB/ALT	Fac. Mag	Fac. N.M.	Checkpoint Description
Brookley (Mobile Downtown)	112.8/BFM	G	313	1.68	On runup area for rwy 14.

313

Brookley (Mobile Downtown) 112.8/BFM

G 066 111.2/0ZR 116.6/EDN A/2000 341

Cairns AAF (Fort Rucker) Enterprise Muni.....

116.8/MVC G 196

Monroeville (Monroe Co Arpt)..... Montgomery (Montgomery Rgnl/

Dannelly Field)..... 112.1/MGM G 318 Talladega Muni 108.8/TDG A/2000 084

Crimson (Tuscaloosa Rgnl) 117.8/LDK 238

VOR TEST FACILITIES (VOT)

Facility Name Type VOT

Birmingham-Shuttlesworth Intl Huntsville Intl-Carl T Jones Fld 111.0

Cypress (Naples Muni)

Crestview (Bob Sikes)

Lakeland Linder Rgnl.....

Melbourne Intl.....

Ocala Intl-Jim Taylor Fld.....

Orlando (Executive).....

Pahokee (Palm Beach Co Glades).....

Facility Name (Arpt Name)

Facility Freq.

Freq/Ident

108.6/CYY

115.9/CEW

116.0/LAL

116.0/LAL

110.0/MLB

113.7/0CF

112.2/ORL

115.4/PHK

FLORIDA VOR RECEIVER CHECKPOINTS Type Check

Pt

Gnd.

AB/ALT

G

A/1200

G

G

G

G

G

G

G

A/1500

G

SE, 23 SEP 2010 to 18 NOV 2010

(Airport Name)

Vienna (Crisp County-Cordele)................................ 116.5/VNA

		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
		G	154	0.6	Rwy 32 run-up/Twy G.
		G	208	0.6	Rwy 5 run-up/Twy D.
St. Petersburg-Clearwater Intl	116.4/PIE	G	046	0.4	On circle located NE end o Twy M.
Vero Beach Muni	117.3/VRB	G	111	4.4	Runup area Rwy 29R.
		G	114	4	Compass rose on taxiway E.
		G	116	3.6	Runup area Rwy 11R.
	OR TEST F		(VOT)		
Facility Name	_	Type VOT			
(Airport Name)	Freq.	Facility			Remarks
	L11.0	G			= .= -
	L11.0	G			Unuseable E of Twy F.
	L12.0	G			
	L09.0	G			
3	L11.0	G			
Tampa Intl	L11.0	G			
	GEO	DRGIA			
VOI	R RECEIVE	R CHECK	POINTS		
		Type			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Athens (Madison Muni)	109.6/AHN	A/2000	199	21	Over center of rwy.
Athens (Athens/Ben Epps)	109.6/AHN	G	284	0.5	Twy A2.
Atlanta (Dekalb-Peachtree)	116.6/PDK	G	004	0.5	On runup area Rwy 20L. VOR ground checkpoint unavailable.
		G	218	0.5	On runup area Rwys O2L and O2R.
Brunswick (Malcolm McKinnon)	109.8/SSI	A/1050	029	7.2	Over rotating bcn.
Columbus Metropolitan	117.1/CSG	G	146	7.1	FBO ramp in front of ASOS equipment.
Dublin (W H 'Bud' Barron)	113.1/DBN	G	270	7.6	Ramp.
Foothills (Toccoa RG Letourneau Fld)	113.4/0DF	A/2000	179	6	Over rotating bcn.
Hunter	111.6/SVN	A/1500	090	15.5	Over lighthouse.
Hunter AAF	111.6/SVN	G	271	1.2	On Twy 6.
Lawson AAF	111.4/LSF	G	356	.6	On painted circle at
	•				taxiway intersection 580' NW of twr.
Macon	114.2/MCN	A/2000	028	13.6	Over oil tank.
		A/2000	320	9.5	Over dam.
Pecan (Southwest Georgia Rgnl)	116.1/PZD	A/1000	145	9	Over rotating bcn E side of arpt.
Rome (Richard B Russel)	115.4/RMG	G	348	11.5	At intersection of twy 200' S of terminal building. VOR ground checkpoint

Туре

SE, 23 SEP 2010 to 18 NOV 2010

097

131

226

099

19.6

0.6

19

A/1500

G

A/1300

A/1200

unavailable.

Over red and white lighthouse.

On taxiway at apch end rw

Over center of NE/SW rwy.

Over fire twr W side arpt.

	VOR RECE	IVER CHE	CK		483
\	OR TEST F	ACILITIES	(VOT)		
Facility Name (Airport Name)	Freq.	Type VOT Facility			Remarks
Atlanta (Hartsfield-Jackson Atlanta Intl) (Atlanta Muni)	111.0 111.0 111.0 111.0	G G G			VOT OTS indef.
	KEN	TUCKY			
VC	OR RECEIVE	R CHECK	POINTS		
Facility Name (Arpt Name)	Freq/Ident	Type Check Pt. Gnd. AB/ALT	Azimuth from Fac. Mag	Dist. from Fac. N.M.	Checkpoint Description
Central City (Muhlenberg Co)	. 109.8/CCT	A/2500	153	10.6	Over intersection of Rwy
Clarksville (Campbell AAF)	. 110.6/CKV	G	307	4.9	23 and central taxiway. On taxiway 6 center romeo helipad.
Clarksville (Hopkinsville–Christian Co) Fort Knox (Godman AAF)		A/2000 A/2000	345 270	13.5 9.2	Over hangar. W of Godman AAF over a 298 ft twr.
Frankfort (Capital City)	•	G	082	.7	Runup pad Rwy 24.
Owensboro-Daviess Co.	•	G G	033 176	3.8	On parking ramp taxiway entry. On taxiway at apch end Rwy 36.
,	OR TEST F	ACII ITIES	(VOT)		im, se.
Facility Name		Type VOT	(***)		
(Airport Name)	Freq.	Facility			Remarks
Louisville Intl-Standiford Fld	111.0	G			

Kinston Rgnl Jetport At Stallings Fld......... 109.6/ISO

Raleigh-Durham Intl 117.2/RDU

Sugarloaf Mountain (Asheville Rgnl).......... 112.2/SUG

Electric City (Anderson Rgnl)................................ 108.6/ELW

Grand Strand 117.6/CRE

Greenwood Co

Charleston AFB/Intl 111.0

Tar River

Charlotte (Charlotte/Douglas Intl).....

Hickory Rgnl

Facility Name (Arpt Name)

Facility Name

(Airport Name)

Facility Name (Airport Name)

NORTH CAROLINA

Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag
Barretts Mountain (Hickory Rgnl)	110.8/BZM	A/2200	229
Cofield (Tri–Co)	114.6/CVI	A/4500	259
Favetteville Ronl/Grannis Fld	108 8 /FAV	G	278

Gnd. Fac.

Pt. from

Check

Azimuth

Type

VOR RECEIVER CHECKPOINTS

Dist.

from

Fac. N.M.

10.2

15.3

22

228

036

297

230

244

280

260

Azimuth

from

Fac.

Mag

225

009

337

331

039

238

213

250

0.6

35

13.5

136

5.8

Dist.

from

Fac.

N.M.

.7

.5

1.2

0.3

5 7

6

0.7

.7

3 1

0.85

Checkpoint Description

Over apch end Rwy 24.

On runup area Rwv 04.

end of building.

Over atct.

05R.

house.

Over rotating bcn atop W

On Twy M3. Checkpoint OTS indef.

Twy A between A4 and A5

At end of taxiway to Rwy

Over smoke stack at pow

Remarks

Checkpoint Description

Runup pad Rwy 03.

Runup pad Rwy 21.

Runup pad Rwy 15.

On ramp in front of terminal bldg.

Runup area for Rwy 33.

Over white water tank.

On runup pad Rwy 05.

End of taxiway at Rwy 09

Remarks

Over atct. Airborne checkpoint unusable

Distance 20/25.

A/2300

G

A/2000

G

G

A/3200

A/1500

Facility

G

G

Type Check

Pt.

Gnd.

AB/ALT

G

G

G

G

G

A/1100

G

G

Type VOT

Facility

VOR TEST FACILITIES (VOT)

SE, 23 SEP 2010 to 18 NOV 2010

VOR TEST FACILITIES (VOT) Type VOT

VOR RECEIVER CHECKPOINTS

117.8/TYI

Freq.

Frea/Ident

113.5/CHS

113.5/CHS

113.5/CHS

117.6/CRE

115.5/GRD

Freq.

112.0

1100

SOUTH CAROLINA

Azimuth

from

Fac

335

286

256

082

003

Azimuth

from

Fac.

Mag

118

Dist.

from

Fac.

N.M.

3.5

Checkpoint Description

On taxiway North of Main ramp. VOR gnd checkpoint unusable.

Dist.

from

Fac

N.M.

11.5

13.7

0.6

5.0

18

11

485

Checkpoint Description

Over metal hangar.

Runup area between taxiway and rwy at center

On ramp S of terminal

At south end of ramp at fire station.

Over Normandy Dam.

of fld.

building.

Over midfield.

Type

Check Pt.

Gnd

AB/ALT

A/2900

G

A/2000

A/1800

VOR RECEIVER CHECK

Freq/Ident

117.6/HCH

117.6/HCH

114.6/HMV

Facility Name (Arpt Name)

Hinch Mountain (Crossville

Facility Name (Arpt Name)

Saint Thomas (Cyril E. King)

Memorial-Whitson Fld)

Holston Mountain (Tri-Cities Rgnl TN/VA) ...

Tullahoma Rgnl/Wm Northern Fld.....

VOR TEST FACILITIES (VOT)					
Facility Name		Type VOT			
(Airport Name)	Freq.	Facility			Remarks
Knoxville (McGhee-Tyson)	112.0	G			
Memphis Intl	111.0	G			
Nashville Intl	108.6	G			
Smyrna	110.2	G			
	PUER [*]	TO RICC)		
VC	R RECEIVE	R CHECK	POINTS		
		Туре			
		Check	Azimuth	Dist.	
		Pt.	from	from	
		Gnd.	Fac.	Fac.	
Facility Name (Arpt Name)	Freq/Ident	AB/ALT	Mag	N.M.	Checkpoint Description
Borinquen (Rafael Hernandez)	. 113.5/BQN	G	271	2.2	On apch end of Rwy 08.

VIRGIN ISLANDS VOR RECEIVER CHECKPOINTS Type Check

Freq/Ident

108.6/STT

Pt.

Gnd.

AB/ALT

G

SE, 23 SEP 2010 to 18 NOV 2010

LEFT BLANK

INTENTIONALLY

INTENTIONALLY LEFT BLANK

PARACHUTE JUMPING AREAS

The following tabulation lists all reported parachute jumping sites in the area of coverage of this directory. Unless otherwise indicated, all activities are conducted during daylight hours and under VFR conditions. The busiest periods o activity are normally on weekends and holidays, but jumps can be expected at anytime during the week at the locations listed. Jumps within restricted airspace are not listed.

All times are local and altitudes MSL unless otherwise specified.

 $\label{lem:contact} \text{Contact facility and frequency is listed at the end of the remarks, when available, in bold face type.}$

Refer to Federal Aviation Regulations, Part 105 for required procedures relating to parachute jumping.

Organizations desiring listing of their jumping activities in this publication should contact the nearest FSS, tower or ARTCC.

Qualified parachute jumping sites will be depicted on the appropriate visual chart(s).

Note: (c) in this publication indicates that the parachute jump area is charted. To qualify for charting, a jump area must meet the following criteria:

- (1) Be in operation for at least 1 year.
- (2) Operate year round (at least on weekends).
- (3) Log 4,000 or more jumps each year.

In addition, jump sites can be nominated by FAA Regions if special circumstances require charting.

LOCATION	DISTANCE AND RADIAL FROM	MAXIMUM	DEMARKS
LOCATION	NEAREST VOR/VORTAC	ALTITUDE	REMARKS
Allen Army Heliport	ALABAMA 11 NM; 253° Wiregrass	12,500	1 NM radius, SR-SS weekends
Alleli Allily Helipuit	II NW, 255 WIEglass	12,500	and holidays.
(c) Bayou La Batre, Roy E.Ray Arpt	12 NM; 217° Brookley	12,500	Daily SR-SS
Bessemer, Old Bessemer Arpt	16 NM; 057° Brookwood	10,000	1030-SS weekends
(c) Cullman, Folsom Fld Arpt	36 NM; 001° Vulcan	14,500	3 NM radius. SR-SS Sat-Sun, other times by NOTAM.
(c) Dothan, Hatch Army Heliport	10.3 NM; 290° Wiregrass	12,500 AGL	1 NM SR-SS weekends and holidays.
(c) Elberta, Horak Arpt	11 NM; 268° Saufley	14,000	Daily 0700-1/2 hour after SS.
Ellis Drop Zone	15 NM; 220° Decatur	1,500	0.4 NM radius. Occasional use
Eutaw Muni Arpt	30 NM; 200° Crimson	13,000 AGL	Weekends and holidays
Gadsden, Northeast Alabama Rgnl Arpt	3 NM; 230° Gadsden	14,000	Weekends and holidays 0900-SS.
Harvest, Epps Arpk	9 NM; 297° Rocket	13,500	Daily SR-SS
(c) Hazel Green	7 NM; 355° Rocket	14,000	7 NM radius. Daily SR-SS. Occasional night use.
Headland Muni Arpt	8 NM; 070° Wiregrass	15,000	Weekdays 1200–SS; Sat–Sun, and holidays SR–SS
Jones Drop Zone	6 NM; 276° Rocket	1,500	0.25 NM radius. Occasional use
Kilby Drop Zone	13 NM; 014° Montgomery	1,500	0.2 NM radius. Occasional use
Moundville Arpt	18 NM; 198° Tuscaloosa	12,000 AGL	5 NM radius. 0900–SS on weekends, occasionally weekdays by Notam.
Pinson, Industrial Park	12 NM; 085° Vulcan	10,500	0800–SS Sat–Sun, occasionally weekday and ngt use.
Prattville-Grouby Fld Arpt	17 NM; 300° Montgomery	2,000	10NM radius. For specific times call 334–953–7325.
Redstone Drop Zone	9 NM; 220° Rocket	1,500	0.2 NM radius. Occasional use
Renda Drop Zone	8 NM; 234° Talledega	1,500	0.25 NM radius. Occasional use
Tac Runkle Drop Zone	19 NM; 280° Cairns	3,500 AGL	Occasional use
Tommy Drop Zone	17 NM; 235° Montgomery	1,500	0.2 NM radius. Occasional use
(c) Tuskegee, Moton Fld Muni	2 NM; 198° Tuskegee	12,500	3 NM radius. Occasionally on weekends.
Vincent	37 NM; 130° Vulcan	10,000	5 NM radius. Weekends 0900-SS.
Warrior	11 NM; 350° Vulcan	12,500	Daily SR-SS
Weaver, McMinn Arpt	15 NM; 047° Talladega	12,500	1 NM radius. Daily SR–SS, occasional night use.
(c) Wetumpka Muni	18 NM; 356° Montgomery	10,000	Daily SR-SS
	FLORIDA		
Arcadia Muni	23 NM; 311° Labelle	15,000	5 NM radius. SR–SS daily, occasional ngt use.
Avon Park Executive Arpt	30 NM; 138° Lakeland	4,000	4 NM radius. Daily SR-SS
Brandon, Sod Farm	16 NM; 255° Lakeland	15,000	0830-1830 weekends

4.000

0.25 NM radius. Occasional use

REMARKS

1 NM radius. Daily SR-SS

	PARACHUTE JUMPING	AREAS
LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE

(c) Clewiston, Airglades Arpt 19 NM; 097° LaBelle

15,000 3 NM radius. Daily SR-SS. (c) Deland Muni-Sidney H Taylor Fld 17 NM: 210° Ormond Beach..... 15.000 1 NM radius, SR-SS Sat, Sun, occasionally weekdays. 15.000 AGL 2 NM radius. Sunday 1000-SS 14 000 2 NM radius, Fri-Sun 0830-SS. 15.000 5 NM radius, 24 hrs daily, 15.000 1 NM radius. Daily SR-SS with

13.500

13.500

11.000

20.000

8.000

15 000

7.500

15,000

3.000

3,000

3.000

12,500

13,000

12.500

12.500

3,000

3,000

3,000

12.500

14,000

13,500

13.500

1 500 AGI

15,000

prior notification to JAX APP Key West 1 NM; 095° Key West 7 000 0.2 NM radius. Occasional use. 12.500 1 NM radius. Daily SR-SS. 18.000 7 NM radius, 24 hrs daily, Miami Center 127.2 (c) MacDill AFB 11 NM; 110° St. Petersburg 10.000 0600-1100 Sun. Over Rwv 31 (c) Myakka City 18 NM; 097° Sarasota 12,500 5 NM radius, 24 hrs daily

(c) New Smyrna Beach, Massey Ranch 22 NM; 150° Ormond Beach..... 1 NM radius SR-SS weekends. Airpark 15,000 occasionally weekdays. 36 NM; 079° Gators (c) Palatka Muni-Lt. Kay Larkin Fld 12 500 3 NM radius. Daily, SR-SS (c) Pahokee, Palm Beach Co Glades 17,500 3 NM radius, 0800-1800 daily. at Pahokee..... Arpt..... (c) Quincy Muni Arpt 10 NM: 288° Seminole 15.000 Daily SR-SS 35 NM; 159° Craig 12.500 Sat-Sun occasionally weekdays 8 NM; 001° Vero Beach 14,000

St. Augustine (c) Sebastian Muni..... (c) Shell Creek Airpark 27.5 NM; 347° Lee County...... 13.000 (c) Skydive Live Arpt 24 NM: 075° Crestview..... 13.000 (c) Sugar Loaf Shores Arpt 13 NM; 071° Key West 14.000

22 NM; 123° St. Petersburg Sun City 12.500 (c) Titusville, Arthur Dunn Air Park 33 NM: 341° Melbourne 13.500 13.000 AGL

GEORGIA

9 NM: 188° Rome

33.6 NM: 276° Savannah

(c) Cedartown, Polk Co Arpt-Cornelius Moore Fld Claxton-Evans Co Arpt (c) Dahlonega, Lumpkin County Arpt, Wimpy Drop Zone..... 23 NM; 193° Harris.....

Dahlonega Highway 76 Drop Zone...... 11 NM; 231° Harris..... 24.5 NM; 116° Columbus

17.5 NM; 131° Columbus 16 NM: 171° Columbus

Fort Benning, Box Spring Drop Zone

Fort Benning, Eelbeck Drop Zone

(c) Fort Benning, EuBanks Drop Zone ... (c) Fort Benning, Fryar Field Drop Zone (c) Fort Benning, Gardner Drop Zone.... Fort Benning, Lawson AAF (Fort Benning).....

Fort Benning, Ledo Drop Zone

Fort Benning, McKenna Drop Zone

(c) Fort Benning, York Drop Zone......

Locust Grove, Mallards

Fort Benning, Lae Drop Zone

Fort Valley, Miami Valley Farms Arpt 12 NM; 220° Macon

(c) Monroe-Walton Co Arpt...... 22 NM; 242° Athens

Plantation Airpark, Moore Drop Zone 36 NM; 332° Savannah

(c) Rome, Richard B. Russell Arpt 11.3 NM; 349° Rome

22.5 NM: 168°Columbus

14 NM; 090° Lawson.....

17 NM: 171° Columbus 1.8 NM; 046° Lawson..... 21 NM; 166° Columbus

SE, 23 SEP 2010 to 18 NOV 2010

10 NM; 080° Columbus

16 NM: 172° Columbus

1 NM radius. SR-1 hr after SS daily, irregular intervals. Mass military jumps from multiple 3 NM radius, SR-SS daily, occasionally nights. 0900-SS Sat and Sun

1 NM radius. SR to 1 hr after SS daily irregular intervals. Mass military jumps from multiple acft.

acft.

Occasional use.

Occasional use.

Occasional use.

Daily 0500-1900

Daily 0500-1900

Occasional use

Occasional use

Occasional use

Daily 0500-1900

0.5 NM radius, Continuous.

1 NM radius. Daily SR-SS

1 NM radius, Daily 0900-SS

Sat, Sun and holidays SR-SS. Occasional ngt jumps

1 NM radius. Occasional use. Mass Military jumps from multiple acft.

5 NM radius. Daily 0800-2100.

5 NM radius. SR-SS Weekends.

Tallahassee Rgnl Tower 135.8 2.5 NM radius. SR-SS Fri, Sat and Sun. Jacksonville Center 118.6 E of Rwy 18-36. Daily SR-2300

1 NM radius, SR-SS daily, 2 NM radius, SR-SS, Occasional night use. 3 NM radius, SR-SS weekends occasionally weekdays.

2 NM radius. Daily SR-SS. 1 NM radius. SR-SS weekends, holidays 3 NM radius, SR-SS Sat-Sun. holidays and other times by NOTAM 2 NM radius. SR-SS.

LOCATION	DISTANCE AND RADIAL FROM NEAREST VOR/VORTAC	MAXIMUM ALTITUDE	REMARKS
St Marys Arpt	19 NM; 203° Brunswick	12.000	2 NM radius. Daily 0700-1859.
Thomaston-Upson Co	35 NM; 296° Macon	14,500	NM radius. Sat–Sun occasionally weekdays.
Tifton, Henry Tift Myers, Arpt	1 NM; 090° Tift Myers	15,000	5 NM radius. Daily 0700-1800.
Waycross-Ware Co Arpt	8 NM; 100° Waycross	12,500	1 NM radius. Daily 1000-1600
Wilscott Drop Zone	14 NM; 245° Harris	8,000	1 NM radius. SR to 1 hr after SS daily, irregular intervals. Mass military jumps from multiple acft.
	KENTUCKY		
Elizabethtown, Addington Fld	•	11,000	3 NM radius, SR-SS Weekends and noon-SS weekdays.
Elkton, Standard Fld		12,000	5 NM radius. Continuous.
(c) Flemingsburg, Fleming Mason Arpt .	27 NM; 103° Falmouth	12,500	1 NM radius. SR-SS Sat-Sun and holidays.
Ft. Campbell, Bastogne Drop Zone		3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Ft. Campbell, Corregidor Drop Zone	11 NM; 270° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Ft. Campbell, Los Banos Drop Zone	10 NM; 270° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Ft. Campbell, Suckchon Drop Zone	10 NM; 270° Clarksville	3,000	0600–2330 Mon–Fri and occasional weekends. Military use.
Glasgow Muni Arpt	24 NM; 073° Bowling Green	8,000	5 mi radius. SR-SS weekends and holidays
(c) Greenville, Muhlenberg Co Arpt	10 NM; 149° Central City	13,500	5 mi. radius. Daily SR-SS.
	7 NM; 149° Central City	2,000	NM radius. Intermittent. Military use.
(c) Hopkinsville–Christian Co	14 NM; 352° Clarksville	14,500	3 NM radius, 0900–1600 Tue–Fri; occasional weekends.
Owensboro, Windy Hollow Drag Strip	6 NM; 205° Owensboro	8,000	2 NM radius. 0800-SS Sun, holidays occasionally other times
	NORTH CAROLINA	-	
Erwin Arpt		4,500	1 NM radius. Sat & Sun afternoons
(c) Fayetteville, Southern Comforts Arpt	9 NM; 220 Fayetteville	14,000	3 NM radius. Fri–Mon and holidays SR–SS.
Greensboro, Southeast Greensboro Arpt	18 NM; 115° Greensboro	12,000	1 NM radius. 0800-2000 Sat and

Sun.

Daily SR-SS.

Continuous

0600-1900 Daily.

on request.

Continuous.

Daily SR-SS.

0800-1700 Mon-Fri.

3 NM radius. 0800-1600 Fri-Sun.

30 min before SR-30 min after SS daily. Occasional ngt.

1 NM radius. 0900-SS Weekends; occasionally other times.

Sat. Sun and holidays. Weekdays

Sat, Sun and holidays 0900-SS.

3 NM radius. 0800-2100 daily.

3 NM radius. Sat-Sun SR-SS.

2 NM radius. SR-SS daily, occasional night use.

1.0 NM radius. Sat, Sun and holidays SR-SS.

1 NM radius. Daily 0800-SS.

1 NM radius. Weekends, occasional weekdays.

Weekends and holidays.

3 NM radius. SR-SS daily, occasional night.

11,000

15,500

15.000

15,500

17,500

17,500

13.500

12,000

12.500

12,500 AGL

12,500

12,000

14,000

15,000 AGL

14,999 AGL

10,000

13.500 AGL

12,000

10,000

SOUTH CAROLINA

SE, 23 SEP 2010 to 18 NOV 2010

6reensboro, Southeast Greensboro Arpt. 18 NM; 115° Greensboro 8 NM; 339° Liberty 22 NM; 040° Kinston (c) Jonesville, Swan Creek Arpt. 27 NM; Barretts Mountain

(c) Louisburg, North Raleigh 22 NM; 060° Raleigh-Durham......

 Southport, Brunswick Co.
 27.2 NM; 209° Wilmington

 Thomasville, Fairgrove Arpt.
 13 NM; 201° Greensboro.

 (c) Wallace, Henderson Fld.
 23 NM; 351° Wilmington

 Washington, Warrenn Fld
 27.6 NM; 069° Kinston.

(c) Chester Catawa Rgnl Arpt 16.5 NM; 223° Fort Mill

 Clemson – Oconee Co. Arpt.
 14 NM; 343° Electric City

 Columbia, Fort Jackson
 10 NM; 020° Columbia

D RADIAL FROM YOR/VORTAC rand Strand	12,000 2,000 17,900 12,500 12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends O700-SS.
rand Strand plumbia prence Charleston TENNESSEE Volunteer noo Choo hitch Mountain and Choo larksville Jacks Creek	12,000 2,000 17,900 12,500 12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	occasional weekdays SR-SS. Weekends, holidays 0800-SS. ½ NM radius. Mon-Fri 0800-2200. Military personnel and heavy equipment. SR-1 hr after SS. Daily SR-SS. Weekends. 2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Daily SR-SS. 3 NM radius. Daily SR-SS.
ance	2,000 17,900 12,500 12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	Weekends, holidays Ó800-SS. ½ NM radius. Mon-Fri 0800-2200. Military personnel and heavy equipment. SR-1 hr after SS. Daily SR-SS. Weekends. 2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS. 2 NM radius. Weekends 0700-SS.
ance	2,000 17,900 12,500 12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	1/2 NM radius. Mon-Fri 0800-2200. Military personnel and heavy equipment. SR-1 hr after SS. Daily SR-SS. Weekends. 2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends SR-SS.
TENNESSEE Volunteer Hitch Mountain noo Choo larksville Jacks Creek Junteer	12,500 12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500	SR-1 hr after SS. Daily SR-SS. Weekends. 2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
TENNESSEE Volunteer 100 Choo 100 Choo 100 Choo 1arksville 1arksville 1acks Creek 1blunteer	12,500 AGL 13,500 10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	Weekends. 2 NM radius. 0800-one hr byd SS. Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
Volunteer Noo Choo Hitch Mountain Noo Choo larksville vingston Jacks Creek Jounteer	10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
Hitch Mountain noo Choolarksville Jacks Creek	10,000 14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	Continuous. 4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
Hitch Mountain noo ChoolarksvillevingstonJacks Creek	14,000 AGL 14,500 9,000 12,500 12,500 13,500 13,500	4 NM radius. Daily SR-SS, occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
Hitch Mountain noo Choo larksville vingston Jacks Creek	14,500 9,000 12,500 12,500 13,500 13,500	occasional ngts. 1 NM radius. Daily SR-1 hr after SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
noo ChoolarksvillevingstonJacks Creek	9,000 12,500 12,500 13,500 13,500	SS, occasional nights. 5 NM radius. SR-SS Daily. Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
larksville vingston Jacks Creek blunteer	12,500 12,500 13,500 13,500	Daily. Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
vingston Jacks Creek Dlunteer	12,500 13,500 13,500	Weekends. 5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
Jacks Creek Junteer	13,500 13,500	5 NM radius. Daily SR-SS. 3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
lunteer	13,500	3 NM radius. Weekends SR-SS. 2 NM radius. Weekends 0700-SS.
		2 NM radius. Weekends 0700-SS.
cKellar	14,000 AGL	
		Occasional ngt jumps.
Shelbyville	15,000	5 NM radius. SR-SS primarily weekends with occasional nights.
ashville	11,500	2 NM radius. Weekends SR-SS.
PUERTO RICO	0	
orinquen	12,500	0600–1800 weekends & holidays.
San Juan		2.5 NM radius. Weekends SR-SS, occasionally holiday SR-SS.
VIRGIN ISLAND		
	2,000	0700–1400 Mon–Fri. 5 NM radius from 17°49'N 064°52'W.
t. Thomas	15.000	from 17°49'N 064°52'W.
St. Thomas		
	VIRGIN ISLAN	VIRGIN ISLANDS 2,000 t. Thomas 15,000

SE. 23 SEP 2010 to 18 NOV 2010

LEFT BLANK

INTENTIONALLY

INTENTIONALLY LEFT BLANK

AERONAUTICAL CHART BULLETIN

The purpose of this bulletin is to provide major changes in aeronautical information that have occurred since the last publication date of each Sectional Aeronautical, VFR Terminal Area, and Helicopter Route Charts listed. The general policy is to include only those changes to controlled airspace and special use airspace that present a hazardous condition or impose a restriction on the pilot, and major changes to airports and radio navigational facilities, thereby providing the VFR pilot with the essential data necessary to update and maintain chart currency. The data is grouped by type and then by effective date. When a new edition of the Aeronautical Chart is published, the corrective tabulation will be removed from this bulletin. Inasmuch as this Bulletin provides major changes only, pilots should consult the airport listing in this directory for all new information. Users of U.S. World Aeronautical Charts (WAC) and U.S. Gulf Coast VFR Aeronautical Charts should consult the appropriate Sectional and VFR Terminal Area Charts for revisions.

Military Training Routes (MTRs) are shown on Sectional Aeronautical Charts, VFR Terminal Area, and Helicopter Route Charts. Only the route centerline, direction of flight and the route designator are shown — route widths and altitudes are not shown. Since these routes are subject to change every 56 days and the charts are reissued generally every 6 months, routes with a change in the alignment of the charted route centerline will be listed in this Aeronautical Chart Bulletin below. You are advised to contact the nearest FSS for route dimensions and current status for those routes affecting your flight.

ATLANTA SECTIONAL 85th Edition, 26 Aug 2010

OBSTRUCTIONS

23 Sep 2010 Add obst 841'MSL (260'AGL)UC, 32°40'34"N, 85°55'14"W. Add obst 429'MSL (255'AGL), 32°16'09"N, 87°41'39"W.

AIRPORTS

23 Sep 2010 No Major Changes.

NAVAIDS

23 Sep 2010 No Major Changes.

AIRSPACE

23 Sep 2010 Revise CLEMSON, SC Class E: That airspace extending upward from 700 feet above the surface within a 7-mile radius of Clemson-Oconee County Airport.

Revise PICKENS, SC Class E: That airspace extending upward from 700 feet above the surface within a 6.5-mile radius of the Pickens County Airport and within 3.6 miles each side of the 044° bearing from the airport, extending from the 6.5-mile radius to 11 miles northeast of the airport.

SPECIAL USE AIRSPACE

23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES

23 Sep 2010 No Major Changes.

MISCELLANEOUS

23 Sep 2010 No Major Changes.

ATLANTA TERMINAL AREA CHART 82nd Edition, 26 Aug 2010

OBSTRUCTIONS

23 Sep 2010 No Major Changes.

AIRPORTS

23 Sep 2010 No Major Changes.

NAVAIDS

23 Sep 2010 No Major Changes.

AIRSPACE

23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE

23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES

23 Sep 2010 No Major Changes.

MISCELLANEOUS

23 Sep 2010 No Major Changes.

88th Edition. 29 Jul 2010

CHARLOTTE SECTIONAL

23 Sep 2010 Add obst 2013'MSL (300'AGL)UC, 35°54'29"N, 81°16'14"W. Add obst 334'MSL (310'AGL)UC, 33°30'50"N, 79°22'40"W. Add obst 399'MSL (285'AGL)UC, 33°49'32"N, 80°44'48"W.

OBSTRUCTIONS
29 Jul 2010 No Major Changes.

AIRSPACE

MISCELLANEOUS

OBSTRUCTIONS

AIRPORTS

AIRSPACE

SPECIAL USE AIRSPACE

MISCELLANEOUS

MILITARY TRAINING ROUTES

Add obst 647'MSL (400'AGL), 36°12'41"N, 78°04'09"W. Add obst 433'MSL (310'AGL), 33°45'34"N, 80°17'09"W. Add obst 377'MSL (310'AGL), 33°40'23"N, 79°43'57"W. Add obst 434'MSL (310'AGL), 33°50'08"N, 80°11'20"W. Add obst 226'MSL (220'AGL), 36°13'42"N, 76°08'05"W.

AIRPORTS 29 Jul 2010 - 23 Sep 2010 No Major Changes. **NAVAIDS**

29 Jul 2010 No Major Changes. 23 Sep 2010 Delete ORANGEBURG NDB, 33°25'05"N, 80°54'21"W.

29 Jul 2010 No Major Changes. 23 Sep 2010 Revise SMITHFIELD, NC Class E: That airspace extending upward from 700 feet above the surface within a 6.5 mile radius of the Johnston County Airport and within 2 miles each side of the 023°

bearing from the airport extending from the 6.5 mile radius to 10.2 miles northeast of the Johnston County Airport. SPECIAL USE AIRSPACE

29 Jul 2010 - 23 Sep 2010 No Major Changes. MILITARY TRAINING ROUTES

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes. 29 Jul 2010 - 23 Sep 2010 No Major Changes.

43rd Edition. 29 Jul 2010

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

CHARLOTTE TERMINAL AREA CHART

SE. 23 SEP 2010 to 18 NOV 2010

CINCINNATI SECTIONAL 84th Edition, 1 Jul 2010

29 Jul 2010 Add obst 2206'MSL (310'AGL), 37°16'09"N, 82°55'58"W. Add obst 2556'MSL (304'AGL)UC, 38°57'53"N, 80°01'49"W. Add obst 1190'MSL (317'AGL)UC, 39°06'36"N, 82°41'29"W.

Change obst from 2110'MSL (260'AGL) to 2210'MSL (260'AGL), 36°23'13"N, 84°20'11"W.

23 Sep 2010 Add obst 1088'MSL (299'AGL), 38°48'58"N, 84°46'53"W. Add obst 1804'MSL (355'AGL), 37°27'37"N, 79°59'39"W. Add obst 1393'MSL (285'AGL), 36°35'10"N, 80°08'07"W.

Add obst 927'MSL (257'AGL)UC, 36°24'41"N, 79°02'46"W.

Add obst 636'MSL (310'AGL). 36°24'11"N. 77°55'45"W.

Add obst 2052'MSL (315'AGL), 36°49'13"N, 83°19'44"W. Add obst 647'MSL (400'AGL), 36°12'41"N, 78°04'09"W.

496

OBSTRUCTIONS

AIRSPACE

OBSTRUCTIONS

AIRPORTS

NAVAIDS

AIRSPACE

SPECIAL USE AIRSPACE

MILITARY TRAINING ROUTES

Add obst 1158'MSL (308'AGL)UC, 38°33'10"N, 82°23'38"W. Add obst 1342'MSL (355'AGL)UC, 39°20'19"N, 78°45'27"W. Add obst 1509'MSL (255'AGL)UC, 39°42'41"N, 80°07'17"W.

AIRPORTS

29 Jul 2010 No Major Changes.

23 Sep 2010 Delete abandoned arpt symbol, 39°09'00"N, 80°12'00"W.

Delete abandoned arpt symbol, 37°06′00″N, 81°50′00″W.

Delete Kite arpt, 36°31′00″N, 82°44′00″W. Change RP 31 to RP * at GRANT CO arpt, 38°59′00″N,

79°08'00"W.

Delete RP 18 at GREATER PORTSMOUTH RGNL arpt, 38°50′25″N, 82°50′50″W.

NAVAIDS

29 Jul 2010 No Major Changes. 23 Sep 2010 Shutdown AZALEA PARK NDB, 38°00'36"N, 78°31'05"W.

Delete COGAN NDB, 39°05′11″N, 78°04′06″W.

29 Jul 2010 No Major Changes.

23 Sep 2010 Revise Mount Airy, NC Class E: That airspace extending upward from 700 feet above the surface within a 9-mile radius of the Mount Airy-Surry County Airport and within 3.9 miles each side of the 353° bearing from the airport extending from the 9-mile radius to 15.3 miles north of the Mount Airy-Surry

County Airport. SPECIAL USE AIRSPACE 29 Jul 2010 - 23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES 29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

CINCINNATI TERMINAL AREA CHART

23rd Edition. 1 Jul 2010

29 Jul 2010 No Major Changes.

23 Sep 2010 Add obst 1088'MSL (299'AGL), 38°48'58"N, 84°46'53"W.

29 Jul 2010 – 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes. 29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

29 Jul 2010 - 23 Sep 2010 No Major Changes.

SE, 23 SEP 2010 to 18 NOV 2010

IFR GULF OF MEXICO CENTRAL 1st Edition, 17 Dec 2009

17 Dec 2009 - 23 Sep 2010 No Major Changes.

17 Dec 2009 - 23 Sep 2010 No Major Changes.

AIRSPACE

17 Dec 2009 - 23 Sep 2010 No Major Changes.

17 Dec 2009 - 23 Sep 2010 No Major Changes. SPECIAL USE AIRSPACE

17 Dec 2009 - 3 Jun 2010 No Major Changes.

29 Jul 2010 Delete W-453. Add W-148A Beginning at N29 36' 11"- W088 01' 30" to N28 51' 21"- W088 01' 30" to N29 00' 57"-

W88 36'10" to N29 08' 46" - W088 45' 36" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to

N29 24' 25.0' - W088 54' 05.0' THEN 12NM FROM AND PARALLEL TO THE CHANDELEUR ISLANDS to

N29 41' 20"-W088 38'33" TO THE POINT OF BEGINNING. Altitude: Surface to but not including 6000MSL;

Time of Use: INTERMITTENT, DAYS, Other Times by NOTAM; Weather: VFR-IFR, Controlling Agency: ZHU

Other Times by NOTAM; Weather: VFR-IFR; Controlling Agency: ZMA CNTR/FSS.

N29 41' 20"-W088 38'33" TO THE POINT OF BEGINNING. Altitude: 6000MSL to FL600; Time of Use: INTERMITTENT, DAYS, Other Times by NOTAM; Weather: VFR-IFR; Controlling Agency: ZHU CNTR/FSS. Add W453A Beginning at N30 09'16" - W88 01' 30" to N29 36' 11"-W088 01' 30.0" to N29 42' 51" -W088 49' 30'W Then 3 NM FROM AND PARALLEL TO THE CHANDELEUR ISLANDS to N30 06' 01" - W088 51' 00" to N30 11' 01.0' W088 41' 40.0' THEN 3 NM FROM AND PARALLEL TO THE SHORELINE TO THE POINT OF BEGINNING, Altitude: Surface to but not including 6000 MSL; Time of Use: Intermittent, DAYS,

Add W-453B Beginning at N30 09'16" - W88 01' 30" to N29 36' 11". W088 01' 30.0" to N29 42' 51" - W088 49' 30'W Then 3 NM FROM AND PARALLEL TO THE CHANDELEUR ISLANDS to N30 06' 01" - W088 51' 00" to N30 06' 01" to N30 11' 01.0' W088 41' 40.0' THEN 3 NM FROM AND PARALLEL TO THE SHORELINE TO THE POINT OF BEGINNING, Altitude: 6000 MSL to FL600; Time of Use: Intermittent, DAYS, Other Times by NOTAM; Weather: VFR-IFR, Controlling Agency: ZMA CNTR/FSS.

Add Snake MOA Beginning at N29 42' 51.0"-W088 49' 30" to N29 41' 20.0 - W088 38'33" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to N29 24' 25"-W088 54'05.0" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to N 29 08' 46" - W088 45' 36".0 to N29 34' 32" - W089 21' 26" to N29 50' 00" W089 15' 00" to N29 56' 15" - W089 09' 00" to N30 06' 00" - W088 51' 00" then 3NM OFFSHORE OF THE CHANDELEUR ISLANDS TO THE POINT OF BEGINNING. Altitude: 6000 MSL to but not including FL180, Time of Use: INTERMITTENT, DAYS, Other Times by NOTAM, Controlling Agency: ZHU

Add Śnake Low MOA Beginning at N29 42' 51.0"-W088 49' 30" to N29 41' 20.0 - W088 38'33" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to N29 24' 25"-W088 54'05.0" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to N 29 08' 46" - W088 45 36.0 to N29 34' 32" - W089 21' 26" to N29 50' 00" W089 15' 00" to N29 56' 15" - W089 09' 00" to N30 06' 00" - W088 51' 00" then 3NM OFFSHORE OF THE CHANDELEUR ISLANDS TO THE POINT OF BEGINNING. Altitude: 3000MSL to but not including 6000MSL Time of Use: INTERMITTENT, DAYS, Other Times by NOTAM, Controlling Agency: ZHU

8 Apr 2010 – 3 Jun 2010 No Major Changes. **29 Jul 2010** 29 JUL 2010 Delete HOUSTON VERMILLION 120.35 RCAG Site N28 34' 00"- W92 27' 00".

SE. 23 SEP 2010 to 18 NOV 2010

CNTR/FSS. Add W-148B Beginning at N29 36' 11"- W088 01' 30" to N28 51' 21"- W088 01' 30" to N29 00' 57"-

OBSTRUCTIONS

W88 36'10" to N29 08' 46" - W088 45' 36" THEN 12NM FROM AND PARALLEL TO THE SHORELINE to

N29 24' 25.0' - W088 54' 05.0' THEN 12NM FROM AND PARALLEL TO THE CHANDELEUR ISLANDS to

CNTR/FSS.

CNTR/FSS

MISCELLANEOUS

23 Sep 2010 No Major Changes. MILITARY TRAINING ROUTES

17 Dec 2009 No Major Changes.

23 Sep 2010 No Major Changes.

17 Dec 2009 - 23 Sep 2010 No Major Changes.

11 Feb 2010 Delete BUEKR Waypoint N 29°45' W 91°50'.

IFR GULF OF MEXICO WEST 1st Edition, 17 Dec 2009

OBSTRUCTIONS 17 Dec 2009 - 23 Sep 2010 No Major Changes.

AIRPORTS 17 Dec 2009 - 3 Jun 2010 No Major Changes.

29 Jul 2010 Change Brenham Muni (11R) to N30 13'10.8" - W096 22'27.85".

23 Sep 2010 No Major Changes.

NAVAIDS

17 Dec 2009 - 11 Feb 2010 No Major Changes. 8 Apr 2010 Delete BRENHAM (BNH) NDB 30°13'20.6"N, 96°22'24.6"W.

3 Jun 2010 - 23 Sep 2010 No Major Changes.

17 Dec 2009 - 23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE

17 Dec 2009 - 23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES

17 Dec 2009 - 23 Sep 2010 No Major Changes.

MISCELLANEOUS 17 Dec 2009 - 11 Feb 2010 No Major Changes.

8 Apr 2010 Change Name SAITA to SARITA at HOUSTON RCAG 27°13'16"N, 97°47'56"W.

3 Jun 2010 No Major Changes. 29 Jul 2010 Delete HOUSTON VERMILLION 120.35 RCAG Site N28 34'00" - W92 27'00".

23 Sep 2010 Add South Padre Island AWOS-3 118.375 N26 04'15.96" - W097 27'84".

JACKSONVILLE SECTIONAL

86th Edition. 26 Aug 2010

AIRPORTS

23 Sep 2010 No Major Changes.

23 Sep 2010 Delete FOLEY NDB, 29°59'46"N, 83°35'11"W.

AIRSPACE

23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.

23 Sep 2010 No Major Changes.

OBSTRUCTIONS

MILITARY TRAINING ROUTES

23 Sep 2010 VR 1003 Revised, VR 1066 Revised

MISCELLANEOUS

23 Sep 2010 No Major Changes.

	AERONAUTICAL CHART BULLETIN	499
	MEMPHIS SECTIONAL 85th Edition, 23 Sep 2010	
OBSTRUCTIONS 23 Sep 2010 No Major Changes.		
AIRPORTS 23 Sep 2010 No Major Changes.		
NAVAIDS 23 Sep 2010 No Major Changes.		
AIRSPACE 23 Sep 2010 No Major Changes.		
SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.		
MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes.		
MISCELLANEOUS 23 Sep 2010 No Major Changes.		
	MEMPHIS TERMINAL AREA CHART 43rd Edition, 23 Sep 2010	
OBSTRUCTIONS 23 Sep 2010 No Major Changes.		
AIRPORTS 23 Sep 2010 No Major Changes.		
NAVAIDS 23 Sep 2010 No Major Changes.		
AIRSPACE 23 Sep 2010 No Major Changes.		
SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.		
MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes.		
MISCELLANEOUS 23 Sep 2010 No Major Changes.		

500	AERONAUTICAL CHART BULLETIN
	MIAMI SECTIONAL 87th Edition, 26 Aug 2010
OBSTRUCTIONS 23 Sep 2010 No Major Changes.	
AIRPORTS 23 Sep 2010 No Major Changes.	
NAVAIDS 23 Sep 2010 No Major Changes.	
AIRSPACE 23 Sep 2010 No Major Changes.	
SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.	
MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes.	
MISCELLANEOUS 23 Sep 2010 No Major Changes.	
	MIAMI TERMINAL AREA CHART 76th Edition, 26 Aug 2010
OBSTRUCTIONS 23 Sep 2010 No Major Changes.	
AIRPORTS 23 Sep 2010 No Major Changes.	
NAVAIDS 23 Sep 2010 No Major Changes.	
AIRSPACE 23 Sep 2010 No Major Changes.	
SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.	
MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes.	
MISCELLANEOUS 23 Sep 2010 No Major Changes.	

NEW ORLEANS SECTIONAL 86th Edition, 3 Jun 2010

OBSTRUCTIONS 3 Jun 2010 No Major Changes.

3 Jun 2010 No Major Changes.
29 Jul 2010 Add obst 429' MSL (310' AGL), 31°34'24"N, 87°57'06"W.
Add obst 670' MSL (310' AGL), 32°02'25"N, 85°24'42"W.
Add obst 328' MSL (210' AGL), 31°26'25"N, 88°09'19"W.
Add obst 393' MSL (259' AGL), 31°02'34"N, 84°48'11"W.

Add obst 627' MSL (349' AGL), 32°11'34"N, 87°38'49"W.

23 Sep 2010 Add obst 603'MSL (260'AGL), 32°06'42"N, 87°46'49"W.

Add obst 459'MSL (257'AGL)UC, 31°46'12"N, 88°12'19"W. Add obst 429'MSL (310'AGL)UC, 32°13'17"N, 88°08'52"W. Add obst 281'MSL (258'AGL), 30°19'23"N, 85°35'43"W.

23 Sep 2010 BRUNDIDGE arpt abandoned, 31°43'58"N, 85°48'15"W.

Add obst 328'MSL (290'AGL)UC, 30°37'43"N, 88°26'25"W. Add obst 640'MSL (257'AGL), 31°44'38"N, 86°25'20"W.

Add obst 436'MSL (315'AGL), 31°03'21"N, 89°44'52"W. Add obst 753'MSL (310'AGL), 31°58'34"N, 90°15'53"W. 3 Jun 2010 29 Jul 2010 No Major Changes.

3 Jun 2010 - 23 Sep 2010 No Major Changes.

AIRSPACE 3 Jun 2010 - 23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE

3 Jun 2010 No Major Changes.

29 Jul 2010 Add Gulfport, MS MOA-SNAKE beginning at 29°42′51″N, 88°49′30″W to 29°41′20″N,

88°38'33"W then 12 NM from and parallel to the shoreline to 29°24'25"N, 88°54'05"W then 12 NM from

and parallel to the shoreline to 29°08'46"N, 88°45'36"W to 29°34'32"N, 89°21'26"W to 29°50'00"N, 89°15'00"W to 29°56'15"N, 89°09'00"W to 30°06'00"N, 88°51'00"W then 3 NM offshore of the Chandeleur Islands to the point of beginning. Altitude: 6000 MSL to but not including FL 180, Time of use

intermittent: sunrise to sunset; other times by NOTAM. Controlling agency HOUSTON ARTCC

to the shoreline to $29^{\circ}08'46''N$, $88^{\circ}45'36''W$ to $29^{\circ}34'32''N$, $89^{\circ}21'26''W$ to $29^{\circ}50'00''N$, $89^{\circ}15'00''W$ to $29^{\circ}56'15''N$, $89^{\circ}09'00''W$ to $30^{\circ}06'''N$, $88^{\circ}51'00''W$ then 3 NM offshore of the Chandeleur Islands to the point of beginning. Altitude: 3000 MSL to but not including 6000 MSL Time of use: intermittent, sunrise

Add Gulfport, MS MOA-SNAKE LOW beginning at 29°42′51″N, 88°49 30″W to 29°41′20″N, 88°38′33″W then 12 NM from and parallel to the shoreline to 29°24′25″N, 88°54′05″W then 12 NM from and parallel

29°00'57"N, 88°36'10"W to 29°08'46"N, 88°45'36"W then 12 NM from and parallel to the shoreline to 29°24′25"N, 88°54′05"W then 12 NM from and parallel to the Chandeleur Islands to 29°41′20"N, 88°38′33″W to the point of beginning. Altitude: 6000 MSL to FL 600 time of use intermittent, sunrise to sunset; other times by NOTAM. Controlling agency HOUSTON ARTCC. Delete Gulfport, MS W-453.

beginning. Altitude: surface to but not including 6000 MSL time of use intermittent, sunrise to sunset; other times by NOTAM. Controlling agency HOUSTON ARTCC Add Gulfport, MS. W-453B beginning at 30°09′16″N, 88°01′30″W to 29°36′11″N, 88°01-30″W to 29°42′51"N, 88°49′30"W then 3 NM from and parallel to Chandeleur Islands to 30°06′01"N, 88°51′00"W to 30°11′01″N, 88°41′40″W then 3 NM from and parallel to the shoreline to the point of beginning. Altitude: 6000 MSL to FL 600 time of use intermittent, sunrise to sunset; other times by NOTAM.

MILITARY TRAINING ROUTES

MISCELLANEOUS

Controlling agency HOUSTON ARTCC. 23 Sep 2010 No Major Changes.

Add Gulfport, MS W-453A beginning at 30°09'16"N, 88°01'30"W to 29°36'11"N, 88°01'30"W to 29°42′51"N, 88°49′30"W then 3 nm from and parallel to the Chandeleur Islands to 30°06′01"N, 88°51'00"W to 30°11'01"N, 88°41'40"W then 3 NM from and parallel to the shoreline to point of

3 Jun 2010 - 23 Sep 2010 No Major Changes. 3 Jun 2010 - 23 Sep 2010 No Major Changes.

to sunset; other times by NOTAM. Controlling agency HOUSTON ARTCC. Add Gulfport, MS W-148A beginning at 29°36′11″N, 88°01′30″W to 28°51′21″N, 88°01′30″W to

29°00'57"N, 88°36'10"W to 29°08'46"N, 88°45'36"W then 12 NM from and parallel to the shoreline. to 29°24′25″N, 88°54′05″W then 12 NM from and parallel to the Chandeleur Islands to 29°41′20″N, 88°38′33″W to the point of beginning. Altitude: surface to but not including 6000 MSL Time of use: intermittent, sunrise to sunset; other times by NOTAM. Controlling agency HOUSTON ARTCC. Add Gulfport, MS W-148B beginning at 29°36′11″N, 88°01′30″W to 28°51′21″N, 88°01′30″W to

SE. 23 SEP 2010 to 18 NOV 2010

41st Edition. 26 Aug 2010

23 Sep 2010 No Major Changes.

AIRPORTS 23 Sep 2010 No Major Changes.

23 Sep 2010 No Major Changes. AIRSPACE

23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes. MISCELLANEOUS

23 Sep 2010 No Major Changes.

502

OBSTRUCTIONS

OBSTRUCTIONS

PUFRTO RICO-VIRGIN ISLAND TERMINAL AREA CHART 36th Edition, 22 Oct 2009

22 Oct 2009 – 17 Dec 2009 No Major Changes. 11 Feb 2010 Add obst 818 MSL (260 AGL)UC, 18°02 29"N, 66°50'24"W.

8 Apr 2010 - 23 Sep 2010 No Major Changes.

AIRPORTS

22 Oct 2009 - 23 Sep 2010 No Major Changes.

22 Oct 2009 - 23 Sep 2010 No Major Changes.

AIRSPACE 22 Oct 2009 - 23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE 22 Oct 2009 - 23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES 22 Oct 2009 - 23 Sep 2010 No Major Changes.

MISCELLANEOUS 22 Oct 2009 - 23 Sep 2010 No Major Changes.

ST. LOUIS SECTIONAL 82nd Edition, 1 Jul 2010

OBSTRUCTIONS 29 Jul 2010 Add obst 1022'MSL (308'AGL)UC, 39°38'13"N, 87°04'56"W.

Add obst 883'MSL (383'AGL)UC, 37°21'47"N, 87°30'56"W.

Add obst 1386'MSL (255'AGL)UC, 37°10'17"N, 84°34'39"W. Add obst 990'MSL (258'AGL)UC, 39°53'39"N, 88°43'31"W. Add obst 848'MSL (260'AGL)UC, 38°50'53"N, 90°47'56"W.

23 Sep 2010 Add obst 1088'MSL (299'AGL), 38°48'58"N, 84°46'53"W.

Add obst 941'MSL (278'AGL)UC, 39°23'29"N, 89°51'46"W.

Add obst 876'MSL (258'AGL)UC, 39°32'44"N, 89°09'24"W.

Add obst 1109'MSL (310'AGL)UC, 38°50'24"N, 85°29'50"W. Add obst 835'MSL (290'AGL)UC, 36°34'39"N, 87°08'32"W.

Add obst 2115'MSL (265'AGL)UC, 36°08'04"N, 85°04'08"W. Add obst 972'MSL (255'AGL), 37°42'39"N, 86°31'35"W.

Add obst 1049'MSL (255'AGL), 37°06'16"N, 85°26'55"W.

AIRPORTS

29 Jul 2010 Change CTAF 122.9 to 122.8 at CYNTHIANA-HARRISON CO arpt 38°21'58"N, 84°17'00"W.

23 Sep 2010 Delete CAREFERRE ACRES arpt, 39°10′59"N, 87°07′34"W. Delete ARRAS RLA arpt, 39°20'17"N, 90°10'41"W.

Change CTAF 122.8 to 123.05 at ALEXANDRIA arpt. 40°13'57"N. 85°38'15"W. Change CTAF 122.8 to 122.9 at CYNTHIANA-HARRISON CO arpt, 38°21'58"N, 84°17'00"W.

NAVAIDS

29 Jul 2010 Delete DYERSBURG NDB, 35°59'42"N, 89°24'20"W. **23 Sep 2010** Delete NORTH VERNON NDB, 39°02'59"N, 85°36'03"W.

Delete GENEVA NDB. 37°48'11"N. 87°46'14"W.

AIRSPACE

29 Jul 2010 Revise MARION, IL Class E: That airspace extending upward from 700 feet above the

surface bounded by a line beginning at lat. 37°53′40″ N., long. 88°48′35″ W.; to lat. 37°56′25″ N., long. 89°02′40″ W.; to lat. 37°56′45″ N., long. 89°20′25″ W.; to lat. 37°47′25″ N., long. 89°26′00″ W.; to lat. 37°42′10″ N., long. 89°24′00″ W.; to lat. 37°40′46″ N., long. 89°20′17″ W.; to lat. 37°34′56″ N., long. 89°00′25″ W.; to lat. 37°34′48″ N., long. 89°10′21″ W.; to lat. 37°37′05″ N., long. 89°10′18″ W.; to lat. 37°37′05″ N., long. 80°10′18″ W.; to lat. 37°37′ N., long. 80°10′18″ W.; to lat. 37°37′ N., long. 80°10′ N., lon

37°32′50″ N., long. 88°59′00″ W.; to lat. 37°42′35″ N., long. 88°52′15″ W.; to the point of beginning. Revise MANILA, AR Class E: That airspace extending upward from 700 feet above the surface within a

6.4-mile radius of Manila Municipal Airport. 23 Sep 2010 No Major Changes.

Revise CRANE, IN. Restricted Area R-3404. That airspace within a 1 NM radius of 38°49'30"N,

SPECIAL USE AIRSPACE 29 Jul 2010 No Major Changes.

23 Sep 2010 Add SULLIVAN, IN. Restricted Area, R-3405. Beginning at 39°07′41″N, 87°22′02″W; to

39°07'41"N, 87°21'29"W; to 39°07'39"N, 87°21'29"W; to 39°07'39"N, 87°21'26"W; to 39°07'41"N, 87°21'25"W; to 39°07'41"N, 87°21'12"W; to 39°07'00"N, 87°21'08"W; to 39°07'00"N, 87°21'46"W; to 39°06'36"N, 87°21'47"W; to 39°07'41"N, 87°21'42"W; to 39°07'41"N, 87°21'41"N, 87°21'

Surface up to and including 1,600 feet MSL. Times of Designation. By NOTAM 24 hours in advance.

Controlling Agency. FAA, Terre Haute ATCT.

86°50′08″W. Designated altitudes. Surface to and including 4,100 feet MSL. Time of designation. Sunrise to sunset, daily from May 1 through and including November 1. Other times by NOTAM 24 hours in advance. Controlling agency. FAA, Terre Haute ATCT. MILITARY TRAINING ROUTES

29 Jul 2010 - 23 Sep 2010 No Major Changes.

MISCELLANEOUS

29 Jul 2010 - 23 Sep 2010 No Major Changes.

SE, 23 SEP 2010 to 18 NOV 2010

23 Sep 2010 No Major Changes.

23 Sep 2010 No Major Changes. 23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE 23 Sep 2010 No Major Changes.

23 Sep 2010 No Major Changes.

AIRPORTS

AIRSPACE

MISCELLANEOUS

OBSTRUCTIONS

NAVAIDS

AIRSPACE

MILITARY TRAINING ROUTES 23 Sep 2010 No Major Changes.

23 Sep 2010 No Major Changes.

U.S. GULF COAST VER CHART 24th Edition, 22 Oct 2009

22 Oct 2009 - 23 Sep 2010 No Major Changes. AIRPORTS

22 Oct 2009 - 23 Sep 2010 No Major Changes.

22 Oct 2009 - 23 Sep 2010 No Major Changes.

22 Oct 2009 - 17 Dec 2009 No Major Changes. 11 Feb 2010 Add LCHCB IFR Waypoint, 29°31'39"N, 93°00'00"W.

Add LCHLB IFR Waypoint, 29°32′11″N, 93°20′00″W. Add LCHRB IFR Waypoint, 29°31′04″N, 92°40′00″W.

Add LLACB IFR Waypoint, 29°30′31″N, 92°00′00″W. Add LLALB IFR Waypoint, 29°30′49″N, 92°20′00″W. Add LLARB IFR Waypoint, 29°30′10″N, 91°43′49″W.

8 Apr 2010 - 23 Sep 2010 No Major Changes.

22 Oct 2009 - 23 Sep 2010 No Major Changes.

22 Oct 2009 - 23 Sep 2010 No Major Changes.

SE. 23 SEP 2010 to 18 NOV 2010

22 Oct 2009 - 23 Sep 2010 No Major Changes.

SPECIAL USE AIRSPACE

MILITARY TRAINING ROUTES MISCELLANEOUS

WASHINGTON SECTIONAL 88th Edition. 29 Jul 2010

OBSTRUCTIONS

29 Jul 2010 No Major Changes. 23 Sep 2010 Add obst 412 MSL (230 AGL), 38°22'46"N, 77°25'07"W.

Add obst 723'MSL (270'AGL)UC, $39^{\circ}45'39$ "N, $76^{\circ}01'48$ "W. Add obst 636'MSL (310'AGL), $36^{\circ}24'11$ "N, $77^{\circ}55'45$ "W. Add obst 226'MSL (220'AGL), $36^{\circ}13'42$ "N, $76^{\circ}08'05$ "W.

Add obst 647'MSL (400'AGL), 36°12'41"N, 78°04'09"W. Add obst 1342'MSL (355'AGL)UC, 39°20'19"N, 78°45'27"W.

AIRPORTS 29 Jul 2010 - 23 Sep 2010 No Major Changes.

NAVAIDS 29 Jul 2010 No Major Changes.

23 Sep 2010 Shutdown AZALEA PARK NDB, 38°00′37″N, 78°31′05″W. Delete COGAN NDB, 39°05'11"N, 78°04'07"W.

AIRSPACE 29 Jul 2010 No Major Changes.

23 Sep 2010 Change PHILADELPHIA Class B freq from 126.6 to 133.875

SPECIAL USE AIRSPACE

29 Jul 2010 - 23 Sep 2010 No Major Changes.

MILITARY TRAINING ROUTES

29 Jul 2010 - 23 Sep 2010 No Major Changes.

MISCELLANEOUS 29 Jul 2010 - 23 Sep 2010 No Major Changes.

SUPPLEMENTAL COMMUNICATION REFERENCE

Contained within this tabulation, and listed alphabetically by airport name, are all private—use airports charted on the U.S. IFR Enroute Low and High Altitude charts in the United States, having terminal approach and departure control facilities. Additionally, listed by country, are all Canadian and Mexican airports that appear on the U.S. IFR Enroute charts with approach and departure control services. All frequencies transmit and receive unless otherwise noted. Radials defining sectors are outbound from the facility.

UNITED STATES	
FACILITY NAME	CHART & PANEL
Frankfort, IL (LL4Ø)	L-28H
Chicago App/Dep Con 133.1 285.6	2 2011
Glasgow Industrial, MT (Ø7MT)	H-1E, 2F, L-13D
Salt Lake Center App/Dep Con 126.85 305.2	11 12, 21, 2 100
USAF Academy Bullseye Aux Airstrip, CO (CO9Ø)	L-10F
ASOS 118.325	2 101
West Kentucky Airpark, KY (5KY3)	L-16I
Memphis Center App/Dep Con 133.65 292.15	2 101
William P Gwinn, FL (Ø6FA)	H-8I, L-23C
Gwinn Tower 120.4 279.25 (Mon–Fri 1300–2100Z‡)	5., 2 255
Gnd Con 121.65 279.25	
CANADA	CHART & DANEL
FACILITY NAME Abbetford BP (CVVV)	CHART & PANEL
Abbotsford, BC (CYXX)	H-1B, L-12F
ATIS 119.8 (1500–0700Z‡)	
Victoria Trml App/Dep Con 132.7 (Avbl on ground) 290.8	
Tower 119.4 (Inner) 121.0 (Outer) 295.0 (1500-0700Z‡) Gnd Con 121.8	
MF 119.4 295.0 (0700–1500Z‡) (Shape irregular to 4500')	
Amos/Magny, QC (CYEY)	H-11B
Montreal Center App/Dep Con 125.9	
Atikokan Muni, ON (CYIB)	L-14I
MF 122.3 (5 NM to 4500' No ground station)	
Barrie-Orillia (Lake Simcoe Rgnl), ON (CYLS)	H-11B, L-31D
AWOS 122.55 (Pvt)	
Toronto Center App/Dep Con 124.025	
Bar River, ON (CPF2)	L-31C
Toronto Center App/Dep Con 132.65	
Bathurst, NB (CZBF)	L-32J
Moncton Center App/Dep Con 134.25	
Boundary Bay, BC (CZBB)	H-1B, L-1E
ATIS 125.5 (1500-0700Z‡)	
Vancouver App/Dep Con 132.3 363.8	
Tower 118.1 (Inner) 127.6 (Outer) (1500-0700Z‡) Gnd Con 124.3	
MF 118.1 (0700-1500Z‡ to 2000'. Vancouver Trml 125.2 above 2000'. Shape	
irregular to 2500'.)	
Brampton, ON (CNC3)	L-31D
Toronto Trml App/Dep Con 119.3 253.1	
Brandon Muni, MB (CYBR)	H-2H
Winnipeg Center App/Dep Con 132.25 285.4	
MF 122.1 (5 NM to 4000')	
Brantford, ON (CYFD)	L-31D
Toronto Trml App/Dep Con 128.27	
Brockville-Thousand Islands Rgnl Tackaberry, ON (CNL3)	L-32G
Montreal Center App/Dep Con 134.675	
Bromont, QC (CZBM)	L-32G
Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM to 3400')	
Burlington Airpark, ON (CZBA)	L-31D
Toronto Center App/Dep Con 119.3 253.1	
Castlegar/West Kootenay Rgnl, BC (CYCG)	H-1C
Vancouver Center App/Dep Con 134.2 227.3	
MF 122.1 (5 NM to 6500')	
Centralia/James T. Fld Muni, ON (CYCE)	H-10G, 11B, L-31D
Toronto Center App/Dep Con 135.30	,, _ 018
Charlottetown, PE (CYYG)	H-11E, L-32J
Moncton Center App/Dep Con 135.65 384.8 MF 118.0 (5 NM to 3200')	11-111, 1-323
Chatham—Kent, ON (CNZ3)	H-10G, L-30G
Cleveland Center App/Dep Con 132.25	11–10 0 , L=30 0
5.5.7.5.6.1.4 OGHOT /1PP/ DOP OGH 102.20	

SUPPLEMENTAL COMMUNICATION REFERENCE	507
FACILITY NAME	CHART & PANEL
Collingwood, ON (CNY3)	H-11B, L-31D
Toronto Center App/Dep Con 124.02	
Cornwall Rgnl, ON (CYCC) Boston Center App/Dep Con 135.25 377.1	L-32G
Cranbrook/Canadian Rockies Intl, BC (CYXC)	H-1C
Vancouver Center App/Dep Con 133.6 MF 122.3 (5 NM to 6100')	
Debert, NS (CCQ3)	H-11E, L-32J
Halifax Trml App/Dep Con 119.2 Digby, NS (CYID)	L-32J
Moncton Center App/Dep Con 123.9	L=32J
Downsview, ON (CYZD)	H-11B, L-31E
Toronto Center App/Dep Con 133.4	
MF 126.2 (1300–2300Z‡, 3 NM to 1700') Drummondville, QC (CSC3)	L-32H
Montreal Center App/Dep Con 132.35	L=3211
Earlton (Timiskaming Rgnl), ON (CYXR)	H-11B
MF 122.0 (5 NM to 3800')	
AWOS 128.6	1 040
Elliot Lake Muni, ON (CYEL) Toronto Center App/Dep Con 135.4	L-31C
Fort Frances Muni, ON (CYAG)	L-14H
Minneapolis Center App/Dep Con 120.9	
Fredericton Intl, NB (CYFC)	H-11E, L-32I
ATIS 127.55 (1045–0245Z‡, OT AWOS)	
Moncton Center App/Dep Con 124.3 135.5 270.8 Tower 119.0 (1045–0245Z‡) Gnd Con 121.7 (1045–0245Z‡)	
MF 119.0 (0245–1045Z‡, 5 NM to 3500')	
Goderich, ON (CYGD)	H-11B, L-31D
Toronto Center App/Dep 135.3 266.3	
Greenwood, NS (CYZX) ATIS 128.85 244.3 (1100-0000Z‡)	H-11E, L-32J
App/Dep Con 120.6 335.9 Tower 119.5 126.2 236.6 324.3	
Gnd Con 133.75 289.4 Clnc Del 128.025 283.9	
Grimsby Air Park, ON (CNZ8)	L-31E
Toronto Trml App/Dep Con 128.27 268.75 Tower 125.0 308.475	
Halifax/Shearwater, NS (CYAW)	H-11E, L-32J
ATIS 129.175 (Ltd hrs) App/Dep Con 119.2 MF Shearwater Advisory 119.0 126.2 340.2 360.2 (Ltd hrs)	
Gnd Con 121.7 250.1	
Halifax/Stanfield Intl, NS (CYHZ)	H-11E, L-32J
ATIS 121.0	
Moncton Center App/Dep Con 118.7 119.2 128.55 135.3 363.8 Tower 118.4 236.6 Gnd Con 121.9 275.8 Clnc Del 123.95	
Apron Advisory 122.125	
Hamilton, ON (CYHM)	H-10H, 11B, L-11B
ATIS 128.1	
Toronto Trml App/Dep Con 128.27 268.75 Tower 119.7 125.0	
Gnd Con 121.6 Kingston, ON (CYGK)	H-11C, L-31E, 32F
Montreal Center App/Dep Con 135.05 398.4 (0400–1115Z‡)	11-110, L-31L, 321
MF 122.5 (1115-0400Z‡ 5 NM to 3300')	
Kitchener/Waterloo, ON (CYKF)	H-11B, L-31D
ATIS 125.1 (1200–0400Z‡)	
Toronto Trml App/Dep Con 128.275 Waterloo Tower 126.0 118.55 (1200–0400Z‡)	
MF 126.0 (0400–1200Z‡ 5 NM to 4000')	
Lachute, QC (CSE4)	L-32G
Montreal Center App Con 124.65 132.85 268.3	
Montreal Center Dep Con 132.85 268.3	11.440
La Tuque, QC (CYLQ) Montreal Center App/Dep Con 134.5	H-11C
Langley, BC (CYNJ)	L-1E
ATIS 124.5 (1630–0230Z, DT 1530–0330Z)	
Victoria Trml App/Dep Con 132.7 290.8 Tower 119.0 (1630–0230Z,	
DT 1530-0330Z) Ond Con 131 0 ME 110 0 (0330 16307 DT 0330 16307 3 NM to 1000/)	
Gnd Con 121.9 MF 119.0 (0230–1630Z, DT 0330–1530Z 3 NM to 1900')	

Leamington, ON (CLM2)	L-301
Cleveland Center App/Dep Con 132.45	
Lethbridge, AB (CYQL)	H-10
ATIS 124.4 (1300-0545Z‡)	
Edmonton Center App/Dep Con 132.75 265.2 MF 121.0 (5 NM to 6000')	
Lindsay, ON (CNF4)	L-31E, L-32F
Toronto Center App/Dep 134.25	
Liverpool/South Shore Rgnl, NS (CYAU)	L-32J
Moncton Center App/Dep Con 123.9	
London, ON (CYXU)	H-10G, 11B,
ATIS 127.8 (1120-0345Z‡)	L-30G, 31D
Toronto Center App/Dep 135.3 135.625	
Tower 119.4 125.65 (1120-0345Z‡) Gnd Con 121.9	
MF 119.4 (0345-1120Z‡ 5 NM to 3000')	
Manitowaning/Manitoulin East Muni, ON (CYEM)	L-310
Toronto Center App/Dep 135.4 260.9	
Maniwaki, QC (CYMW)	L-32G
Montreal Center App/Dep Con 126.57	
Mascouche, QC (CSK3)	L-32G
MF 122.35 (5 NM to 2500'. No gnd station. Excluding the portion S of the	
N shore of Riviere des Milles-lles and 1 NM around Lac Agile Mascouche arpt.)	
Medicine Hat, AB (CYXH)	H-1D
AWOS 124.875 (0345-1245Z‡)	
MF 122.2 (1245-0345Z‡ 5 NM to 5400')	
Midland/Huronia, ON (CYEE)	L-31D
Toronto Center App/Dep 124.025	
Miramichi, NB (CYCH)	H-11E, L-32J
Moncton Center App/Dep Con 123.7	
Moncton/Greater Moncton Intl, NB (CYQM)	H-11E, L-32J
ATIS 128.65	
App/Dep 124.4 Tower 120.8 236.6 Gnd Con 121.8 275.8	
Apron Advisory 122.075	
Mont-Laurier, QC (CSD4)	L-320
Montreal Center App/Dep Con 126.57	
Montreal Intl (Mirabel), QC (CYMX)	H-11C, 12K, L-320
ATIS 125.7	
Montreal Center App Con 124.65 132.85 268.3	
Montreal Dep Con 132.85 268.3	
MF 119.1 (7 NM shape irregular to 2000') VFR Advisory 134.15	
Montreal/Pierre Elliott Trudeau Intl, QC (CYUL)	H-11C, 12K, L-320
ATIS 133.7	
Montreal Trml App Con 118.9 124.65 126.9 132.85 268.3	
Tower 119.9 267.1 Gnd Con 121.9 275.8 Clnc Del 125.6 Apron 122.075	
Montreal Trml Dep Con 118.9 (SE-S-SW) 124.65 (W-NW-NE) 268.3	
VFR Advisory 134.15	
Montreal/St-Hubert, QC (CYHU)	H-11C, L-320
	110, 1 020

ATIS 124.9 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z) AWOS 124.9 Montreal Center App/Dep Con 125.15 268.3

Montreal/St-Hubert, QC (CYHU) St. Hubert Tower 118.4 (Apr-Oct 1045-0500Z‡, Nov-Mar 1045-0400Z)

Gnd Con 126.4 MF 118.4 (Apr-Oct 0500-1045Z‡, Nov-Mar Muskoka, ON (CYQA)

0400-1045Z 5 NM shape irregular to 2500') VFR Advisory 134.15 AWOS 124.575 Timmins Radio App/Dep Con 122.3 MF 122.3 (5 NM to 3900')

Nanaimo, BC (CYCD) Victoria Trml App/Dep 120.8 133.95 252.3 MF 122.1 291.8 1330-0530Z‡ (5 NM to

Toronto Center App/Dep 121.225 127.25 MF 118.3 (1130-0330Z‡ 7 NM to 5000')

Tower 120.1 (1130-0330Z‡) Gnd Con 118.4 MF 120.1 (0330-1130Z‡ 5 NM to 3000')

ATIS 124.9 (1130-0330Z±)

ATIS 125.675 (1130-0330Z‡) Toronto Trml App/Dep Con 133.4

2500') North Bay, ON (CYYB)

Oshawa, ON (CYOO)

SE, 23 SEP 2010 to 18 NOV 2010

H-11B, L-31D

H-1B, L-1E

H-11B, L31D

L-31E

CHART & PANEL

SUPPLEMENTAL COMMUNICATION REFERENCE

CHART & PANEL L-31E, 32F

H-11C, L-32G

L-31D

L-30F

H-1R

H-1D

L-1E

H-11D, L-32H

H-11D

H-11B

H-11E, L-32J

H-2K, L-31B

H-11D, L-32H

L-31E. 32F

H-2H

H-10G, 11B, L-30F

H-11C, L-31E, 32F

H-11B, L-31E, 32F

509

ATIS 121.15 Ottawa Trml App/Dep Con 128.175

Ottawa/MacDonald-Cartier Intl. ON (CYOW) ATIS 121.15

Ottawa App Con 135.15 Tower 118.8 (VFR South) 120.1 (VFR North) 118.8 341.3 Gnd Con 121.9 Clnc Del 119.4 Ottawa Dep Con 128.175 Owen Sound/Billy Bishop Rgnl, ON (CYOS)

Toronto Center App/Dep 132.575 290.6 Pelee Island, ON (CYPT)

Ottawa Trml App/Dep Con 127.7 128.175 MF 122.3 (5 NM shape irregular to 2500') VFR Advisory Ottawa Trml 127.7

Ottawa/Gatineau, QC (CYND)

Cleveland Center App/Dep Con 126.35 360.0 Pembroke, ON (CYTA)

Montreal Center App/Dep Con 135.2 Petawawa Advisory 126.4 250.1 (Mon-Fri 1300-2130Z‡, OT PPR)

Penticton, BC (CYYF) Peterborough, ON (CYPQ)

Vancouver Center App/Dep Con 133.5 351.3 MF 118.5 (5 NM to 4100') AWOS 126.925 Toronto Center App/Dep 134.25

Pincher Creek, AB (CZPC) Pitt Meadows, BC (CYPK)

ATIS 125.0 (1500-0700Z‡)

Edmonton Center App/Dep Con 132.75 265.2 MF 126.3 (0700-1500Z‡) (3NM to 2500')

Vancouver Center App Con 128.6 352.7 (Outer) Pitt Tower 126.3 (1500-0700Z‡) Gnd Con 123.8 Quebec/Jean Lesage Intl, QC (CYQB) ATIS 134 6

Vancouver Center Dep Con 132.3 363.8 (South) Montreal Center App/Dep Con 124.0 127.85 135.025 270.9 322.8 Tower 118 65 236 6 Gnd Con 121.9 250.0

Riviere Du Loup, QC (CYRI) AWOS 122.025 (Pvt)

Montreal Center App/Dep Con 125.1 299.6 Rouyn Noranda, QC (CYUY) Montreal Center App/Dep Con 125.9

MF 122.2 (5 NM to 4000') Saint John, NB (CYSJ)

Sarnia (Chris Hadfield), ON (CYZR)

Moncton Center App/Dep Con 124.3 135.5 270.8 MF 118.5 (5 NM to 3400') AWOS 119.125 Toronto Center App/Dep Con 134.375

Sault Ste Marie, ON (CYAM) ATIS 133.05 (1300-0100Z‡)

Toronto Center App/Dep Con 132.65 344.5

MF 118.8 (0100-1300Z‡ 5 NM irregular shape to 3000')

ATIS 120.85 (Mon-Fri 1400-2300Z‡ except holidays) Tower 126.2 384.2 (Mon-Fri 1400-2300Z‡ except holidays)

Montreal Center App/Dep Con 132.55 MF 123.5 (Ltd hrs 5 NM to 3800')

Tower 118.8 (1300-0100Z‡) Gnd Con 121.7 (1300-0100Z‡)

Sherbrooke, QC (CYAM)

South Renfrew Muni. ON (CNP3)

Gnd Con 121.7 275.8

Montreal Center App/Dep 124.275

AWOS 126.25

Southport, MB (CYPG)

510 SUPPLEMENTAL COMMUNICATION REFERENCE FACILITY NAME Springwater Barrie Airpark, ON (CNA3) Toronto Center App/Dep Con 124.025 St. Catherines/Niagara District. ON (CYSN)

ATIS 128.525 (1215-0200Z‡) Toronto Trml App/Dep Con 133.4 253.1 MF 123.25 (1215-0200Z‡ 5 NM to 3300') St. Frederic, QC (CSZ4) L-32H Montreal Center App/Dep Con 135.025 270.9

St. Georges. QC (CYSG) Montreal Center App/Dep Con 132.35 MF 122.15 (5 NM 3900' ASL) St. Jean. QC (CYJN) Montreal Center App/Dep Con 125.15 268.3 Tower 118.2 (Apr-Oct 1230-0230Z‡ Nov-Mar 1300-0200Z‡)

Gnd Con 121.7 Sudbury, ON (CYSB) ATIS 127.4 Toronto Center App/Dep Con 135.5

MF 125.5 (7 NM to 4000')

Summerside, PE (CYSU) AWOS 122.55 (Pvt) Moncton Center App/Dep Con 124.4 384.8 Thunder Bay, ON (CYOT) ATIS 128.8 (1100-0400Z‡) Winnipeg Center App/Dep Con 132.125 Tower 118.1 (1100-0400Z±) Gnd Con 121.9 (1100-0400Z±)

App/Dep 119.2 MF 118.1 (0400-1100Z‡ 5 NM to 4000') ATIS 124.95 (1000-0500Z±)

Timmins/Victor M. Power, ON (CYTS) Toronto/Buttonville Muni, ON (CYKZ)

Toronto Center App/Dep Con 128.3 MF 122.3 (5 NM to 4000') ATIS 127.1 (1200-0400Z‡) Toronto Trml App/Dep Con 133.4

Tower 124.8 119.9 (1200-0400Z‡) Gnd Con 121.8 (1200-0400Z‡) MF 124.8 (0400-1200Z‡ No gnd station. 5 NM shape irregular to below 2500') Toronto/Billy Bishop Toronto City Airport, ON (CYTZ)

ATIS 133.6 (1130-0400Z‡) App/Dep Con 133.4 Tower 118.2 119.2 (1130-0400Z‡) Gnd Con 121.7

Toronto/Lester B Pearson Intl. ON (CYYZ) ATIS 120.825 App Con 124.475 125.4 132.8 Dep Con 127.575 128.8

Tower 118.35 118.7 Gnd Con 119.1 121.65 121.9 Cinc Del 121.3 (1200-0400Z‡) Trenton, ON (CYTR) ATIS 135.45 257.7

App/Dep Con 128.4 324.3 Tower 128.7 236.6 Gnd Con 121.9 275.8 Cinc Del 124.35 286.4 Trenton/Mountain View, ON (CPZ3)

Trenton Mil Advisory 268.0

Trois-Rivieres, QC (CYRO)

MF 123.0 (5 NM to 3200')

Val-D'or. QC (CYVO)

Montreal Center App/Dep Con 128.225 229.2

Montreal Center App/Dep Con 125.9 308.3

Dep Con 126.125 (north) 132.3 (south) 363.8

MF 118.5 (1030-0325Z‡ 5 NM to 4000')

Vancouver Intl. BC (CYVR)

ATIS 124.6 124.75

App Con 128.6 128.17 352.7 (Outer) 133.1 134.225 352.7 (Inner)

Tower 118.7 (south) 119.55 (north) VFR 124.0 125.65 226.5 236.6 Gnd Con 121.7 (south) 127.15 (north) 275.8 Clnc Del 121.4

SE, 23 SEP 2010 to 18 NOV 2010

H-1B, L-1E

CHART & PANEL

H-32H, L-11D

H-31B, 10G, L-31D

H-11E, L-32J

H-2J, L-14J

H-11B

L-31E

L-31E

H-11B, L-31D

H-11C, L-31E, 32F

H-11C, L-31E, 32F

H-11C, L-32H

H-11B

L-32G

H-10H, 11B, L-31E

L-31D

FACILITY NAME CHART & PANEL Victoria Intl. BC (CYYJ) H-1B, L-1E ATIS 118.8 (1400-0800Z‡) App Con 125.95 Dep Con 133.85 Tower 119.1 (Outer) 119.7 (Inner) 239.6 Gnd Con 121.9 361.4 (1400-0800Z± OT ctc Kamloops 119.7) Cinc Del 126.4 (1400-0800Z‡) Victoriaville, QC (CSR3) L-32H Montreal Center App Con 132.35 Waterville/Kings Co Muni. NS (CCW3) L-32J Greenwood Trml App/Dep Con 120.6 335.9 Greenwood Tower 119.5 324.3 Wiarton, ON (CYVV) H-11B. L-31D Toronto Center App/Dep Con 132.575 MF 122.2 (5 NM to 3700') H-10G, L-8J Windsor, ON (CYQG) ATIS 134.5 (1130-0330Z‡) Detroit App/Dep Con 126.85 127.5 134.3 348.3 363.2 Tower 124.7 (1130-0330Z‡) Gnd Con 121.7 (1130-0330Z‡) MF 124.7 (0330-1130Z‡ 6 NM irregular shape to below 3000') VFR Advisory Detroit App Con 134.3

SUPPLEMENTAL COMMUNICATION REFERENCE

511

Moncton Center App/Dep Con 123.9 368.5 MF 123.0 (5 NM to 3100')

Yarmouth, NS (CYQI) H-11E, L-32I MEXICO **FACILITY NAME CHART & PANEL** Abraham Gonzalez Intl (MMCS) H-4K, L-6F Juarez App Con 119.9 Juarez Tower 118.9 Del Norte Intl (MMAN) H-7B, L-20G

ATIS 127.55 (1300-0300Z±) Monterrey App 119.75 120.4 Tower 118.6 Durango Intl (MMDO) H-7A ATIS 132.1

Tower 118.1 Durango Info 122.3 General Abelardo L Rodriguez Intl (MMTJ) H-4H, L-4H ATIS 127.9 Tijuana App Con 119.5 120.3 Tijuana Tower 118.1 Tijuana Clnc Del 122.35

Tiiuana Info 132.1 General Lucio Blanco Intl (MMRX) H-7B, L-20H Reynosa App Con 118.8 Reynosa Tower 118.8 General Mariano Escobedo Intl (MMMY) H-7B, L-20G

Monterrey App Con 119.75 120.4 Monterrey Tower 118.1 Gnd Con 121.9 General R Fierro Villalobos Intl (MMCU) L-61 ATIS 127.9

Chihuahua App Con 121.0 Chihuahua Tower 118.4 General Rodolfo Sanchez Taboada Intl (MMML) H-4H, L-4J, 5A ATIS 127.6

Mexicali App Con 118.2 Mexicali Tower 118.2 Mexicali Info 123.9 122.3 General Servando Canales Intl (MMMA) H-7C, L-21A

Matamoros App Con 118.0 Matamoros Tower 118.0 Saltillo App Con 127.4 Saltillo Tower 118.4

Plan De Guadalupe Intl (MMIO) H-7B

Quetzalcoati Inti/Nuevo Laredo Inti (MMNL) H-7B, L-20G Nuevo Laredo App Con 118.3 Nuevo Laredo Tower 118.3 Torreon Intl (MMTC) H-7A

App Con 119.6 Tower 118.5

AIRPORT DIAGRAMS

In support of the Federal Aviation Administration's Runway Incursion Program, selected towered airport diagrams have been published in the Airport Diagram section of the A/FD. Diagrams will be listed alphabetically by associated city ar airport name. Airport diagrams, depicting runway and taxiway configurations, will assist both VFR and IFR pilots in groun taxi operations. The airport diagrams in this publication are the same as those published in the U.S. Terminal Procedure Publications. For additional airport diagram legend information see the U.S. Terminal Procedures Publication.

NOTE: Some text data published under the individual airport in the front portion of the A/FD may be more current that the data published on the Airport Diagrams. The airport diagrams are updated only when significant changes occur.

GENERAL INFORMATION

PILOT CONTROLLED AIRPORT LIGHTING SYSTEMS

Available pilot controlled lighting (PCL) systems are indicated as follows:

- 1. Approach lighting systems that bear a system identification are symbolized using negative symbology, e.g., 🚳, 🔾 😥 2. Approach lighting systems that do not bear a system identification are indicated with a negative "• " beside the name
- A star (*) indicates non-standard PCL, consult the individual airport in the front portion of the A/FD, e.g., 0*
- To activate lights use frequency indicated in the communication section of the chart with a 🛭 or the appropriate lighting system identification e.g., UNICOM 122.8 0, 🚵, 🛛

KFY	MIKE	

7 times within 5 seconds 5 times within 5 seconds 3 times within 5 seconds

FUNCTION Highest intensity available

Medium or lower intensity (Lower REIL or REIL-off) Lowest intensity available (Lower REIL or REIL-off)

CHART CURRENCY INFORMATION

FAA procedure amendment number Amdt 11A 99365 Date of latest change Orig 00365

The Chart Date indentifies the Julian date the chart was added to the volume or last revised for any reason. The first two digits indicate the year, the last three digits indicate the day of the year (001 to 365/6) in which the latest addition or change was first published.

The Procedure Amendment Number precedes the Chart Date, and changes any time instrument information (e.g., DH, MDA, approach routing, etc.) changes. Procedure changes also cause the Chart Date to change.

MISCELLANEOUS

- Indicates a non-continuously operating facility, see the individual airport in the front portion of the A/FD.
- Indicates control tower temporarily closed UFN.

10210 IFGFND

Runways

Hard

Surface

Other Than

Hard Surface

INSTRUMENT APPROACH PROCEDURES (CHARTS)

AIRPORT DIAGRAM/AIRPORT SKETCH

Displaced

Threshold

	Traidi Kalliraja				
≿ ≾ Closed Runway	x x x Closed Taxiway	 Inder Construction	Metal Surface		
e.g., BAK not applic	I 2, MA-1 A etc	ific arresting ged ., shown on airp lots. Military Pilc ations.	ort diagrams,		
uni-dir	ectional	bi-directional	} Jet Barrie		
ARRESTING	SYSTEM				
REFERENCE	FEATURES				
Tanks					
Obstruction	s		∧		
Airport Bea	con #		☆		
Runway			_		
Radar Refle	ctors		X		
Control Toy	or #		_		

Stopways, Taxiways,

Parking Areas,

Water Runways

When Control Tower and Rotating Beacon are co-located, Beacon symbol will be used and further identified as TWR. Runway length depicted is the physical length of

the runway (end-to-end, including displaced thresholds if any) but excluding areas designated as stopways.

A D symbol is shown to indicate runway declared distance information available, see appropriate A/FD, Alaska or Pacific Supplement for distance information. Helicopter Alighting Areas (H) 🛨 [H] 🛕 [H] Negative Symbols used to identify Copter Procedures landing point..... +н

Runway Threshold elevation.....THRE 123 Runway TDZ elevation......TDZE 123 -0.3% DOWN

(shown when runway slope is greater than or equal to 0.3%)

Runway Slope measured to midpoint on runways

8000 feet or longer.

U.S. Navy Optical Landing System (OLS) "OLS" location is shown because of its height of approximately 7 feet and proximity to edge of runway may create an obstruction for some types of aircraft.

Approach light symbols are shown in the Flight Information Handbook.

Airport diagram scales are variable.

True/magnetic North orientation may vary from diagram to diagram


Coordinate values are shown in 1 or ½ minute increments. They are further broken down into 6 second ticks, within each 1 minute increments.

Positional accuracy within ±600 feet unless otherwise noted on the chart.

All new and revised airport diagrams are shown referenced to the World Geodetic System (WGS) (noted on appropriate diagram), and may not be compatible with local coordinates published in FLIP. (Foreign Only)

Runway Weight Bearing Capacity/or PCN Pavement Classification Number

is shown as a codified expression. Refer to the appropriate Supplement/Directory for applicable codes e.g., RWY 14-32 PCN 80 F/D/X/U S-75, D-185, 2S-175, 2D-325



Airport diagrams are specifically designed to assist in the movement of ground traffic at locations with complex runway/taxiway configurations and provide information for updating Computer Based Navigation Systems (I.E., INS, GPS) aboard aircraft. Airport diagrams are not intended to be used for approach and landing or departure operations. For revisions to Airport Diagrams: Consult FAA Order 7910.4.

LEGEND

runway incursion, and where heightened attention by pilots/drivers is necessary.

a history of or potential for runway incursions or surface incidents, due to a variety of causes, such as but not limited to: airport layout, traffic flow, airport marking, signage and lighting, situational awareness, and training. Hot spots are depicted on airport diagrams as circles or polygons designated as "HS 1", "HS 2", etc. and tabulated in the list below with a brief description of each hot spot. Hot spots will remain charted on airport diagrams until such time the increased risk has been reduced or eliminated.

AIRPORT DIAGRAMS HOT SPOTS An "airport surface hot spot" is a location on an aerodrome movement area with a history or potential risk of collision or

A "hot spot" is a runway safety related problem area on an airport that presents increased risk during surface operations. Typically it is a complex or confusing taxiway/taxiway or taxiway/runway intersection. The area of increased risk has either

CITY/AIRPORT HOT SPOT DESCRIPTION ALABAMA MONTGOMERY MONTGOMERY RGNL HS 1 (DANNELY FIELD) (MGM) Intersection of Twy A3 and the terminal ramp. Potential confusion of Twy A3 as the taxi route to

HS 2

Rwv 10-28. Intersection of the Twy A5 and the ANG ramp. Potential exiting Rwy 10-28 at Twy A5.

HS 1

TUSCALOOSA TUSCALOOSA RGNL (TCL) DAYTONA BEACH

DAYTONA BEACH INTL (DAB)

HS₁ HS₁

HS₂ HS 3

HS 1 HS₂ HS 3

HS 4 HS₁ HS₂

ORLANDO SANFORD INTL (SFB)

HS₁

HS 2

SE, 23 SEP 2010 to 18 NOV 2010

Rwy 12 and Twy A1.

Twv C.

Rwy 36 and turning right on Twy R. Intersecting rwys, wrong rwy departure risk. (Check rwy alignment.)

Rwy 27 and Rwy 30 wrong rwy departure risk.

Pilots taxiing southbound on Twv W sometimes

departures-Pilots miss the turn onto Twy P and

The hold line for Rwy 36L is also the hold line for

Acft taxiing on Twy L westbound to depart on Rwy 18R-36L, Twy L crosses the apch end of Rwy 36R. Pilots should obtain clearance from ground ctl prior

Southbound on Twy D for Rwy 27R

without clearance

enter the rwy.

to crossing Rwy 36R.

Short taxi across twys to rwy.

Short taxi across twys to rwy.

Short twy between rwys.

Rwv 09R.

miss the right turn on Twy S and enter the runway

Rwy 09C APCH hold (Rwy 09C APCH) enroute to

The hold line for Rwy O9R on Twy R northbound is placed immediately adjacent to Twy S after crossing

HOLLYWOOD NORTH PERRY (HWO)

MIAMI

ORLANDO

STURT

MIAMI INTL, FL (MIA)

WITHAM FIELD (SUA)

514

Unusually placed Rwy 29 hold line just beyond Twy F.

FIORIDA

HS 1

HS 2

HS 3

HS 4

SE, 23 SEP 2010 to 18 NOV 2010

Holding position marking for full length of Rwy 23L

Ramp exit Twy R5 short distance from Twy A and Rwy 05R-23L. Pilots miss turn onto Twy A.

Ramp exit Twy R4 short distance from Twy A and Rwy 05R-23L. Pilots miss turn onto Twy A.


Acft taxiing on Twy B4 southeast bound sometime


just beyond Twy A8 and Twy A.


fall to hold short of Rwy 23L.


KNOXVILLE


MC GHEE TYSON (TYS)
















10210

ATLANTA/DEKALB-PEACHTREE (PDK)





STATION

ČÁRGO

RAMP

8

9000 X 150

CAUTION: Pilots are cautioned not

to mistake the marked concrete on Rwy 10/28 and taxiway SG for a

84° 26′W

taxiway at the I-285 overpass.

SG

131.37

SC

Ramp 6

SG SC

SG2 SG

094.4°-

5

84° 27′W

ELEV

1000

AIRPORT DIAGRAM 10266

ATLANTA, GEORGIA ATLANTA/ HARTSFIELD - JACKSON ATLANTA INTL (ATL)

84° 25′W

S-120, D-200, 2D-360

S-120, D-200, 2D-360

S-75, D-209, 2D-600,

ASDE-X Surveillance System

in use. Pilots should operate

transponders with Mode C on all twys and rwys.

PCN 68 R/A/W/T

PCN 74 R/A/W/T

2D/2D2-900

RWY 09R-27L


RWY 10-28


SC


274.4°


FIFV


998










































AIRPORT DIAGRAM


CHERRY POINT, NORTH CAROLINA
CHERRY POINT MCAS (KNKT)
















SE. 23 SEP 2010 to 18 NOV 2010

































































































































AIRPORT DIAGRAM


LOUISVILLE INTL-STANDIFORD FIELD (SDF)
















































































AIRPORT DIAGRAM


ORLANDO, FLORIDA ORLANDO INTL (MCO)


81° 17′W


81° 18′W


81° 19'W


CAUTION: BE ALERT TO RUNWAY CROSSING CLEARANCES.
READBACK OF ALL RUNWAY HOLDING INSTRUCTIONS IS REQUIRED.


































SE, 23 SEP 2010 to 18 NOV 2010














































SE, 23 SEP 2010 to 18 NOV 2010










































INTENTIONALLY LEFT BLANK

NATIONAL WEATHER SERVICE (NWS) UPPER AIR OBSERVING STATIONS (UAOS) AND

WEATHER RADAR NETWORK




LEGEND

- △ AVIATION WEATHER SERVICE (MILITARY)
- ▲ AIR TRAFFIC CONTROL RADAR
- ★ UPPER AIR OBSERVING STATION/RADAR
- RADAR ONLY
- UAOS-BALLOON RELEASE AROUND 1100 UTC AND 2300 UTC DAILY
- O OTHER NWS UPPER AIR STATIONS-BALLOON RELEASE TIMES ARE FLEXIBLE BUT GENERALLY AROUND SUNRISE AND/OR EARLY AFTERNOON

NOTE: FOR RELEASE LATER THAN 1130 UTC AND 2330 UTC, AND FOR SPECIAL RELEASES AT OTHER THAN THE SCHEDULED HOURS, AN AERONAUTICAL INFORMATION MESSAGE WILL BE FILED.

ENROUTE FLIGHT ADVISORY SERVICE (EFAS)

See Aeronautical Information Manual (AIM) for available services



HIGH ALTITUDE COMMUNICATIONS OUTLET

BOTH LOW AND HIGH ALTITUDE COMMUNICATIONS OUTLET